



APS Automotive Enterprises Co.,Ltd.

A2, 2ND Floor, Main Building, 33 Changhong Road, Modern Logistics Park, Xiamen, China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

CONNECTING RODS FOR GM

NO.	CAR	APS NO.	OEM	Description
1	GM	APS 5565		GM400 Length 141.35/ BE Bore 56.507 PIN Bore 23.578/ 7/16-20UNF/ Gram Weight 625/ Cyl 8
2	GM	APS 5700		GM350 Length 144.78/ BE Bore 56.507 PIN Bore 23.578/ 7/16-20UNF/ Gram Weight 635/ Cyl 8
3	GM	APS 6000		GM350 Length 152.40/ BE Bore 56.507 PIN Bore 23.578/ 7/16-20UNF/ Gram Weight 650/ Cyl 8
4	GM	APS 6125		GM350 Length 155.58/ BE Bore 56.507 PIN Bore 23.578/ 7/16-20UNF/ Gram Weight 660/ Cyl 8
5	GM	APS 6250		GM350 Length 158.75/ BE Bore 56.507 PIN Bore 23.578/ 7/16-20UNF/ Gram Weight 670/ Cyl 8
6	GM	APS 5700S		GM327 Length 144.78/ BE Bore 53.967 PIN Bore 23.578/ 7/16-20UNF/ Gram Weight 640/ Cyl 8
7	GM	APS 6000S		GM327 Length 152.40/ BE Bore 53.967 PIN Bore 23.578/ 7/16-20UNF/ Gram Weight 655/ Cyl 8
8	GM	APS 6135		GM454 Length 155.83/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 780/ Cyl 8
9	GM	APS 6385		GM454 Length 162.18/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 790/ Cyl 8
10	GM	APS 6405		GM454 Length 162.69/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 790/ Cyl 8

11	GM	APS 6535		GM454 Length 165.99/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 800/ Cyl 8
12	GM	APS 6635		GM454 Length 168.53/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 805/ Cyl 8
13	GM	APS 6700		GM454 Length 170.18/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 810/ Cyl 8
14	GM	APS 6800		GM454 Length 172.72/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 820/ Cyl 8
15	GM	APS 6900		GM454 Length 175.26/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 830/ Cyl 8
16	GM	APS 7100		GM454 Length 180.34/ BE Bore 59.047 PIN Bore 25.168/ 7/16-20UNF/ Gram Weight 840/ Cyl 8
17	GM	APS 6098		GMLS1 Length 154.89/ BE Bore 56.49 PIN Bore 24/ 7/16-20UNF/ 1.6"/Gram Weight 630/ Cyl 8
18	GM	APS 6348		GMLS1 Length 161.24/ BE Bore 56.49 PIN Bore 24/ 7/16-20UNF/ 1.6"/ Gram Weight 642/ Cyl 8
19	GM	APS 6625		PONTIAC455 Length 168.28/ BE Bore 60.30 PIN Bore 24.921/ 7/16-20UNF/ Gram Weight 750/ Cyl 8
20	GM	APS 6625P		PONTIAC455 Length 168.28/ BE Bore 60.30 PIN Bore 24.841/ 7/16-20UNF/ Gram Weight 750/ Cyl 8
21	GM	APS 5965		BUICK231 Length 151.51/ BE Bore 60.295 PIN Bore 23.875/ 7/16-20UNF/ 1.6"/ /Gram Weight 806/ Cyl 6
22	GM	APS EJ 20		SUBARU2.0/2.2 Length 130.5/ BE Bore 55 PIN Bore 23/ 3/8-24UNF/ 1.6/ Gram Weight 550/ Cyl 6
23	GM	APS EJ 20A		SUBARU2.0/2.2 Length 132.5/ BE Bore 55 PIN Bore 23/ 3/8-24UNF/ 1.6/ Gram Weight 550/ Cyl 6
24	GM	APS 5137		SUBARU EJ20 Length 130.5/ BE Bore 55 PIN Bore 23/ Cyl 4

25	GM	APS EJ20H		SUBARU EJ20H Length 130.5/ BE Bore 54.97 PIN Bore 23/ Cyl 4
26	GM	APS 5136		SUB2.2 Length 130.45/ BE Bore 55.001 PIN Bore 23.01/ 3/8-24UNF×1.6/ Gram Weight 545/ Cyl 4
27	GM	APS EJ25		SUB2.2 Length 130.5/ BE Bore 55 PIN Bore 23/ Cyl 4
28	GM	APS A 161		SUB2.2 Length 130.5/ BE Bore 55 PIN Bore 23.02/ Cyl 4
29	GM	APS EJ20 D		SUB2.2 Length 130.5/ BE Bore 55 PIN Bore 23/ Cyl 6
30	GM	APS 17P		OPEL C20 XE,LET,DET Length 143/ BE Bore 52 PIN Bore 21/ Cyl 4
31	GM	APS A -134		OPEL Corsa Opc 1.6Ltr/1.8Ltr Length 143/ BE Bore 52 PIN Bore 21/ Cyl 4
32	GM	APS 5108		OPEL 1.4-1.6L Length 129.75/ BE Bore 46 PIN Bore 18/ Cyl 4
33	GM	APS 5629		OPEL 2.0L Length 143/ BE Bore 52 PIN Bore 21/ Cyl 4