



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	CHEVROLET	APS 26201	3991476 6271096	V8 350ENG PASS LIGHT DUTY TRUCK EXC HLPFRT	8	101.6 4.0"	80.5 3.1693"	39.03-5.3 1.5367"-0.2087"	2-5/64"	1-3/16"	23.558	76.2		0.558
2	CHEVROLET	APS 26203	3734627 3791692	TRK153.230 G.M.C	4	98.425 3 7/8"	96.0 3.7796"	45.32-3.0 1.7843"-0.1182"	2-5/64"	1-3/16"	23.558	76.2		0.62
3	CHEVROLET	APS 26204	3892673	V8 350ENG PASS CAR	8	101.6 4"	81.0 3.189"	39.22-4.4 1.5441"-0.1732"	2-5/64"	1-3/16"	23.558	76.2		0.615
4	CHEVROLET	APS 26206	3795704	PASS 327	8	101.6 4"	89.0 3.504"	42.121-3.2 1.6583"-0.126"	2-5/64"	1-3/16"	23.558	76.2		0.644
5	CHEVROLET	APS 26207		TRK 250	6	98.425 3 7/8"	88.4 3.4804"	41.63-1.8 1.639"-0.0709"	2-5/64"	1-3/16"	23.558	76.2		
6	CHEVROLET	APS 26208	3932496	V8 350ENG TRUCK	8	101.6 4"	80.6 3.1733"	39.021-3.0 1.5362"-0.1182"	2-5/64"	1-3/16"	23.558	76.2		0.668
7	CHEVROLET	APS 26210	3874468	250ENG TAXI TRUCK	6	98.425 3 7/8"	89.3 3.5158"	42.06-1.8 1.656"-0.0709"	2-1/16"	1-3/16"	23.558	76.2		0.59
8	CHEVROLET	APS 26211		141ENG[2300]	4	98.425 3 7/8"	89.2 3.5119"	41.77 1.6445"	2-5/64"	1-3/16"	23.558	76.2		0.6
9	CHEVROLET	APS 26212	3791692	153ENG[2500]4C YL 230ENG[3800]6C YL	4/6	98.425 3 7/8"	96.5 3.7993"	45.771-3.8 1.802"-0.1496"	2-5/64"	1-3/16"	23.558	76.2		0.586
10	CHEVROLET	APS 26212E		230ENG	6	98.425	96.5	45.771	2-1.98	1-4.76	23.558	76.2	*	
11	CHEVROLET	APS 26213			8	98.425 3 7/8"	88.93 3.5012"	42.03 1.6547"	2-3/32"	1-3/16"	23.558	76.2		0.615

12	CHEVROLET	APS 26214	3856247 3856248		8	103.987 4.094"	96.0 3.7796"	43.942+4.8 1.73"+0.189"	2-5/64"	1-3/16"	25.146	76.2		0.727
13	CHEVROLET	APS 26214A		396	8	103.987 4.094"	96.0 3.7796"	43.942+4.8 1.73"+0.189"	2-5/64"	1-3/16"	25.146	76.2		0.727
14	CHEVROLET	APS 26215HAL			8	101.6 4"	86.8 3.4173"	39.62+4.6 1.560"+0.1811"	2-5/64"	1-3/16"	23.558	76.2		0.573
15	CHEVROLET	APS 26215HAR			8	101.6 4"	86.8 3.4173"	39.62+4.6 1.560"+0.1811"	2-5/64"	1-3/16"	23.558	76.2		0.573
16	CHEVROLET	APS 26215L		350	8	101.6 4"	86.8 3.4173"	39.62+4.6 1.560"+0.1811"	2-5/64"	1-3/16"	23.558	76.2		0.546
17	CHEVROLET	APS 26215R		350	8	101.6 4"	86.8 3.4173"	39.62+4.6 1.560"+0.1811"	2-5/64"	1-3/16"	23.558	76.2		0.546
18	CHEVROLET	APS 26216L		400	8	104.775 4 1/8"	80.0 3.1497"	39.116-4.5 1.5"-0.1772"	2-5/64"	1-3/16"	23.558	76.2		0.566
19	CHEVROLET	APS 26216R		400	8	104.775 4 1/8"	80.0 3.1497"	39.116-4.5 1.5"-0.1772"	2-5/64"	1-3/16"	23.558	76.2		0.566
20	CHEVROLET	APS 26217	3963553 3963554 3993825	TRUCK-EXC FORWARD CONTROL	8	107.95 4 1/4"	85.3 3.3583"	41.275 1.625"	2-5/64"	1-3/16"	25.146	74.7		0.735
21	CHEVROLET	APS 26218	3911076 3911084 6271086	307	8	98.425 3 7/8"	89.5 3.5237"	42.037 1.655"	2-5/64"	1-3/16"	23.558	76.2		0.611
22	CHEVROLET	APS 26219		350	8	101.6 4.0"	81.0 3.189"	39.5+2.8 1.5552"+0.1103"	2-5/64"	1-3/16"	23.558	76.2		0.648
23	CHEVROLET	APS 26221		292CU.IN TRUCK	6	98.437 3.8755"	92.964 3.660"	51.079-8.255 2.011"-0.325"	2-5/64"	1-3/16"	23.558	76.45		0.631
24	CHEVROLET	APS 26222		283	8	98.437 3.8755"	80.289 3.161"	45.339 1.785"	2-5/64"	1-3/16"	23.558	76.45		0.578
25	CHEVROLET	APS 26223	GPV-1435 CAST		4	87.313	85.4	44.7	2-1.98	1-4.76	20.325	67.0		
26	CHEVROLET	APS 26224			4	87.313	85.4	44.7	2-1.98	1-4.76	20.325	67.0		
27	CHEVROLET	APS 26225	GPV-6050 CAST		4	87.313	81	40.37	2-1.58	1-3.17	20.325	67.0		
28	CHEVROLET	APS 26226P	GPV-1436HI TECH		4	87.313	69.5	40.19	2-1.58	1-3.17	20.325	67.0		
29	CHEVROLET	APS 26227	GPC-Z8		8	101.6	91.2	45.8+7.0	2-1.98	1-4.76	23.558	76.0	25.9 1.2W	

30	CHEVROLET	APS F-26228		S10 2.2L	4	89	51.8	30.5-1.7	2-1.5	1-3.0	20.33	67	*	316.6gr
31	CHEVROLET	APS F-26229		CAVALIER 2.2L	4	89	50.7	29.7-5.0	2-1.5	1-3.0	20.33	67	*	298.8gr
32	CHEVROLET	APS F-26230	H815P	5.7L	8	101.6	66	39.38-2.5	2-1.5	1-3.0	23.558	70	*	520.gr
33	CHEVROLET	APS F-26231	H857CP	6.0L	8	101.6	61	33.6-1.2	2-1.5	1-3.0	24	72.5	*	210gr
34	CHEVROLET	APS F-26232	H1132CT	V8	8	96	59.2	33.6	2-1.5	1-3.0	23.95	65	27.0*1.8R	418gr
35	CHEVROLET	APS F-26233	H855CP	4.8L,V8	8	96.01	64.8	33.7	2-1.5	1-3.0	24	72.5	*	413gr
36	CHEVROLET	APS F-26234	H868CP	5.7L,V8	8	99	61	33.8	2-1.5	1-3.0	24	72.5	*	444.4gr
37	CHEVROLET	APS F-26235	3517HC	6.0L,V8	8	101.6	57.8	33.9	2-1.5	1-3.0	23.95	65	27.0*1.6R	461.6gr
38	CHEVROLET	APS F-26236	3512HC	3.1L,V6	6	89	57.4	37.4-6.7	1-1.2 1-1.5	1-3.0	23	61	*	362gr
39	CHEVROLET	APS F-26237	3494HC	8.1L,V8	8	107.95	66.3	34.2	2-2.0	1-4.0	26.41	66	30.0*1.6R	555.8gr
40	CHEVROLET	APS F-26238		2.4L,V4	4	88	49.3	27.8	1-1.2 1-1.5	1-2.5	20	58.5	23.0*1.6R	316.8gr
41	CHEVROLET	APS F-26239	3517HC	6.0L,V8	8	101.6	56.5	33.5	1-1.2 1-1.5	1-2.5	23.95	65	27.0*1.6R	446.2 gr
42	CHEVROLET	APS F-26240	3440HC	7.4L,V8	8	107.95	73.3	41.3	2-1.98	1-4.76	25.146	74.7	*	662.4 gr
43	CHEVROLET	APS F-26241		6.0L,V8	8	101.6	57.5	33.6-1.2	1-1.2 1-1.5	1-2.5	23.95	65	27.0*1.6R	448.2gr
44	CHEVROLET	APS F-26242		3.4L,V6	6	92	62.8	37.8-6.5	1-1.2 1-1.5	1-3.0	23	57	*	381.6gr
45	CHEVROLET	APS F-26243	3459C	3.1L,V6	6	89	58.7	37.7-6.6	1-1.2 1-1.5	1-3.0	23	61	*	374gr
46	CHEVROLET	APS F-26244	3411H	4.3L,V6	6	101.6	60.8	39.2-2.0	1-2.0 1-1.5	1-4.0	23.558	69.05		504.6gr
47	CHEVROLET	APS F-26245		3.9L,V6	6	99	56	33.0-3.9	1-1.2 1-1.5	1-2.5	23.95	65	27.0*1.6R	415.2gr