



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	FIAT	APS 26501			4	62	62	31.0	2-2.0	1-4.0	20	51.0	23 1.4R	0.182
2	FIAT	APS 26503		UNO 1100cc	4	70	53.6	30-1.8	2-1.5	1-3.0	18	53.0		
3	FIAT	APS 26504			4	68	72	46.0	2-2.5	1-3.9	22	56.0	25 1.4R	0.277
4	FIAT	APS 26505			4	72	88.6	36.8+8.6	2-2.0	1-3.9	22	60.0	25 1.4R	0.291
5	FIAT	APS 26506			5	84	77.4	34.8+0.8	1-1.5 1-2.0	1-3.96	22	69.0	25 1.8R	
6	FIAT	APS 26507	93311-600	93311-600	6	104	132.75	82.05-24.6	3-2.5	2-6.0	38	88.0	42 1.4R	
7	FIAT	APS 26507J		93311-600	6	104	132.75	82.05-24.6	3-2.5	2-6.0	38	88.0	42 1.4R	1.559
8	FIAT	APS 26508		93839-600	6	118	152	95.0-26.0	1-3.5 2-3.0	1-6.0	42	99.0	45.5 1.75W RTW42	
9	FIAT	APS 26508J		93839-600	6	118	152	95.0-26.0	1-3.5 2-3.0	1-6.0	42	99.0	45.5 1.75W RTW42	2.32
10	FIAT	APS 26509			4	77	89	36.7+9.5	2-2.0	1-4.0	22	65.0	25 1.8R	0.242
11	FIAT	APS 26510			4	82	86	46.0	2-3.0	1-5.0	26	68.0	29 1.4R	0.34
12	FIAT	APS 26511			4	82	100	47.0-3.8	3-3.0	1-5.5	26	72.0	29 1.6R	0.5
13	FIAT	APS 26512			4	110	150.3	75.3-27.5	3-2.5	1-5.0	40	93.5	43.5 1.75W	1.7
14	FIAT	APS 26512JH		C03	4	110	150.2	75.2-27.5	3-2.5	1-5.0	4	93.5	43.5 1.75W	

15	FIAT	APS 26513		FM1400cc UNO 1400cc	4	80.5	72.8	33.3-2.4	1-1.5 1-1.8	1-3.0	22	58.0	23.5 1.0W RTW22	0.333
16	FIAT	APS 26514			4	95	100	58.5-18.0	3-2.5	1-5.5	32	83.0	34.4 1.2W	0.846
17	FIAT	APS 26514A			4	95	100	58.5-18.0	3-3.5	1-5.5	32	83.0	34.4 1.2W	
18	FIAT	APS 26515			4	100	101	59.5-24.7	2-2.5	1-5.5	32	83.0	34.4 1.2W	1.015
19	FIAT	APS 26517			4	72	90.5	36.8+10.7	2-2.0	1-3.95	22	60.0	25 1.6R	0.32
20	FIAT	APS 26518		629-055	4	100	101.2	59.7-23.5	2-2.5	1-5.5	32	83.0	34.4 1.2W	1.015
21	FIAT	APS 26518H		3693V	4	100	101.2	59.6-23.5	2-2.5	1-5.5	32	84	34.4 1.4W	
22	FIAT	APS 26518HG			4	100	101.0	59.6-23.5	2-2.5	1-5.5	32	83.8	34.4 1.4W	1.015
23	FIAT	APS 26518HGE			4	100	100.9	59.6-23.5	2-2.5	1-4.0	34	83.8	36.4 1.6W	1.015
24	FIAT	APS 26519	FM175-9769	131S/L	4	84	78	38.4	1-1.5 1-2.0	1-3.96	22	68.5	25 1.8R	
25	FIAT	APS 26520		124S	4	80	76.8	37.8	1-1.5 1-2.0	1-3.96	22	73.0		
26	FIAT	APS 26521			4	80	77.1	34.6+0.5	1-1.5 1-2.0	1-3.96	22	72.0		
27	FIAT	APS 26522			4	95	101.6	59.6-23.6	2-2.5	1-5.5	32	84.0	34.4 1.2W	
28	FIAT	APS 26523J		CM3	4	110	140.2	70.2-27.9	3-2.5	1-5.0	40	93.5	43.5 1.75W	
29	FIAT	APS 26524			4	80.5	65.2	33.3-2.9	1-1.5 1-1.8	1-3.0	22	58.3	25 1.8R	
30	FIAT	APS C-26525			4	102	101.1	59.6-24.6	2-2.5	1-5.0	32	83.5	34.4 1.2W	
31	FIAT	APS C-26526			4	103	101.1	59.6-23.0	2-2.5	1-4.0	34	89.4	36.5 1.5W	
32	FIAT	APS F-26526/J	4756542	8065	6	103	101.2	59.6-22.4	1-3.0 1-2.5	1-4.0	34	89.5	36.5*1.5W	1142.6gr
33	FIAT	APS C-26527			4	104	108.5	65.1-22.7	2-2.5	1-4.0	38	84.9	42.0 2.0R	

34	FIAT	APS F-26528/J		ALLIS	4/6	115	140.5	76.5-29.0	1-3.0 1-2.5	1-4.0	42	97.5	45.5*1.75 W	
35	FIAT	APS F-26529			3	70	54	30.1-1.6 -0.9	2-1.5	1-3.0	18	53.0	*	
36	FIAT	APS T-26530			4	65	61.2	30.8	1-1.8 1-2.0	1-4.0	20	54	*	191±5gr
37	FIAT	APS T-26531			4	84	79.6	38.5+1.6	1-1.5 1-2.0	1-4.0	22	69	24.3*1.4W	401±10gr
38	FIAT	APS T-26532			4	76	78.4	38.5+0.5	1-1.5 1-2.0	1-4.0	22	60	23.5*1.0W	329±10gr
39	FIAT	APS T-26533			4	84	78.1	38.5	1-1.5 1-2.0	1-4.0	22	68	24.0*1.6W	395±10gr
40	FIAT	APS T-26534			4	80.5	65.4	33.4-3.0	1-1.5 1-1.8	1-3.0	22	58	25.5*1.7R	293±10gr
41	FIAT	APS T-26535			4	84	78.1	38.5	1-1.5 1-2.0	1-4.0	22	69	24.0*1.6W	385±10gr
42	FIAT	APS T-26536			4	86.4	76.5	34.6	1-1.5 1-2.0	1-4.0	22	68	25.5*1.7R	377±10gr
43	FIAT	APS T-26537			4	73	79.5	37.3+2.8	1-1.5 1-2.0	1-4.0	22	64	*	260±10gr
44	FIAT	APS T-26538			4	76	77	38	1-1.5 1-2.0	1-4.0	22	68	*	299±10gr
45	FIAT	APS T-26539			4	80	77.4	34.8+0.2	1-1.5 1-2.0	1-4.0	22	72	*	346±10gr