



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	HINO	APS 20303	13216-1120 2-352-1961-00	DM100 DIESEL 4313cc	6	90.0	104.2	54.0-2.1	3-2.5	2-4.0	29	77.0	32 1.6R	0.72
2	HINO	APS 20303x	13216-11203	DM100	6	90.0	104.2	54.0-2.1-4.6	3-2.5	2-4.0	29	77.0	32 1.6R	0.72
3	HINO	APS 20304	13216-11402 40-01 2-380-1940-01	EC100 DIESEL KC-320 5060cc	6	97.0	112	58.0-1.0	3-2.5	2-4.0	31.5	81.5	35 1.6R	1.1
4	HINO	APS 20304x	13216-1140	EC100	6	97.0	112	58.0-4.2-1.0	3-2.5	2-4.0	31.5	81.5	35 1.6R	1.1
5	HINO	APS 20305	13216-1222 2-303-1201-00	DS70 DIESEL 7014cc	6	105.0	140	78.5-1.7	3-3.0	2-4.5	40	82.0	44 2.3R	1.18
6	HINO	APS 20306	13216-10102 61-00 2-382-1961-00	EH100 DIESEL KL-SKR5871a	6	105.0	112	59.0-6.7	3-2.5	2-4.0	34	89.5	38 2.0R	1.11
7	HINO	APS 20306X	13216-1010	EH100	6	105.0	112	59.0-6.7	3-2.5	2-4.0	34	89.5	38 2.0R	1.11
8	HINO	APS 20306J	13216-10102-382- 61-00 2-382-1961-00	EH100 DIESEL KL-SKR5871a	6	105.0	112	59.0-6.7	3-2.5	2-4.0	34	89.5	38 2.0R	1.11
9	HINO	APS C-20306/J		EH100	4	105	112	59.4-6.8 -1.1	3-2.5	2-4.0	34	89.5	36.5*1.5W	1134gr
10	HINO	APS 20307	13216-1050 2-305-1201-21	DS-50 DIESEL DS-80 7982cc	6	110.0	145.5	78.8-2.3	3-3.0	2-4.5	40	92.0	44 2.3R	1.58
11	HINO	APS V-20307/J		DS50	6	110	145.5	78.8-2.3	3-3.0	2-4.5	40	92	44.0*2.3R	1585gr
12	HINO	APS 20308	13216-10902 61-00 2-330-1961-00	EB100 DIESEL EB200 9036cc	6	115.0	153.3	86.8-2.2	1-3.5 2-3.0	2-5.0	43	98.0	47.5 1.75W RTW43	1.96
13	HINO	APS 20310	13216-1110 2-334-1961-00	EB300 DIESEL KB1120 9838cc	6	120.0	155.5	86.4-2.1	3-3.5	1-6.0	45	100.0	49 2.0R	2.28

14	HINO	APS 20310X	13216-1110	EB300	6	120.0	155.5	86.4-2.1	3-3.5	1-6.0	45	100.0	49 2.0R	1.18
15	HINO	APS 20310J	2-334-19161-00	EB300	6	120.0	155.5	86.4-2.1	3-3.5	1-6.0	45	100.0	49 2.0R	2.28
16	HINO	APS 20311	13216-1170 2-400-1901-02	ED100 DIESEL KF320 11581cc	6	128.0	160	99.0-48.5	3-3.5	1-6.0	48	107.0	51.5 1.75W RTW48	2.9
17	HINO	APS 20311J	2-400-1901-02	ED100	6	128.0	160	99.0-48.5	3-3.5	1-6.0	48	107.0	51.5 1.75W RTW48	2.9
18	HINO	APS 20311E	13216-1170	ED100	6	128.0	160	99.0-48.5	3-3.5	1-6.0	48	107.0	51.5 1.75W RTW48	
19	HINO	APS 20311JE	13216-1170	ED100	6	128.0	160	99.0-48.5	3-3.5	1-6.0	48	107.0	51.5 1.75W RTW48	
20	HINO	APS 20312	13216-1181	EH-700 DIESEL KT925	6	110.0	121.5	69.5-24.3	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.392
21	HINO	APS 20312J	13216-1181	EH700,DIESEL	6	110.0	121.5	69.5-24.3	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.419
22	HINO	APS 20312A		EH700	6	110.0	121.5	69.5-24.3	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.392
23	HINO	APS 20312JA		EH700	6	110.0	121.5	69.5-24.3	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.392
24	HINO	APS 20312E	13216-1181	EH700	6	110.0	121.5	69.5-24.3	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
25	HINO	APS 20312EX		EH700	4	110.0	121.5	69.5-24.3-1.0	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
26	HINO	APS 20312JE	13216-1181	EH700	6	110.0	121.5	69.5-24.3	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
27	HINO	APS 20313	13216-1160	EH-300 DIESEL	6	108.0	114	59.5-6.3	1-3.0 1-2.5	1-5.0 1-4.0	35	90.0	37.8 1.5W RTW35	1.186
28	HINO	APS 20313X	13216-1160	EH-300	6	108.0	114	59.5-6.3	1-3.0 1-2.5	1-5.0 1-4.0	35	90.0	37.8 1.5W RTW35	1.186

29	HINO	APS 20313J	13216-1160	EH300	6	108.0	114	59.5-6.3	1-3.0 1-2.5	1-5.0 1-4.0	35	90.0	37.8 1.5W RTW35	
30	HINO	APS 20314J	13216-1222 13216-1220A	EK100 DIESEL 13267cc	6	137.0	145.4	90.2-31.7	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	2.74
31	HINO	APS 20314E	13216-1222	EK-100 DIESEL 13267cc	6	137.0	145.4	90.2-31.7	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	
32	HINO	APS 20314JE	13216-1222	EK100 DIESEL 13267cc	6	137.0	145.4	90.2-31.7	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	
33	HINO	APS 20315L	13216-1860(L)	EF750(L)	8	137.0	144.3	90.3-30.3	1-3.5 1-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	2.78
34	HINO	APS 20315LJ	13216-18602:L	EF750(L)	8	137.0	144.3	90.3-30.3	1-3.5 1-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	2.78
35	HINO	APS 20315LJE	13216-1860(L)	EF750(L)	8	137.0	144.3	90.3-30.3	1-3.5 1-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	
36	HINO	APS 20315R		EF750(R)	8	137.0	144.3	90.3-30.3	1-3.5 1-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	2.78
37	HINO	APS 20315RJ	13216-1170:R 13226-1152 (R)	EF750(R)	8	137.0	144.3	90.3-30.3	1-3.5 1-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	2.78
38	HINO	APS 20315RJE	13216--1170(R)	EF750(R)	8	137.0	144.3	90.3-30.3	1-3.5 1-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	
39	HINO	APS C-20315R/LJ	13226-1170(R) 13216-1860(L)	EF750(R) EF750(L)	1	137	144.3	90.3-30.8 -2.0	1-3.5 2-3.5	1-6.0	50	110.0	54.2*2.0W	
40	HINO	APS C-20315L/RJH	13216-2431	F17D(L) F17D(R)	8	137	144.3	90.3-24.4 -2.2	1-3.5 2-3.5	1-5.0	50	110	54.2*2.0W	2765gr
41	HINO	APS 20316	13211-1900	EK200	6	137.0	145.3	90.3-31.3	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	
42	HINO	APS 20316J		EK200	6	137.0	145.2	90.3-31.2	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W RTW50	2.795
43	HINO	APS C-20316/J	13216-1530	EK200	6	137	145.3	90.3-31.6 -2.1	1-3.5 2-3.5	1-6.0	50	110.0	54.2*2.0W	
44	HINO	APS 20317			6	110.0	121.6	69.5-19.8	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	

45	HINO	APS 20317J	(13216-2300) 13216-2300A	H07C	6	110.0	121.6	69.5-19.8	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW30	1.28
46	HINO	APS C-20317/J		H07C	6	110	121.6	69.5-19.8 -1.1,-0.9	1-3.0 2-2.5	1-5.0	39	90.0	42.0*1.8W	
47	HINO	APS C-20317U/JU	13216-1771	H07C	6	110	121.2	69.4-20 -0.8,-0.5	1-3.0 2-2.5	1-5.0	39	90.0	42.0*1.5W	
48	HINO	APS T-20317U/JU		H07C	6	110	121.6	69.5-20.2	1-3.0 2-2.5	1-5.0	39	90.0	43.0*2.0R	
49	HINO	APS 20317A		H07C	6	110.0	121.6	69.5-19.8	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	
50	HINO	APS 20317JA			6	110.0	121.6	69.5-19.8	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	
51	HINO	APS C-20317A/JA	13216-2300	H07C	6	110	121.5	69.5-20 -0.9,-0.8	1-3.0 2-2.5	1-5.0	39	89.8	42.0*1.5W	
52	HINO	APS 20317AX		H07C	6	110.0	121.6	69.5-19.8	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	
53	HINO	APS T-20317/J		H07C-T	6	110	121.5	69.4-27.5 -1.3,-0.8	1-3.0 2-2.5	1-5.0	39	90		
54	HINO	APS T-20317H/JH		H07C-T(NEW)	6	110	121.5	69.4-22.7 -1.3,-0.8	1-3.0 2-2.5	1-5.0	39	90	43.0*2.0R	
55	HINO	APS C-20351J	13211-1851	H07C	6	110	121.6	69.2-28.6 -1.5,-0.9	1-3.0 2-2.5	1-5.0	39	90.0	42.0*1.75 W	
56	HINO	APS 20318	13216-2260	H07D	6	110.0	100	57.0-20.5	1-3.0 1-2.0	1-4.0	37	86.0	39.8 1.5W RTW37	
57	HINO	APS 20318J	13216-2260 13216-2260A	H07D	6	110.0	100	57.0-20.5	1-3.0 1-2.0	1-4.0	37	86.0	39.8 1.5W RTW37	1.174
58	HINO	APS T-20318U/JU		H07D	6	110	100	57.0-20.6	1-3.0 1-2.0	1-4.0	37	86.0	40.0*1.8R	
59	HINO	APS 20318JU	13216-1980 13216-1980A	H07D-T	6	110.0	100	57.0-20.4	1-3.0 1-2.0	1-4.0	37	84.5	39.8 1.5W	
60	HINO	APS 20319	13216-1460	W04D 2000cc	4	104.0	106.2	60.2-1.2 -19.1	1-2.5 1-2.0	1-5.0	35	85.0	37.8 1.5W RTW35	0.999
61	HINO	APS 20319J		W04D	4	104.0	106.2	60.2-1.2 -19.1	1-2.5 1-2.0	1-5.0	35	85.0	37.8 1.5W RTW35	0.999
62	HINO	APS 20319X	13216-1640	W05D	5	105.0	107.2	60.2-1.2 -19.2,-0.7	1-2.5 1-2.1	1-5.1	35	85.0	37.8 1.5W	

63	HINO	APS C-20319	13216-1720	W04D	4	104	106.2	60.2-19.1 -1.7,-0.7	1-2.5 1-2.0	1-5.0	35	85.0	37.8*1.5W	
64	HINO	APS 20320		EM100	6	124.0	139.4	80.4-0.7 -28.1	1-3.0 1-2.5 1-3.0	1-5.0	42	98.0	45.5 1.75W RTW42	2.18
65	HINO	APS 20320J	(13216-1370)	EM100	6	124.0	139.4	80.4-0.7 -28.1	1-3.0 1-2.5 1-3.0	1-5.0	42	98.0	45.5 1.75W RTW42	
66	HINO	APS 20320X	13216-1370	EM100	6	124.0	139.4	80.4-28.1 -1.1,-0.7	1-2.5 1-3.0	1-5.0	42	98.0	45.5 1.75W	
67	HINO	APS 20321J		EF550(L/R)	8	135.0	145.4	90.3-30.4	1-3.0 1-3.5 1-3.0	1-5.0	50	110.0	54.2 2.0W	
68	HINO	APS 20321L		EF550L	8	135.0	145.4	90.3-30.4	1-3.0 1-3.5 1-3.0	1-5.0	50	110.0	54.2 2.0W	
69	HINO	APS 20321JL		EF550L	8	135.0	145.4	90.3-30.4	1-3.0 1-3.5 1-3.0	1-5.0	50	110.0	54.2 2.0W	2.745
70	HINO	APS 20321R		EF550R	8	135.0	145.4	90.3-30.4	1-3.0 1-3.5 1-3.0	1-5.0	50	110.0	54.2 2.0W	
71	HINO	APS 20321JR		EF550R	8	135.0	145.4	90.3-30.4	1-3.0 1-3.5 1-3.0	1-5.0	50	110.0	54.2 2.0W	2.745
72	HINO	APS 20321LE		EF550L/R	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	
73	HINO	APS 20321JLE		EF550L/R	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	
74	HINO	APS 20321RE		EF550L/R	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	
75	HINO	APS 20321JRE		EF550L/R	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	
76	HINO	APS 20321L/RJEG		EF550L/R	8	135.0	145.4	90.3-30.4 -2.2,-1.9	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	
77	HINO	APS 20321LG		EF550L	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	
78	HINO	APS 20321RG		EF550R	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	
79	HINO	APS 20321JLG		EF550L	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	2.745
80	HINO	APS 20321JRG		EF550R	8	135.0	145.4	90.3-30.4	1-3.5 2-3.5	1-6.0	50	110.0	54.2 2.0W	2.745

81	HINO	APS 20322	13216-1750	H06CT	6	108.0	121.5	69.5-16.4- 21.1 -0.5	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.365
82	HINO	APS 20322J	13216-1750	H06CT	6	108.0	121.5	69.5-16.4- 21.1 -0.5	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.365
83	HINO	APS 20323J		H06CT	6	108.0	121.5	69.5-20.3	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.37
84	HINO	APS 20323JU	13211-1891	H06C-TA	6	108.0	121.4	69.3-25.1	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.408
85	HINO	APS 20323JU1	13216-1540	H06CT	6	108.0	121.5	69.5-25.5	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.335
86	HINO	APS 20324		EP100	6	120.0	144.6	85.6-26.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W RTW47	2.04
87	HINO	APS 20324J		EP100	6	120.0	144.6	85.6-26.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W RTW47	2.04
88	HINO	APS 20324G		EP100T	6	120.0	144.6	85.6-26.8	1-3.44 1-3.04 1-2.5	1-5.0	47	99.0	50.5 1.75W RTW47	2.04
89	HINO	APS 20324JG		EP100T	6	120.0	144.6	85.6-26.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W RTW47	2.04
90	HINO	APS 20324H			6	120.0	144.6	85.6-26.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W	
91	HINO	APS 20324JH			6	120.0	144.6	85.6-26.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W	
92	HINO	APS 20324JU	13211-2061	EP100	6	120.0	144.6	85.6-23.0 -1.2 -0.7	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W RTW47	
93	HINO	APS 20324JHU		P09C	6	120.0	144.6	85.6-23.6 -1.3 -0.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W RTW47	
94	HINO	APS 20324VG	13216-1450C	EP100T	6	120.0	144.6	85.6-26.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W	
95	HINO	APS 20324JVG	13216-1450C	EP100T	6	120.0	144.6	85.6-26.8	1-3.5 1-3.0 1-2.5	1-5.0	47	99.0	50.5 1.75W	

96	HINO	APS T-20324YH/JYH		EP100T	6	120	144.6	85.6-26.8 -1.2,-0.7	1-3.5 1-3. 1-2.5	1-5.0	47	99	50.5*1.75W	2100gr
97	HINO	APS 20325	13216-2140	K13C	8	135.0	145.4	90.3-2.2	1-3.5 2-2.5	1-5.0	50	110.0	54.2 2.0W RTW50	
98	HINO	APS 20325J	13216-2140	K13C	8	135.0	145.4	90.3-2.2	1-3.5 2-2.5	1-5.0	50	110.0	54.2 2.0W RTW50	2.74
99	HINO	APS C-20325Y/JY	13216-2140	K13C	6	135	145.4	90.3-27.3 -2.2	1-3.5 2-3.5	1-5.0	50	110.0	54.2*2.0W	
100	HINO	APS 20325H	13216-2140	K13C	8	135.0	145.4	90.3-27.3, -2.3	1-3.0 2-3.5	1-5.0	50	110.0	54.2 2.0W	
101	HINO	APS 20325JH	13216-2140	K13C	8	135.0	145.4	90.3-27.3 -2.3	1-3.0 2-3.5	1-5.0	50	110.0	54.2 2.0W	
102	HINO	APS T-20326U/JU		M10C	6	127	144	85.0-24.9	1-3.5 2-3.0	1-5.0	47	99.0	50.5*1.75 W	
103	HINO	APS T-20326U1/JU1		M10C	6	127	144.5	85.5-23.6 -1.2,-0.8	1-3.5 2-3.0	1-5.0	47	99.0	50.5*1.75 W	
104	HINO	APS 20326J	13216-2411	M10C	6	127.0	144.5	85.5-23.9, -1.2 -0.8	1-3.56 2-3.0	1-5.0	47	99.0	50.5 1.75 RTW47	2.3
105	HINO	APS C-20327L/RJ	13211-2662B(L) 13221-1182B®	V22CL V22CR	1	139	144.3	90.3-30.2 -2.2,-2.1	1-3.5 2-3.5	1-6.0	50	110.0	54.2*2.0W	
106	HINO	APS C-20327JL/RV	13211-2212	V22CL V22CR	1	139	144.3	90.3-30.2 -2.2,-2.1	1-3.5 2-3.5	1-6.0	50	110.0	54.2*2.0W	
107	HINO	APS 20327LJ	(R)13221-1201	F17CL	8	139.0	144.3	90.3-26.3	1-3.5 2-3.5	1-5.0	50	110.0	54.2 2.0W	2.815
108	HINO	APS 20327RJ	(R)13221-1201	F17CR	8	139.0	144.3	90.3-26.3	1-3.5 2-3.5	1-5.0	50	110.0	54.2 2.0W	2.815
109	HINO	APS 20327LJU	(R)13221-1231	F17EL	8	139.0	144.3	90.3-25.2	1-3.5 2-3.5	1-5.0	50	110.0	54.2 2.0W	2.82
110	HINO	APS 20327RJU	(R)13221-1231	F17ER	8	139.0	144.3	90.3-25.2	1-3.5 2-3.5	1-5.0	50	110.0	54.2 2.0W	2.82
111	HINO	APS C-20327R/LJU	13226-1210(R) 13211-2281(L)	E17E(R) E17E(L)	1	139	144.3	90.3-25.1 -2.3	1-3.5 2-3.55	1-5.0	50	110.0	54.2*2.0W	
112	HINO	APS 20328	13211-1740	FH700T	6	110.0	121.3	69.3-23.9	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.46
113	HINO	APS 20328J	13211-1740	FH700T	6	110.0	121.3	69.3-23.9	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.46

114	HINO	APS 20329	13216-1810	H06CT	6	108.0	121.5	69.5-25.5	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.4
115	HINO	APS 20329J	13216-1810	H06CT	6	108.0	121.5	69.5-25.5	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	1.4
116	HINO	APS 20330	13216-1591	H06BT	6	105.8	121.5	69.5-24.4	1-3.0 2-2.5	1-5.0	39	87.5	42 1.75W RTW39	1.33
117	HINO	APS 20330J	13216-1591	H06BT	6	105.8	121.5	69.5-24.4	1-3.0 2-2.5	1-5.0	39	87.5	42 1.75W RTW39	1.33
118	HINO	APS 20331	13216-1540	H06C	6	108.0	121.5	69.5-25.5	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
119	HINO	APS 20331J	13216-1540	H06C	6	108.0	121.5	69.5-25.5	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
120	HINO	APS 20332	13216-1390 13211-1740	EH700T	6	110.0	121.3	69.3-23.6	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
121	HINO	APS 20332J	13216-1390 13211-1740	EH700T	6	110.0	121.3	69.3-23.6	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
122	HINO	APS 20333	13216-1890 13211-2260	EH700(NEW)	6	110.0	121.5	69.4-20.4	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
123	HINO	APS 20333J	13216-1890 13211-2260	EH700(NEW)	6	110.0	121.5	69.4-20.4	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W RTW39	
124	HINO	APS 20334	13216-1272A	EL100	6	116.0	130	78.2-27.4	1-3.0 2-2.5	1-5.0	40	93.0	43.5 1.75W	
125	HINO	APS 20334J	13216-1272A	EL100	6	116.0	130	78.2-27.4	1-3.0 2-2.5	1-5.0	40	93.0	43.5 1.75W	
126	HINO	APS C-20335/J	13216-2220	W04D	6	104	106.2	60.2-18.4	1-2.5 1-2.0	1-5.0	35	85.0	39.0*2.0R	
127	HINO	APS 20335		W04D(NEW)	4	104.0	106.2	60.2-18.4	1-2.5 1-2.0	1-5.0	35	85.0	37.8 1.5W	
128	HINO	APS 20335J		W04D(NEW)	4	104.0	106.2	60.2-18.4	1-2.5 1-2.0	1-5.0	35	85.0	37.8 1.5W	

129	HINO	APS 20335H	13216-2140	KBC	8	135.0	145.4	90.3-27.3 -2.3	1-3.0 2-3.5	1-5.0	50	110.0	54.2 2.0W	
130	HINO	APS 20335JH	13216-2140	KBC	8	135.0	145.4	90.3-27.3 -2.3	1-3.0 2-3.5	1-5.0	50	110.0	54.2 2.0W	
131	HINO	APS 20336	13216-2100	K13D	8	137.0	144.3	90.3-26.2 -2.2	1-3.5 2-3.5	1-5.0	50	110.0	54.2 2.0W	
132	HINO	APS 20336J	13216-2100 13216-2100A	K13D	8	137.0	144.3	90.3-26.2 -2.2	1-3.5 2-3.5	1-5.0	50	110.0	54.2 2.0W	
133	HINO	APS T-20336U/JU		K13D	8	137	142.1	88.1-28.3	1-3.5 2-3.5	1-5.0	50	110.0	54.2*2.0W	
134	HINO	APS T-20336U1/JU1		K13D	8	137	144.3	90.3-27 -2.2	1-3.5 2-3.5	1-5.0	50	110.0	54.2*2.0W	
135	HINO	APS 20337		ER200	6	128.0	160.3	95.3-29.0 -1.1	1-3.5 2-3.0	1-6.0	48	107.0	51.5 1.75W	
136	HINO	APS 20337J		ER200	6	128.0	160.3	95.3-29.0 -1.1	1-3.5 2-3.0	1-6.0	48	107.0	51.5 1.75W	
137	HINO	APS 20338		M10U	6	127.0	144.5	85.4-27.4 -1.2 0.7	2-3.0	1-5.0	47	99.0	50.5 1.75W	
138	HINO	APS 20338J	13216-1700	M10U	6	127.0	144.5	85.4-27.4 -1.2 0.7	2-3.0	1-5.0	47	99.0	50.5 1.75W	
139	HINO	APS 20339		EL100	6	116.0	130.5	78.4-27.6 -1.1 0.8	1-3.0 2-2.5	1-5.0	40	93.0	43.5 1.75W	
140	HINO	APS 20339J		EL100	6	116.0	130.5	78.4-27.6 -1.1 0.8	1-3.0 2-2.5	1-5.0	40	93.0	43.5 1.75W	
141	HINO	APS C-20339/J	13211-1563	EL100	6	116	130.5	78.4-26.1 -1.5	1-3.0 2-2.5	1-5.0	40	93.0	43.5*1.75 W	1.795
142	HINO	APS 20340	13216-2631 13216-2631A	J05C,J07C,J08C	6	114.0	100	52.1-19.6	1-3.0 1-2.0	1-4.0	37	84.5	39.8 1.5W	
143	HINO	APS 20340J	13216-2631 13216-2631A	J05C,J07C,J08C	6	114.0	100	52.1-19.6	1-3.0 1-2.0	1-4.0	37	84.5	39.8 1.5W	
144	HINO	APS F-20340J	13216-2631	J05C,J07C,J08C	6	114.0	100	57.1-19.6	1-3.0 1-2.0	1-4.0	37	85.0	39.8 1.5W	
145	HINO	APS T-20340U/JU		J08C	4	114	98.5	55.6-18.4	1-3.0 1-2.0	1-4.0	37	84.5	40.0*1.8R	
146	HINO	APS 20341J	13216-1470D	W06D	6	104.0	108.7	62.6-18.5	1-2.5 1-2.0	1-5.0	35	85.0	37.8 1.5W	
147	HINO	APS C-20342		H07C	6	110.0	121.4	69.4-27.6	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	

148	HINO	APS 20342J	(13216-2300)	H07C	6	110.0	121.4	69.4-27.6 -1.2 0.6	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	
149	HINO	APS 20342X	(13216-2300)	H07C	6	110.0	121.4	69.4-27.6 -1.2 0.6	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	1.395
150	HINO	APS 20343J		W04CT	4	104.0	108.7	62.7-19.4 -1.8 0.7	1-3.0 1-2.5	1-5.0	37	85.0	39.8 1.5W	
151	HINO	APS 20343A/JA		W04CT	4	104	108.7	62.7-19.4 -1.8,-0.7	1-3.0 1-2.5	1-5.0	37	85	39.8*1.5W	1142gr
152	HINO	APS 20344J		EH500	6	108.0	121.4	69.4-24.3 -1.2 1.0	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	
153	HINO	APS 20344X	13216-1340	EH500	6	108.0	121.4	69.4-24.3 -1.2 1.0	1-3.0 2-2.5	1-5.0	39	90.0	42 1.75W	
154	HINO	APS 20345J	13306-1080	J08CT	6	114.0	100	57.0-18.4	1-2.5 1-2.0	1-4.0	37	85.0	44.5 1.75W	
155	HINO	APS T-20345JYH	13306-1200		8	114	100	57.0-18.3	1-2.5 1-2.0	1-4.0	37	84.5	39.8*1.5W	
156	HINO	APS T-20345JYHU		J08(TURBO)	4	114	97	54.0-18.3	1-2.5 1-2.0	1-4.0	37	84.5	39.8*1.5W	
157	HINO	APS 20346J	13211-3260	K13C	6	135.0	145.3	90.3-24.5 -1.7 1.2	1-3.5 2-3.5	1-5.0	50	110.0	54.2 2.0W	
158	HINO	APS 20347JY	13216-2062	H07CT	6	110.0	121.4	69.4-19.4	1-2.0 1-2.5	1-4.0	39	90	42 1.75W	
159	HINO	APS C-20347Y/JY		H07C	6	110	121.4	69.4-19.4 -0.15	1-3.0 1-2.0,1-2.5	1-4.0	39	90	42.0*1.75W	1431±25g
160	HINO	APS T-20347JH	13216-2062	H07C-T	6	110.0	121.5	69.5-19.3	1-3.0 1-2.0 1-2.5	1-4.0	39	90		
161	HINO	APS 20348J	13216-3201	W04D	4	104.0	106.2	60.2-18.5 -0.3	1-2.5 1-2.0	1-4.0	37.0	84.5	39.8 1.5W	
162	HINO	APS C-20348J	13216-3201 13216-1740 (W06E) 13216-1460 (W04D)	W06E	6	104.0	106.0	60.2-18.5 -0.2	1-2.5 1-2.0	1-4.0	37.0	85.0	41.0 1.2W	1.105
163	HINO	APS C-20349J	13216-2983		6	114.0	103.4	60.5-20.1	1-2.5 1-2.0	1-4.0	37.0	85.0	41.0 1.2W	1.417
164	HINO	APS C-20350L/JL	13216-****	F20C (L)	6	146.0	138.4	84.3-27.6 -2.0	1-3.5 2-3.55	1-5.0	50.0	111.0	54.2 2.1W	2.989 2.982
165	HINO	APS F-20350R/LJ	13221-1242R 13211-2502L	F20C(R) F20C(L)	4	146	138.4	84.3-27.2 -1.9	1-3.5 2-3.5	1-5.0	50	110	54.2*2.0W	2920gr
166	HINO	APS C-20350R/LJU	13221-1242(R) 13211-2502(L)	F20C-B(R) F20C-B(L)	6	146	138.4	84.3-24.9 -2.1	1-3.5 2-3.55	1-5.0	50	111.0	54.2*2.1W	

167	HINO	APS C-20350L/RJG	F20C(L) F20C®		6	146	138.4	84.3-27.6 -2.0	1-3.5 2-3.5	1-5.0	50	111	54.2*2.1W	2982gr
168	HINO	APS C-20351/J	13211-1851	H07C	6	110.0	121.6	69.2-28.6 -1.5,-0.9	1-3.0 2-2.5	1-5.0	39.0	90.0	42.0*1.75W	
169	HINO	APS C-20353JY		E0100	6	112	100	57.0-18.7	1-2.5 1-2.0	1-4.0	37	84.5	39.8*1.5W	
170	HINO	APS C-20354/J		W06E	1	104	108.7	62.8-18.2 -1.1,-0.5	1-2.5 1-2.0	1-5.0	35	85.0	37.8*1.5W	1.078
171	HINO	APS C-20355Y/JY		H06CT	8	108	121.5	69.5-20.9	1-3.0 2-2.5	1-5.0	39	90.0	42.0*1.75 W	
172	HINO	APS C-20356/J		DS50	6	110	145.5	78.8-8.8 -6.5,-2.1	3-3.0	2-4.5	40	92	43.5*1.75W	1521gr
173	HINO	APS C-20357LJ/RJ		V26C(L/R)	6	150	138.1	84.1-26.9 -2.1	1-3.5 2-3.0	1-4.0	50	111	54.2*2.1W	3200gr
174	HINO	APS T-20358/J		W06D	6	104	108.7	62.7-18.2 -1.2,-0.7	1-2.5 1-2.0	1-5.0	35	85	38.0*1.8R	1060gr
175	HINO	APS C-20359/J		H07D	6	110	100	57.0-20.4	1-3.0 1-2.0	1-4.0	37	84.5	39.8*1.5W	1212±10g