



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	INTERNATIONAL	APS 29701	7K4142 334218-03 334218-021	152E ENG 4CYL 304E ENG 8CYL 345E ENG 8CYL	4/8	98.425 3 7/8"	85.6 3.3701"	47.804 1.88205"	2-3/32"	1-3/16"	26.993	73.2		0.76
2	INTERNATIONAL	APS 29702	10889789	KBR	6	109.538 4 5/16"	140.2 5.5197"	87.87-38.2 3.45945"-1.504"	2-1/8" 1-3/32"	1-3/16"	41.275	93.5	44.6 1.75W RTW41	1.6
3	INTERNATIONAL	APS 29703		DV550	8	114.3 4 1/2"	118.7 4.6733"	74.65-38.9 2.939"-1.5315"	1-1/8" 1-3/32"	1-3/16"	38.1	82.5	41.5 1.5W	1.57
4	INTERNATIONAL	APS 29703A		DV550	8	114.3 4 1/2"	118.7 4.6733"	74.65-38.9 2.939"-1.5315"	2-3/32"	1-3/16"	38.1	82.5	41.5 1.5W	1.57
5	INTERNATIONAL	APS 29705		D-310 CUIN DIESEL ENG	6	98.425 3 7/8"	107.0 4.2126"	67.0-20.0 2.6378"-0.7875"	1-1/8" 1-3/32"	1-3/16"	36	82.0	38.8 1.5W RTW36	0.979
6	INTERNATIONAL	APS 29705J		310	6	98.425 3.875"	107.0 4.2126"	67.0-20.0	1-1/8" 1-3/32"	1-3/16"	36	82.0	38.8 1.5W RTW36	
7	INTERNATIONAL	APS 29705JG		310	6	98.425 3.875"	107.0 4.2126"	67.0-20.0	1-1/8" 1-3/32"	1-3/16"	36	82.0	38.8 1.5W	
8	INTERNATIONAL	APS 29706		D358 CUIN DIESEL ENG	6	98.425 3 7/8"	107.0 4.2126"	67.0-24.0 2.6378"-0.9449"	1-1/8" 1-3/32"	1-3/16"	36	82.0	38.8 1.5W RTW36	1.06
9	INTERNATIONAL	APS 29706B		D-358 I.H.A NEUSS DIESEL	6	98.437 3.8755"	107.111 4.217"	67.0-24.2 2.6378"-0.953"	1-1/8" 1-3/32"	1-3/16"	36	81.99		1.06
10	INTERNATIONAL	APS 29706BJ		D-358 I.H.A NEUSS DIESEL	6	98.437 3.8755"	107.111 4.217"	67.0-24.2 2.6378"-0.953"	1-1/8" 1-3/32"	1-3/16"	36	81.99	38.8 1.5W RTW36	1.06
11	INTERNATIONAL	APS 29706G		D-358 I.H.A	6	98.425 3 7/8"	107.0 4.2126"	67.0-24.0 2.6378"-0.9449"	1-1/8" 1-3/32"	1-3/16"	36	82.0	38.8 1.5W RTW36	1.06
12	INTERNATIONAL	APS 29706JG		D-358 I.H.A	6	98.425	107.0 4.2126"	67.0-24.0 2.6378"-0.9449"	1-1/8" 1-3/12"	1-3/16"	36	82.0	38.8 1.5W RTW36	1.06
13	INTERNATIONAL	APS 29707		KS-268	6	88.90 3 1/2"	99.0 3.8976"	50.7 1.996"	3-3/32"	2-3/16"	28	76.5	30.1 1.2W RTW28	1.655
14	INTERNATIONAL	APS 29708		ESA261 DSA261	6	101.6 4.0"	135.0 5.315"	79.525-9.0 3.1309"-0.3544"	1-2.5 2-3/32"	1-1/4"	33.35	82.0	35.5 1.2W	1.5

15	INTERNATIONAL	APS 29708A	844240		6	101.607 4.0003"	135.178 5.322"	79.525-9.0	3-3/32"	1-1/4"	33.35	82.16	38 2.4R	1.498
16	INTERNATIONAL	APS 29708B			6	101.6 4.0"	135.0 5.315"	57.0-24.0 2.6378"-0.9449"	3-3/32"	2-1/4"	33.35	82.0	35.5 1.2W RTW33	1.461
17	INTERNATIONAL	APS 29708BG			6	101.6	135	57.0-24.0 2.6378"-0.9449"	3-2.38	2-6.35	33.35	82.0	35.5 1.2W	
18	INTERNATIONAL	APS 29709		D358	6	98.425 3 7/8"	112.0 4.409"	51.96+15.96 2.0457"+0.6284"	1-1/8" 2-1/8"	1-3/16"	36	82.0	38.8 1.5W RTW36	1.197
19	INTERNATIONAL	APS 29709J		D358	6	98.425 3 7/8"	112.0 4.409"	49.27+9.08 1.9398"+0.3575"	1-1/8" 2-1/8"	1-3/16"	36	82.0	38.8 1.5W RTW36	
20	INTERNATIONAL	APS 29710		282 ENG I.H.C	6	96.888 3.8145"	112.4 4.4252"	49.27+5.46 1.9398"+0.21497"	1-3/32" 1-1/8"	1-3/16"	22.225	75.0	25.5 1.8R	0.78
21	INTERNATIONAL	APS 29711	240343-R1	V345 I.H.C	8	98.437 3.8755"	96.5 3.7993"	49.27+9.08 1.9398"+0.3575"	2-3/32"	1-3/16"	27	73.4		0.72
22	INTERNATIONAL	APS 29712	31469203	V392 I.H.C	8	104.787 4.1255"	83.36 3.2819"	49.27+5.46 1.9398"+0.21497"	2-3/32"	1-3/16"	27	70.23		0.806
23	INTERNATIONAL	APS 29713	858300-R12	I.H.C 240	6	90.444 3.5608"	114.35 4.502"	59.08+12.15 2.326"+0.4784"	1-3/32" 1-1/8"	1-3/16"	22.225	75.0	25.5 1.8R	0.677
24	INTERNATIONAL	APS 29714	858306-R12	AGD264	6	93.713 3.6895"	112.852 4.443"	54.965+13.4111 2.164"+0.528"	1-3/32" 1-1/8"	1-3/16"	22.225	75.0	25.5 1.8R	0.73
25	INTERNATIONAL	APS 29715J	S1809683C2	0308-2		109.22 4.3"	127.2 5.008"	86.407-21.7 3.4019"-0.8543"	2-1/8"	1-1/4"	41.275	89.2	44.6 1.75W RTW41	1.797
26	INTERNATIONAL	APS 29715JI	S684255C1	0308-2A		109.2 4.3"	127.2	86.407-23.5	2-1/8"	1-1/4"	41.275	89.2	44.6 1.75W RTW41	1.699
27	INTERNATIONAL	APS 29715IP		TD15-466	6	109.22	127.2	86.407-23.5	2-3.17	1-6.35	41.275	89.2	45.5 1.75W	
28	INTERNATIONAL	APS 29715JIP		TD15-466	6	109.22	127.2	86.407-23.5	2-3.17	1-6.35	41.275	89.2	45.5 1.75W	
29	INTERNATIONAL	APS 29715JG	FP1809683-4R	EP4450	6	109.22	127.5	86.5-22 -2 -1.3	1-3.0 2-2.38	1-6.35	41.275	89.2	45.5 1.75W	
30	INTERNATIONAL	APS 29716		拉沟		109.22	109.22	86.6-23.0 -1.9 -1.4	2-3.0	1-4.0	41.275	89.2	45.5 1.75W	
31	INTERNATIONAL	APS 29716J		拉沟		109.22	109.22	86.6-23.0 -1.9 -1.4	2-3.0	1-4.0	41.275	89.2	45.5 1.75W	
32	INTERNATIONAL	APS 29716JI		EP4451	6	109.22	128	86.6-25.4 -1.9 -1.4	2-3.0	1-4.0	41.275	89.2	45.5 1.75W	

33	INTERNATIONAL	APS 29717J		TD25	6	136.5	172.2	102.3-21.8 -4.3	1-3.0 1-3.2	1-6.35	57.15	111.0	62.2 2.0W	
34	INTERNATIONAL	APS 29718J		510B	6	98.425	107	66.9-24.1	1-3.0 1-2.38	1-4.76	38.0	82	40.8 1.5W	
35	INTERNATIONAL	APS F-29719J		DT358	6	98.425	107	66.9-24.0	1-? 1-2.38	1-4.76	38	82.0	40.8*1.5W	
36	INTERNATIONAL	APS F-29720/J	1823930C1	466C	6	109.22	127.9	81.7-23.1 -1.5,-1.3	2-3.17	1-3.96	46.35	88.5	49.7*1.75W	
37	INTERNATIONAL	APS C-29721/J			1	101.8	111	67.0-21.0 -2.3,-1.6	2-3.0	1-4.0	38	83.5	40.8*1.8W	1257gr