



# APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

| NO. | CAR     | APS NO.       | OEM NO                                                                        | MODEL<br>&<br>DESCRIPTION | CYL<br>NO. | CYL.<br>DIA | PISTON |                                |                  |       | PIN |      | CLIP                | N.W.<br>(KG) |
|-----|---------|---------------|-------------------------------------------------------------------------------|---------------------------|------------|-------------|--------|--------------------------------|------------------|-------|-----|------|---------------------|--------------|
|     |         |               |                                                                               |                           |            |             | LONG   | COMP DIST                      | RING             |       | DIA | LONG |                     |              |
|     |         |               |                                                                               |                           |            |             |        |                                | COMP             | OIL   |     |      |                     |              |
| 1   | KOMATSU | APS 21101     |                                                                               | SA6D-105                  | 6          | 105         | 107.7  | 69.2-23.7<br>-16.2<br>-2.6-1.8 | 1-3.23<br>1-2.58 | 1-5.0 | 40  | 86.0 | 43.5<br>1.75W RTW40 | 1.176        |
| 2   | KOMATSU | APS 21101J    |                                                                               | SA6D-105                  | 6          | 105         | 107.7  | 69.2-23.7<br>-16.2<br>-2.6-1.8 | 1-3.23<br>1-2.58 | 1-5.0 | 40  | 86.0 | 43.5<br>1.75W RTW40 |              |
| 3   | KOMATSU | APS 21101E    |                                                                               |                           | 6          | 105         | 107.7  | 69.2-23.7<br>-16.2             | 1-3.0<br>1-2.5   | 1-5.0 | 40  | 86.0 | 43.5<br>1.75W RTW40 | 1.176        |
| 4   | KOMATSU | APS 21101JE   |                                                                               |                           | 6          | 105         | 107.7  | 69.2-23.7<br>-16.2             | 1-3.0<br>1-2.5   | 1-5.0 | 40  | 86.0 | 43.5<br>1.75W RTW40 |              |
| 5   | KOMATSU | APS 21101N/JN | 6137-32-2130                                                                  | SA6D-105                  | 6          | 105         | 107.7  | 69.2-23.7<br>'-2.6,-1.8        | 1-3.2<br>1-2.5   | 1-5.0 | 40  | 86   | 43.5*1.75W          | 1158±10g     |
| 6   | KOMATSU | APS 21101U    | 6137-32-2010                                                                  | SA6D-105                  | 6          | 105         | 107.7  | 69.2-22.2                      | 1-3.0<br>1-2.5   | 1-5.0 | 40  | 86.0 | 43.5<br>1.75W       |              |
| 7   | KOMATSU | APS 21101JU   | 6137-32-2010                                                                  | SA6D-105                  | 6          | 105         | 107.7  | 69.2-22.2                      | 1-3.0<br>1-2.5   | 1-5.0 | 40  | 86.0 | 43.5<br>1.75W       |              |
| 8   | KOMATSU | APS T-21101/J |                                                                               | 6D105                     | 6          | 105         | 107.7  | 69.2-23.7<br>-2.6,-1.8         | 1-3.0<br>1-2.5   | 1-5.0 | 40  | 86.0 | 43.5*1.75W          | 1.150        |
| 9   | KOMATSU | APS V-21101/J |                                                                               | S6D105                    | 6          | 105         | 107.7  | 69.2-23.7<br>'-2.6,-1.8        | 1-3.21-<br>2.5   | 1-5.0 | 40  | 86   | 43.5*1.75W          | 1176gr       |
| 10  | KOMATSU | APS 21102     |                                                                               | SA6D-110                  | 6          | 110         | 116.2  | 69.2-13.0<br>-22.0<br>-1.8-2.6 | 1-3.14<br>1-2.57 | 1-5.0 | 40  | 91.0 | 43.5<br>1.75W RTW40 |              |
| 11  | KOMATSU | APS 21102J    | 6138-32-2110/2111<br>JU: 6138-31-2120<br>JU: 6138-32-2110<br>JU: 6138-31-2010 | SA6D-110                  | 6          | 110         | 116.2  | 69.2-13.0<br>-22.0<br>-1.8-2.6 | 1-3.14<br>1-2.57 | 1-5.0 | 40  | 91.0 | 43.5<br>1.75W RTW40 | 1.39         |
| 12  | KOMATSU | APS 21102H    |                                                                               | 6D110                     | 6          | 110         | 116.2  | 69.2-22.9<br>-2.7<br>-1.9      | 1-3.0<br>1-2.5   | 1-5.0 | 40  | 91.0 | 43.5<br>1.75W       |              |

|    |         |                 |                                                                                             |                              |   |     |       |                          |                 |       |    |      |                    |        |
|----|---------|-----------------|---------------------------------------------------------------------------------------------|------------------------------|---|-----|-------|--------------------------|-----------------|-------|----|------|--------------------|--------|
| 13 | KOMATSU | APS 21102JH     |                                                                                             | 6D110                        | 6 | 110 | 116.2 | 69.2-22.9<br>-2.7<br>1.0 | 1-3.0<br>1-2.5  | 1-5.0 | 40 | 91.0 | 43.5<br>1.75W      |        |
| 14 | KOMATSU | APS 21102JU1    | 6138-31-2020<br>6138-31-2110                                                                | 6D110                        | 6 | 110 | 116   | 69-20.5                  | 1-3.0<br>1-2.5  | 1-5.0 | 40 | 91.0 | 43.5<br>1.75W      |        |
| 15 | KOMATSU | APS 21102JU1H   |                                                                                             | 6D110                        | 6 | 110 | 116   | 69-20.5                  | 1-3.0<br>1-2.5  | 1-5.0 | 40 | 90.5 | 43.5<br>1.75W      |        |
| 16 | KOMATSU | APS 21102GN/JGN | 6138-32-2120                                                                                | SA6D-110                     | 6 | 110 | 116.2 | 69.2-22.0<br>-2.6,-1.8   | 1-3.0<br>1-2.5  | 1-5.0 | 40 | 91   | 43.5*1.75W         | 1380gr |
| 17 | KOMATSU | APS T-21103/J   | 6207-31-2180                                                                                | 6D95<br>PC200-6              | 6 | 95  | 94.2  | 51.2-19.6<br>-0.9        | 2-2.5           | 1-4.0 | 30 | 74.0 | 32.1*1.2W          | 0.760  |
| 18 | KOMATSU | APS T-21103H    |                                                                                             | 6D95                         | 6 | 95  | 94.2  | 51.2-19.7<br>-0.9        | 2-2.0           | 1-4.0 | 30 | 74.0 | 32.1*1.2W          | 0.750  |
| 19 | KOMATSU | APS 21103       |                                                                                             | 4D95                         | 4 | 95  | 94.2  | 51.2-19.6                | 1-2.5<br>1-2.22 | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W RTW30 |        |
| 20 | KOMATSU | APS 21103J      | PC60-21315                                                                                  | 4D95                         | 4 | 95  | 94.2  | 51.2-19.6                | 1-2.5<br>1-2.22 | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W RTW30 | 0.776  |
| 21 | KOMATSU | APS C-21103/J   | 6207-31-2141                                                                                | S6D95                        | 6 | 95  | 94.2  | 51.2-19.6<br>-0.9        | 1-2.5<br>1-2.0  | 1-4.0 | 30 | 74.0 | 32.1*1.2W          | 0.766  |
| 22 | KOMATSU | APS 21103E      |                                                                                             | 4D95                         | 4 | 95  | 94.2  | 51.2-19.6                | 1-2.5<br>1-2.0  | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W RTW30 |        |
| 23 | KOMATSU | APS 21103JE     |                                                                                             | 4D95                         | 4 | 95  | 94.2  | 51.2-19.6                | 1-2.5<br>1-2.0  | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W RTW30 |        |
| 24 | KOMATSU | APS 21103U      | 6207-31-2141                                                                                | S6D95                        | 6 | 95  | 94.2  | 51.2-19.6                | 1-2.5<br>1-2.22 | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W RTW30 |        |
| 25 | KOMATSU | APS 21103JU     | 6207-31-2141<br>(1-1211-2401)<br>6209-31-2141 STD<br>6209-38-2141 0.50<br>6209-39-2141 0.25 | S6D95<br>(PC200-5)<br>S6D95L | 6 | 95  | 94.2  | 51.2-19.6                | 1-2.5<br>1-2.22 | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W RTW30 | 0.776  |
| 26 | KOMATSU | APS 21103UN/JUN | 6207-31-2141                                                                                | S6D95                        | 6 | 95  | 94.2  | 51.2-19.6<br>-0.9        | 1-2.5<br>1-2.25 | 1-4.0 | 30 | 74.0 | 32.1*1.2W          |        |
| 27 | KOMATSU | APS 21103UH     | 6207-31-2141                                                                                | S6D95                        | 6 | 95  | 94.2  | 51.2-19.6<br>-0.9        | 1-2.5<br>1-2.25 | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W       |        |
| 28 | KOMATSU | APS 21103JUH    | 6207-31-2141                                                                                | S6D95                        | 6 | 95  | 94.2  | 51.2-19.6<br>-0.9        | 1-2.5<br>1-2.25 | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W       |        |
| 29 | KOMATSU | APS 21103UG     |                                                                                             | S6D95                        | 6 | 95  | 94.2  | 51.2-19.6<br>-0.9        | 1-2.5<br>1-2.0  | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W       |        |
| 30 | KOMATSU | APS 21103JUG    | 6207-31-2180                                                                                | S6D95                        | 6 | 95  | 94.2  | 51.2-19.6<br>-0.9        | 1-2.5<br>1-2.0  | 1-4.0 | 30 | 74.0 | 32.1<br>1.2W       |        |

|    |         |                     |                                               |                  |   |     |       |                           |                  |        |    |       |                     |                |
|----|---------|---------------------|-----------------------------------------------|------------------|---|-----|-------|---------------------------|------------------|--------|----|-------|---------------------|----------------|
| 31 | KOMATSU | APS 21103UI         |                                               | 6D95             | 6 | 95  | 94.2  | 51.2-20.4<br>-0.9         | 1-2.5<br>1-2.2   | 1-4.0  | 30 | 74.0  | 32.1<br>1.2W        |                |
| 32 | KOMATSU | APS 21103JUI        |                                               | 6D95             | 6 | 95  | 94.2  | 51.2-20.4<br>-0.9         | 1-2.5<br>1-2.2   | 1-4.0  | 30 | 74.0  | 32.1<br>1.2W        |                |
| 33 | KOMATSU | APS F-21103U1/JU1   | 6207-31-2120                                  | 6D95             | 6 | 95  | 94.1  | 51.1-19.5<br>-0.8         | 1-2.5<br>1-2.0   | 1-4.0  | 30 | 74    | 32.1*1.2W           | 760±10gr       |
| 34 | KOMATSU | APS 21103UIN/JUIN   | 6209-31-2141                                  | 6D95             | 6 | 95  | 94.2  | 51.2-20.4<br>-0.9         | 1-2.5<br>1-2.2   | 1-4.0  | 30 | 74    | 32.1*1.2W           | 753±10gr       |
| 35 | KOMATSU | APS F-21103U1N/JU1N | 6207-31-2120                                  | 6D95             | 6 | 95  | 94.1  | 51.1-19.5<br>-0.8         | 1-2.5<br>1-2.0   | 1-4.0  | 30 | 74    | 32.1*1.2W           | 760±10gr       |
| 36 | KOMATSU | APS 21104           | 6222-31-2110                                  | S6D108 (PC300-5) | 6 | 108 | 113.8 | 66.7-21.5<br>-2.2<br>-1.1 | 1-2.5<br>1-2.69  | 1-4.0  | 45 | 85.0  | 48.5<br>1.75W RTW45 |                |
| 37 | KOMATSU | APS 21104J          | 6222-31-2110                                  | S6D108 (PC300-5) | 6 | 108 | 113.8 | 66.7-21.5<br>-2.2<br>-1.1 | 1-2.5<br>1-2.69  | 1-4.0  | 45 | 85.0  | 48.5<br>1.75W RTW45 | 1.31           |
| 38 | KOMATSU | APS 21104N/JN       | 6222-31-2110                                  | SA6D108          | 6 | 108 | 113.8 | 66.7-21.0<br>-2.2,-1.1    | 2-2.5            | 1-4.0  | 45 | 85.0  | 48.5*1.75W          |                |
| 39 | KOMATSU | APS 21105           | 6127-31-2140<br>6127-31-2140R<br>6127-31-2030 | S6D155           | 6 | 155 | 167.5 | 102.5-16.0                | 2-2.20           | 1-4.76 | 60 | 130.0 | 64.2<br>2.0W RTW61  | 4.128          |
| 40 | KOMATSU | APS 21105J          | 6127-31-2140<br>6127-31-2030                  | S6D155           | 6 | 155 | 167.5 | 102.5-16.0                | 2-2.20           | 1-4.76 | 60 | 130.0 | 64.2<br>2.0W RTW61  | 4.128<br>4.320 |
| 41 | KOMATSU | APS C-21105/J       | 6127-31-2140R                                 | S6D155           | 6 | 155 | 167.5 | 102.5-16.0<br>-7.5        | 2-3.8            | 1-4.76 | 60 | 130.0 | 64.2<br>2.0W RTW61  |                |
| 42 | KOMATSU | APS 21105JH         |                                               | S6D155           | 6 | 155 | 167.5 | 102.5-16.0                | 2-3.8            | 1-4.76 | 60 | 130.0 | 64.2<br>2.0W RTW61  | 4.128<br>4.320 |
| 43 | KOMATSU | APS 21105JN         |                                               | S6D155           | 6 | 155 | 167.5 | 102.5-16.0                | 2-3.8            | 1-4.76 | 60 | 130.0 | 64.2<br>2.0W        |                |
| 44 | KOMATSU | APS F-21105U/JU     |                                               | S6D155           | 6 | 155 | 167.5 | 102.5-16.0<br>-7.5        | 2-3.96           | 1-4.76 | 60 | 130.0 | 64.2*2.0W           |                |
| 45 | KOMATSU | APS F-21105H1N/JH1N | 6127-31-2140                                  | S6D155           | 6 | 155 | 167.5 | 102.5-16.0                | 2-3.8            | 1-4.76 | 60 | 130.0 | 64.2*2.0W           |                |
| 46 | KOMATSU | APS 21106           | (6151-31-2510)                                | T45N             | 6 | 125 | 117.4 | 80.4-25.7                 | 2-2.5            | 1-4.0  | 48 | 98.9  |                     | 2.96           |
| 47 | KOMATSU | APS 21106U          | (6151-31-2510)                                | S6D125           | 6 | 125 | 117.4 | 80.4-28.1                 | 2-2.5            | 1-4.0  | 48 | 99.0  | 51.5<br>1.75W       |                |
| 48 | KOMATSU | APS 21107           |                                               |                  | 6 | 125 | 122.3 | 80.3-27.7                 | 2-2.5            | 1-4.0  | 48 | 98.9  | 51.5<br>1.75W       |                |
| 49 | KOMATSU | APS 21108           | 6137-32-2010                                  | SA6D-105         | 6 | 105 | 107.7 | 69.2                      | 1-1.96<br>1-1.95 | 1-5.0  | 40 | 86.0  | 42.5<br>1.9W        |                |

|    |         |                   |                   |                     |   |       |       |                             |                  |       |      |       |               |        |
|----|---------|-------------------|-------------------|---------------------|---|-------|-------|-----------------------------|------------------|-------|------|-------|---------------|--------|
| 50 | KOMATSU | APS 21108J        | 6137-32-2010      | SA6D105<br>PC200-5  | 6 | 105   | 107.7 | 69.2                        | 1-1.96<br>1-1.95 | 1-5.0 | 40   | 86.0  | 42.5<br>1.9W  | 1.185  |
| 51 | KOMATSU | APS F-21108JH     | 6137-32-2110      | S6D105              | 6 | 105.0 | 107.7 | 69.2-22.2-14.7<br>-3.2,-1.8 | 1-3.22<br>1-2.59 | 1-5.0 | 40.0 | 86.0  | 43.5<br>1.75W | 1.1850 |
| 52 | KOMATSU | APS 21108JH       |                   | S6D105              | 6 | 105   | 107.7 | 69.2-22.2<br>-3.2,-1.8      | 1-3.0<br>1-2.5   | 1-5.0 | 40   | 86.0  | 43.5<br>1.75W |        |
| 53 | KOMATSU | APS F-21108U/JU   | 6137-32-2110      | SA6D-105            | 6 | 105   | 107.7 | 69.2-22.0<br>-3.2<br>-1.8   | 1-3.0<br>1-2.5   | 1-5.0 | 40   | 86.0  | 43.5*1.75W    |        |
| 54 | KOMATSU | APS 21109         | 6204-31-212       | 6D95                | 6 | 95    | 94.4  | 51.3-18.8                   | 2-2.0            | 1-4.0 | 30   | 74.0  | 32.1<br>1.2W  |        |
| 55 | KOMATSU | APS 21109J        | 6204-31-212       | 6D95                | 6 | 95    | 94.4  | 51.3-18.8                   | 2-2.0            | 1-4.0 | 30   | 74.0  | 32.1<br>1.2W  |        |
| 56 | KOMATSU | APS 21110         | 6207-31-2180      | 6D95                | 6 | 95    | 94.2  | 51.2-19.6                   | 2-2.5            | 1-4.0 | 30   | 74.0  | 32.1<br>1.2W  |        |
| 57 | KOMATSU | APS 21110J        | 6207-31-2180      | 6D95                | 6 | 95    | 94.2  | 51.2-19.6                   | 2-2.5            | 1-4.0 | 30   | 74.0  | 32.1<br>1.2W  |        |
| 58 | KOMATSU | APS 21110JG       |                   | S6D95L<br>(PC200-6) | 6 | 95    | 94.2  | 51.2-19.6<br>-0.9           | 2-2.5            | 1-4.0 | 30   | 74.0  | 32.1<br>1.2W  |        |
| 59 | KOMATSU | APS 21110JG1      |                   | S6D95L<br>(PC200-6) | 6 | 95    | 94.2  | 51.2-19.6<br>-0.9           | 2-2.5            | 1-4.0 | 30   | 74.0  | 32.1<br>1.2W  |        |
| 60 | KOMATSU | APS 21110N/JN     | 6207-31-2180      | 6D95                | 6 | 95    | 94.2  | 51.2-19.6<br>-0.9           | 2-2.5            | 1-4.0 | 30   | 74    | 32.1*1.2W     |        |
| 61 | KOMATSU | APS 21111         | 6150-31-2112      | 6D125               | 6 | 125   | 131.1 | 80.1-25.7                   | 2-2.5            | 1-4.0 | 48   | 103.5 | 51.5<br>1.75W | 2.005  |
| 62 | KOMATSU | APS 21111J        | 6150-31-2112      | 6D125               | 6 | 125   | 131.1 | 80.1-25.7                   | 2-2.5            | 1-4.0 | 48   | 103.5 | 51.5<br>1.75W | 2.005  |
| 63 | KOMATSU | APS F-21111UN/JUN | 6150-32-2110      | 6D125               | 6 | 125   | 131.1 | 80.1-26.4                   | 2-2.5            | 1-4.0 | 48   | 104   | 51.5*1.75W    | 2050gr |
| 64 | KOMATSU | APS 21111N/JN     | 6150-31-2112      | 6D125               | 6 | 125   | 131.1 | 80.1-25.7<br>-1.8,-1.2      | 2-2.5            | 1-4.0 | 48   | 104.0 | 51.5*1.75W    |        |
| 65 | KOMATSU | APS T-21111/J     |                   | S6D125/D            | 6 | 125   | 131.1 | 80.1-25.7<br>-1.8, -1.2     | 2-2.5            | 1-4.0 | 48   | 104.0 | 51.5*1.75W    |        |
| 66 | KOMATSU | APS 21112         | 6151-31-2171/2170 | S6D125 (PC300-3)    | 6 | 125   | 131.1 | 80.1-24.7                   | 2-2.5            | 1-4.0 | 48   | 103.5 | 51.5<br>1.75W |        |
| 67 | KOMATSU | APS 21112J        | 6151-31-2171/2170 | S6D125 (PC300-3)    | 6 | 125   | 131.1 | 80.1-24.7                   | 2-2.5            | 1-4.0 | 48   | 103.5 | 51.5<br>1.75W | 2.095  |
| 68 | KOMATSU | APS 21112N/JN     | 6151-31-2171      | 6D125               | 6 | 125   | 131.1 | 80.1-24.7<br>-1.8,-1.2      | 2-2.5            | 1-4.0 | 48   | 104   | 51.5*1.75W    | 2080gr |

|    |         |                 |                                                            |                    |   |     |       |                        |                |       |    |       |               |          |
|----|---------|-----------------|------------------------------------------------------------|--------------------|---|-----|-------|------------------------|----------------|-------|----|-------|---------------|----------|
| 69 | KOMATSU | APS 21112HN/JHN | 6151-31-2150                                               | S6D125             | 6 | 125 | 131.1 | 80.1-24.1<br>-1.8,-1.2 | 2-2.5          | 1-4.0 | 48 | 104.0 | 51.5*1.75W    |          |
| 70 | KOMATSU | APS T-21112/J   |                                                            | S6D125/N           | 6 | 125 | 131.1 | 80.1-24.7<br>-1.8,-1.2 | 2-2.5          | 1-4.0 | 48 | 104.0 | 51.5*1.75W    |          |
| 71 | KOMATSU | APS 21113       | YM129367-22090                                             | 3D84               | 3 | 84  | 84.2  | 42.2                   | 2-2.0          | 1-4.0 | 26 | 66.0  | 29<br>1.8R    | 0.794    |
| 72 | KOMATSU | APS 21114       | 6131-322120                                                | 4D105<br>PC100-1/2 | 4 | 105 | 107.5 | 69.0-22.9              | 1-3.0<br>1-2.5 | 1-5.0 | 38 | 89.0  | 40.8<br>1.8W  |          |
| 73 | KOMATSU | APS 21114J      | 6131-322120                                                | 4D105<br>PC100-1/2 | 4 | 105 | 107.5 | 69.0-22.9              | 1-3.0<br>1-2.5 | 1-5.0 | 38 | 89.0  | 40.8<br>1.8W  | 1.245    |
| 74 | KOMATSU | APS 21114G/JG   |                                                            | 4D105<br>PC100-1/2 | 4 | 105 | 107.5 | 69.0-22.9              | 2-3.5          | 1-5.0 | 38 | 88    | 40.8<br>1.8W  |          |
| 75 | KOMATSU | APS 21115       | 6136-31-2112                                               | PC200-1            | 6 | 105 | 107.5 | 69.0-22.6              | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 84.0  | 43.5<br>1.75W |          |
| 76 | KOMATSU | APS 21115J      | 6136-31-2112                                               | PC200-1            | 6 | 105 | 107.5 | 69.0-22.6              | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 84.0  | 43.5<br>1.75W | 1.15     |
| 77 | KOMATSU | APS V-21115/J   |                                                            | 6D105              | 6 | 105 | 107.5 | 69.0-22.6              | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 84    | 43.5*1.75W    | 1150gr   |
| 78 | KOMATSU | APS 21115JU     | 6137-31-2020 NO<br>VALVE<br>6137-31-2010<br>WITH VALVE     | 6D105              | 6 | 105 | 107.5 | 69.0-22.7              | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 86.0  | 43.5<br>1.75W |          |
| 79 | KOMATSU | APS 21115UA     |                                                            | 6D105              | 6 | 105 | 107.5 | 69.0-22.7              | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 86.0  | 43.5<br>1.75W |          |
| 80 | KOMATSU | APS 21115JUA    |                                                            | 6D105              | 6 | 105 | 107.5 | 69.0-22.7              | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 86.0  | 43.5<br>1.75W |          |
| 81 | KOMATSU | APS 21116       | 6136-32-2110                                               | S6D105<br>PC200-2  | 6 | 105 | 107.7 | 69.2-22.8<br>-1.8      | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 84.0  | 43.5<br>1.75W | 1.1296   |
| 82 | KOMATSU | APS 21116J      | 6136-32-2110                                               | S6D105<br>PC200-2  | 6 | 105 | 107.7 | 69.2-22.8<br>-1.8      | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 84.0  | 43.5<br>1.75W | 1.1296   |
| 83 | KOMATSU | APS 21116N/JN   | 6136-32-2110                                               | PC200-2            | 6 | 105 | 107.7 | 69.2-22.8<br>-1.8      | 1-3.0<br>1-2.5 | 1-5.0 | 40 | 84    | 43.5*1.75W    | 1129.6gr |
| 84 | KOMATSU | APS 21117       | 6204-31-2121 STD<br>6204-39-2121 0.25<br>6204-38-2121 0.50 | 4D95               | 4 | 95  | 94.2  | 51.1-20.1<br>-0.9      | 2-2.0          | 1-4.0 | 30 | 74.0  | 32.1<br>1.2W  |          |
| 85 | KOMATSU | APS 21117J      |                                                            | 4D95               | 4 | 95  | 94.2  | 51.1-20.1<br>-0.9      | 2-2.0          | 1-4.0 | 30 | 74.0  | 32.1<br>1.2W  | 0.718    |
| 86 | KOMATSU | APS C-21117/J   |                                                            | 4D95               | 4 | 95  | 94.2  | 51.1-20.1<br>-0.9      | 1-2.5<br>1-2.2 | 1-4.0 | 30 | 74.0  | 32.1*1.2W     |          |



|     |         |                 |                                                                                                                            |               |   |     |       |                           |                |       |    |       |               |        |
|-----|---------|-----------------|----------------------------------------------------------------------------------------------------------------------------|---------------|---|-----|-------|---------------------------|----------------|-------|----|-------|---------------|--------|
| 87  | KOMATSU | APS 21117N      | 6204-31-2121                                                                                                               | 4D95          | 4 | 95  | 94.2  | 51.1-20.1                 | 2-2.0          | 1-4.0 | 30 | 74.0  | 32.1*1.2W     |        |
| 88  | KOMATSU | APS 21118       | 6114-31-2111                                                                                                               | 4D130<br>20HT | 4 | 130 | 135   | 90.0-6.9<br>-1.5          | 1-3.5<br>1-2.5 | 1-5.5 | 44 | 102.0 | 47<br>1.75W   |        |
| 89  | KOMATSU | APS 21118J      | 6114-31-2111                                                                                                               | 4D130<br>20HT | 4 | 130 | 135   | 90.0-6.9<br>-1.5          | 1-3.5<br>1-2.5 | 1-5.5 | 44 | 102.0 | 47<br>1.75W   | 2.59   |
| 90  | KOMATSU | APS 21119       | 6735-31-2111 STD<br>6735-38-2111 0.50                                                                                      | S6D102        | 6 | 102 | 105.4 | 71.6-22.1                 | 1-3.0<br>1-2.4 | 1-4.0 | 40 | 83.0  | 43.5<br>1.75W |        |
| 91  | KOMATSU | APS 21119J      | 6735-31-2111<br>STD (KAZEMI)<br>6735-31-2110 STD<br>6735-31-2110 STD<br>6735-38-2111 0.50<br>(KAZEMI)<br>6135-38-2110 0.50 | S6D102        | 6 | 102 | 105.4 | 71.6-22.1                 | 1-3.0<br>1-2.4 | 1-4.0 | 40 | 83.0  | 43.5<br>1.75W | 1.275  |
| 92  | KOMATSU | APS C-21119/J   |                                                                                                                            | 6BTAA         | 6 | 102 | 105.4 | 71.6-23.1                 | 1-3.0<br>1-2.4 | 1-4.0 | 40 | 83.0  | 43.5*1.75W    | 1.275  |
| 93  | KOMATSU | APS T-21119/J   | 6735-31-2111                                                                                                               |               | 4 | 102 | 105.4 | 71.6-22.0                 | 1-3.0<br>1-2.4 | 1-4.0 | 40 | 83    | 43.5*1.75W    | 1250gr |
| 94  | KOMATSU | APS 21119JB     |                                                                                                                            | 6D102         | 6 | 102 | 105.4 | 71.6-22.1                 | 1-3.0<br>1-2.4 | 1-4.0 | 40 | 83.0  | 43.5<br>1.75W |        |
| 95  | KOMATSU | APS C-21119JH   | 3926631                                                                                                                    | 6BTAA         | 6 | 102 | 105.4 | 71.6-22.1                 | 1-3.0<br>1-2.4 | 1-4.0 | 40 | 83.0  | 43.5<br>1.65W |        |
| 96  | KOMATSU | APS 21119BN/JBN | 6735-31-2111                                                                                                               |               | 6 | 102 | 105.4 | 71.6-22.1                 | 1-3.0<br>1-2.4 | 1-4.0 | 40 | 83.0  | 43.5*1.75W    |        |
| 97  | KOMATSU | APS 21120       |                                                                                                                            | S6D140        | 6 | 140 | 125.3 | 85.3-28.4<br>-2.1<br>-1.3 | 2-2.5          | 1-4.0 | 52 | 110.0 | 56.2<br>2.0W  |        |
| 98  | KOMATSU | APS 21120H      | 82741210                                                                                                                   | 6D140         | 6 | 140 | 125.3 | 85.3-26.8<br>-2.1<br>-1.3 | 2-2.5          | 1-4.0 | 52 | 110.0 | 56.2<br>2.0W  |        |
| 99  | KOMATSU | APS 21120HI     | 82741220                                                                                                                   | 6D140         | 6 | 140 | 125.3 | 85.3-28.4<br>-2.1<br>-1.3 | 2-2.5          | 1-4.0 | 52 | 110.0 | 56.2<br>2.0W  |        |
| 100 | KOMATSU | APS 21120HU     | 82741230                                                                                                                   | 6D140         | 6 | 140 | 125.3 | 85.3-31.3<br>-2.1<br>-1.3 | 2-2.5          | 1-4.0 | 52 | 110.0 | 56.2<br>2.0W  |        |
| 101 | KOMATSU | APS 21120U      |                                                                                                                            | S6D140        | 6 | 140 | 125.3 | 85.3-31.1<br>-2.1<br>-1.3 | 2-2.5          | 1-4.0 | 52 | 110.0 | 56.2<br>2.0W  |        |



|     |         |                 |              |          |   |     |       |                         |                 |        |    |       |                |       |
|-----|---------|-----------------|--------------|----------|---|-----|-------|-------------------------|-----------------|--------|----|-------|----------------|-------|
| 120 | KOMATSU | APS F-21128H/JH |              | 4D95F    | 4 | 95  | 94    | 51.0-3.7<br>-1.6        | 1-2.35<br>1-2.0 | 1-4.0  | 30 | 74.0  | 32.1<br>1.2W   | 0.761 |
| 121 | KOMATSU | APS T-21128     |              | 4D95-NEW | 4 | 95  | 94    | 51.0-8.2<br>-3.7        | 1-2.3<br>1-2.0  | 1-4.0  | 30 | 74.0  | 32.1*1.2W      |       |
| 122 | KOMATSU | APS 21129J      | 6162-33-2120 | S6D170   | 6 | 170 | 195.6 | 120.6-23.6<br>-2.6,-1.6 | 2-4.0           | 1-4.76 | 68 | 142   | 72.5<br>2.5W   | 6.33  |
| 123 | KOMATSU | APS 21130       |              | 6D170    | 6 | 170 | 176.0 | 121.0-24.0              | 2-4.0           | 1-4.76 | 68 | 126   | 72.5<br>2.5W   |       |
| 124 | KOMATSU | APS F-21130H    |              | 6D170    | 6 | 170 | 176   | 121.0-24.0              | 2-3.96          | 1-4.76 | 68 | 126.0 | 72.5*2.5W      |       |
| 125 | KOMATSU | APS C-21131/J   |              | 4D120    | 4 | 120 | 134.9 | 90.0-7.1<br>-5.9,-1.1   | 2-2.5           | 1-3.5  | 44 | 100.0 | 47.5*1.75W     | 2.215 |
| 126 | KOMATSU | APS 21131J      | 6110-33-2132 | 4D120    | 4 | 120 | 134.9 | 90.0-7.1<br>-6.0,-4.3   | 1-3.5<br>1-2.5  | 1-5.5  | 44 | 100.0 | 47.5<br>1.7.5W |       |
| 127 | KOMATSU | APS 21132J      | 6152-31-2113 | 6D125    | 6 | 125 | 117.4 | 80.4-27.9<br>-2.0,-1.3  | 2-2.5           | 1-4.0  | 48 | 99.0  | 51.5<br>1.75W  |       |
| 128 | KOMATSU | APS 21133J      |              | 6D108    | 6 | 108 | 113.8 | 66.7-25.9               | 1-2.3<br>1-2.5  | 1-4.0  | 45 | 85.0  | 48.5<br>1.75W  |       |
| 129 | KOMATSU | APS T-21134     |              | 4D95     | 4 | 95  | 104   | 61.0-3.6<br>-1.7        | 2-2.38          | 1-4.0  | 30 | 74.0  | 32.1<br>1.2W   |       |
| 130 | KOMATSU | APS F-21134G    |              | 4D95     | 4 | 95  | 104.1 | 61.1-3.8<br>-1.8        | 1-2.5<br>1-2.2  | 1-4.0  | 30 | 74.0  | 32.1<br>1.2W   |       |
| 131 | KOMATSU | APS F-21135/J   |              | 4D95-S   | 4 | 95  | 104.4 | 61.3-15.8<br>-1.0,-0.9  | 2-2.0           | 1-4.0  | 30 | 74.0  | 32.1<br>1.2W   |       |
| 132 | KOMATSU | APS T-21136     |              | 4D94     | 4 | 94  | 99.2  | 55.4-8.4<br>-2.7        | 1-2.9<br>1-2.5  | 1-5.0  | 32 | 74.0  | 34.4<br>1.2W   |       |
| 133 | KOMATSU | APS C-21136     | 6142-32-2110 | 4D94     | 4 | 94  | 99.2  | 55.4-8.4<br>-1.7        | 1-2.9<br>1-2.5  | 1-5.0  | 32 | 74.0  | 34.4*1.2W      |       |
| 134 | KOMATSU | APS C-21137/J   |              |          | 6 | 103 | 103.1 | 64.5-24.3               | 1-3.0<br>1-2.5  | 1-4.0  | 38 | 86.7  | 40.8<br>1.5W   |       |
| 135 | KOMATSU | APS C-21138/J   |              |          | 6 | 103 | 104.5 | 64.5-24.3               | 1-3.0<br>1-2.5  | 1-4.0  | 38 | 86.7  | 40.8<br>1.5W   |       |
| 136 | KOMATSU | APS C-21139     | 6202-32-2140 | 4D95     | 4 | 95  | 104.1 | 61.1-4.1<br>-1.8        | 2-2.5           | 1-4.0  | 30 | 74.0  | 32.1*1.2W      |       |
| 137 | KOMATSU | APS T-21140     | 6144-33-2110 | 4D94-NEW | 4 | 94  | 98.5  | 55.5-18.0<br>-0.2       | 1-2.9<br>1-2.5  | 1-5.0  | 32 | 70.0  | 34.4*1.2W      |       |
| 138 | KOMATSU | APS T-21141     |              | 3D84-NEW | 3 | 84  | 86.5  | 50.2-14.6               | 2-2.0           | 1-4.0  | 26 | 66.0  | 29.0*1.6R      |       |



|     |         |                 |              |       |   |     |       |                        |                |       |    |      |            |         |
|-----|---------|-----------------|--------------|-------|---|-----|-------|------------------------|----------------|-------|----|------|------------|---------|
| 139 | KOMATSU | APS C-21142/J   |              | 4D105 | 4 | 105 | 120   | 74.1-17.9              | 1-3.0<br>1-2.5 | 1-5.0 | 38 | 88.2 | 40.8*2.0W  |         |
| 140 | KOMATSU | APS C-21143/J   | 6027-31-2141 | 4D95T | 4 | 95  | 84.5  | 51.2-20.0              | 2-2.0          | 1-4.0 | 30 | 74.0 | 32.1*1.5W  |         |
| 141 | KOMATSU | APS C-21143U/JU |              |       | 4 | 95  | 84.5  | 51.2-21.2              | 2-2.0          | 1-4.0 | 30 | 74   | 32.1*1.6W  | 690gr   |
| 142 | KOMATSU | APS T-21144     |              | 4D95  | 4 | 95  | 104.3 | 61.3-15.7<br>-1.0,-0.9 | 2-2.0          | 1-4.0 | 30 | 74.0 | 32.1*1.2W  | 0.810   |
| 143 | KOMATSU | APS T-21144G    |              | 4D95  | 4 | 95  | 104.3 | 61.3-15.7<br>-1.0,-0.9 | 1-2.3<br>1-2.0 | 1-4.0 | 30 | 74.0 | 32.1*1.2W  | 0.770   |
| 144 | KOMATSU | APS C-21145     |              | 4D92  | 4 | 92  | 99    | 59.0-17.7              | 1-3.0<br>1-3.0 | 1-6.0 | 32 | 74   | 34.4*1.2W  | 890gr   |
| 145 | KOMATSU | APS F-21146/J   |              | 4D94  | 4 | 94  | 99.4  | 55.4-4.4<br>1-2.4      | 1-2.0<br>1-2.0 | 1-3.0 | 30 | 72.5 | 32.1*1.2W  | 832gr   |
| 146 | KOMATSU | APS F-21147/J   | 6150-32-2110 | 6D125 | 6 | 125 | 131.1 | 80.1-26.4              | 2-2.5          | 1-4.0 | 48 | 104  | 51.5*1.75W | 2061gr  |
| 147 | KOMATSU | APS F-21148/J   | 6208-31-2110 | 4D95  | 4 | 95  | 83.7  | 50.7-19.4              | 1-2.5<br>1-2.0 | 1-4.0 | 30 | 74   | 32.1*1.2W  | 778.6gr |
| 148 | KOMATSU | APS F-21148N/JN | 6208-31-2110 | 4D95  | 4 | 95  | 83.7  | 50.7-19.4              | 1-2.5<br>1-2.0 | 1-4.0 | 30 | 74   | 32.1*1.2W  | 779gr   |
| 149 | KOMATSU | APS F-21149/J   | 6204-31-2140 | 4D95  | 4 | 95  | 84.3  | 51.3-19.1              | 2-2.0          | 1-4.0 | 30 | 74   | 32.1*1.2W  | 715.4gr |