



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@aaps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	MITSUBISHI	APS 21601V	MD030343	4G16EC	4	68.2	60	29.0+2.0	2-1.5	1-4.0	18	60.0		0.194
2	MITSUBISHI	APS 21602	MD016670	F4 2G21 360cc	2	62	65.5	27.0+6.5	2-1.5	1-2.5	17	54.0		0.116
3	MITSUBISHI	APS 21603V	MD008913	4G36EC	4	71.8	83	39.5+4.0	2-1.5	1-4.0	19	64.0		0.284
4	MITSUBISHI	APS 21604	MD010690 MD011945	4G42 1187cc 70PS LANCER 1200	4	71	74	31.7+3.8	2-2.0	1-4.0	19	62.0	20.5 1.0W RTW19	0.228
5	MITSUBISHI	APS 21605	MD008912	4G36US 1200	4	71.8	83.1	39.5+4.1	2-1.5	1-4.0	19	64.0		0.293
6	MITSUBISHI	APS 21606	K44-2032-3	KE44 1100	4	73	74	31.5+4.0	2-2.0	1-4.0	18	64.0	19.5 1.0W RTW18	0.226
7	MITSUBISHI	APS 21607	MD000675 MD000645	4G30 GALANT 1300cc	4	73	70.8	33.8	2-2.0	1-4.0	19	64.0		0.248
8	MITSUBISHI	APS 21607A			4	73	70.8	33.8	2-2.0	1-4.0	19	64.0		0.265
9	MITSUBISHI	APS 21608	MP002710	4G33 1439cc 85PS GALANT 1400	4	73	69.8	32.8	2-2.0	1-4.0	19	64.0		0.24
10	MITSUBISHI	APS 21608A	MD002710	GHRYSLER GALANT	4	73.012	67.28	32.3	2-2.0	1-4.0	19	64.26		0.24
11	MITSUBISHI	APS 21608B			4	73	69.8	32.8	2-2.0	1-4.0	19	64.0		0.24
12	MITSUBISHI	APS 21609	MD002675	4G31 1375cc GALANT 1500	4	74.5	69.3	32.3	2-2.0	1-4.0	19	64.0		0.267
13	MITSUBISHI	APS 21610	MD010670	4G41 1378cc T120	4	76.5	74	31.5+4.0	2-2.0	1-4.0	19	64.0	20.5 1.0W RTW19	0.27
14	MITSUBISHI	APS 21611	MD011951 MD011940	4G41 1378cc D120	4	76.5	69.3	30.8	2-2.0	1-4.0	19	64.0	20.5 1.0W RTW19	0.283

15	MITSUBISHI	APS 21612	MD004670 D004640	4G32 1600	4	76.9	70.7	33.7-3.8	2-2.0	1-4.0	19	64.0		0.276
16	MITSUBISHI	APS 21612A	MD004670	GALANT 1600	4	76.9	70.61	33.52-3.02	2-2.0	1-4.0	19	64.26		0.276
17	MITSUBISHI	APS 21612B			4	76.911	70.61	33.52-3.02	2-2.0	1-4.0	19	64.26		0.276
18	MITSUBISHI	APS 21613	MD040571	4G62	4	80.6	73.5	35.0+1.5	2-2.0	1-4.0	21	72.0		0.334
19	MITSUBISHI	APS 21613HA		L300	4	80.6	72	34.9-1.1	2-2.0	1-4.0	21	72.0		0.334
20	MITSUBISHI	APS 21614	MD095215	G63B 2000cc	4	85	72.4	35.0+0.4 -1.0	2-1.5	1-4.0	21	72.0		0.334
21	MITSUBISHI	APS 21614A		4G63B	4	85	72.4	35.0+0.4 -1.0	2-1.5	1-4.0	21	72.0		0.356
22	MITSUBISHI	APS 21614AC		4G63B	4	85	72.4	35.0+0.4 -1.0	2-1.5 1-2.5K	1-4.0	21	72.0		
23	MITSUBISHI	APS 21614AN		G63B	4	85	72	35.0+0.4 -1.0	2-1.5	1-4.0	21	72.0		0.356
24	MITSUBISHI	APS 21615	MD131612	4D65	4	80.6	78.7	41.7-3.3	1-2.0K 1-2.0	1-4.0	25	68.0	26.9 1.2W RTW25	0.447
25	MITSUBISHI	APS 21616J	MD131615	4D65T	4	80.6	78.7	41.7-3.3 -0.2	2-2.0K	1-4.0	25	68.0	26.9 1.2W RTW25	0.492
26	MITSUBISHI	APS T-21616J	MD131615	4D65T	4	80.6	78.7	41.7-3.3 -0.2	2-2.0K	1-4.0	25	68.0	26.9*1.2W	
27	MITSUBISHI	APS 21617		4DR51	4	92	100	53.0-2.5	1-2.5K 2-2.0	1-4.5	28	77.0	32 1.8R	0.735
28	MITSUBISHI	APS 21618		4DQ1	4	84	92.3	45.3-1.8	1-2.5 1-2.0	1-4.0	25	70.0	26.9 1.2W	0.589
29	MITSUBISHI	APS 21618X	(30617-57105)	4DQ5	4	84	92.3	45.3-1.8	1-2.5 1-2.0	1-4.0	25	70.0	26.9 1.2W	
30	MITSUBISHI	APS 21619	31617-00104 31617-00/05/106	4DR5 2659cc 6DR5 3988cc	4/6	92	99.5	52.5-3.0	1-2.5K 2-2.0	1-4.5	28	77.0	32 1.8R	0.746
31	MITSUBISHI	APS 21619A			4/6	92	99.5	52.5-3.0	1-2.5K 2-2.0	1-4.5	28	77.0	32 1.8R	0.746
32	MITSUBISHI	APS 21620	ME023255 6DS1 4G	6DS1 4678cc T620 MR620 DIESEL	6	95	105.5	60.5-9.0	1-2.5 2-2.0	1-4.5	32	82.0	36.5 1.8R	0.89
33	MITSUBISHI	APS 21621	MD117177	4D56	4	91.1	88.7	48.7-2.3 -2.6	1-2.5 1-2.0	1-4.0	29	75.0	32 2.0R	0.69

34	MITSUBISHI	APS C-21621	MD304850	4D56	4	91.1	88.7	48.7-3.1 -2.8,-2.6	2-2.0	1-3.0	29	75.0	31.1*1.2W	
35	MITSUBISHI	APS 21621J	MD117177	4D56	4	91.1	88.7	48.7-2.3 -2.6	1-2.5 1-2.0	1-4.0	29	75.0	32 2.0R	0.69
36	MITSUBISHI	APS 21621G		4D55T	4	91.1	88.7	48.7-2.3 -2.6	1-2.5K 1-2.0K	1-4.0	29	75.0	32 2.0R	0.69
37	MITSUBISHI	APS 21621JG	MD050011	4D55T	4	91.1	88.7	48.7-2.5	1-2.5K 1-2.0K	1-4.0	29	75.0	32 2.0R	0.69
38	MITSUBISHI	APS 21621G1			4	91.1	88.7	48.7-2.3 -2.6	1-2.5K 1-2.0K	1-4.0	29	75.0	32 2.0R	0.69
39	MITSUBISHI	APS 21621JG1	MD103308	4D56T	4	91.1	88.7	48.7-2.3 -2.6	1-2.5K 1-2.0	1-4.0	29	75.0	32 2.0R	0.69
40	MITSUBISHI	APS 21621JGX			4	91.1	88.7	48.7-2.5 -2.8	1-2.5K 1-2.0K	1-4.0	29	75.0	32 2.0R	
41	MITSUBISHI	APS 21621GX1/JGX1		D4BF	4	91.1	88.7	48.7-2.6 -2.3	1-2.5K 1-2.0K	1-4.0	29	72.0	32.0*2.0R	
42	MITSUBISHI	APS C-21621G/JG		4D55	4	91.1	88.7	48.7-3.1 -2.8,-2.6	1-2.5 1-2.0	1-4.0	29	75.0	31.1*1.2W	
43	MITSUBISHI	APS 21621JK	MD117177	4D56	4	91.1	88.7	48.7-2.5 -2.8	1-2.5 1-2.0	1-4.0	29	75.0	32 1.6R	0.69
44	MITSUBISHI	APS 21622	ME023267-02	6DS-3 5103cc 6DS3 3G	6	95	105.4	60.8-9.4	1-3.0K 1-2.0	1-4.5	32	82.0	36.5 1.8R	0.915
45	MITSUBISHI	APS 21622A		6DS3 5103cc	6	95	105.5	61.0-9.5	1-2.5 2-2.0	1-4.5	32	82.0	36.5 1.8R	0.923
46	MITSUBISHI	APS 21623	ME023262	6DS5 4978cc 6DS5 4G	6	98	105.5	60.5-8.3	1-3.0 2-2.0	1-5.0	32	82.0	36.5 1.8R	0.975
47	MITSUBISHI	APS 21624	ME023274-03	6DS-7 5430cc 6DS7 3G	6	98	105.4	60.7-9.4	1-3.0K 1-2.0	1-5.0	32	82.0	36.5 1.8R	0.956
48	MITSUBISHI	APS 21624A		6DS-7 5430cc 6DS7 4G	6	98	105.4	60.7-9.4	1-3.0 2-2.0	1-5.0	32	82.0	36.5 1.8R	0.975
49	MITSUBISHI	APS C-21624/J		6DS7	6	98	105.4	60.7-8.9	1-3.0 1-2.0	1-5.0	32	82.0	34.4*1.2W	0.975
50	MITSUBISHI	APS 21626	30017-92101 30017-90100	6DB NEW 8550cc	6	110	152.5	77.5-2.65	1-3.5 2-2.5	1-5.0	40	95.0	43.5 1.75W RTW40	1.45
51	MITSUBISHI	APS 21626J	30017-92101 30017-90100	6DB NEW 8550cc	6	110	152.5	77.5-2.65	1-3.5 2-2.5	1-5.0	40	95.0	43.5 1.75W RTW40	1.45
52	MITSUBISHI	APS 21627	30017-70102	6DB OLD 8550cc	6	110	139.5	77.5-2.7	1-3.5 2-2.5	1-5.0	40	95.0	43.5 1.75W RTW40	1.44

53	MITSUBISHI	APS C-21629	ME033216	6D14	6	110	115.8	70.8-20.9	1-3.0K 1-2.5	1-5.0	38	90.0	40.8*1.5W	
54	MITSUBISHI	APS 21629	ME032216 ME032569	6D14 6D14T	6	110	115.8	70.8-20.9	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.8R	1.345
55	MITSUBISHI	APS 21629J		6D14	6	110	115.8	70.8-20.9	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.8R	1.338 1.345
56	MITSUBISHI	APS 21629E		6D14	6	110	115.8	70.8-20.9	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.8R	
57	MITSUBISHI	APS 21629JE		6D14	6	110	115.8	70.8-20.9	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.8R	
58	MITSUBISHI	APS 21629EX	ME032216	6D14	6	110	115.8	70.8-20.9	1-3.0K 1-2.5	1-5.0	38	90.0	40.8 1.5W	
59	MITSUBISHI	APS 21630	ME032870	6D15 6D15T	6	113	116.2	71.2-0.3 -21.0	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.6R	1.54
60	MITSUBISHI	APS 21630J	ME033934	6D15	6	113	116.2	71.2-0.3 -21.0	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.8R	1.54
61	MITSUBISHI	APS 21630E		6D15	6	113	116.2	71.2-0.3 -21.0	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.8R	
62	MITSUBISHI	APS 21630JE		6D15	6	113	116.2	71.2-0.3 -21.0	1-3.0K 1-2.5	1-5.0	38	90.0	42 1.8R	
63	MITSUBISHI	APS 21630EX	ME033934	6D15	6	113	116.2	71.2 -21.0	1-3.0K 1-2.5	1-5.0	38	90.0	40.8 1.5W	
64	MITSUBISHI	APS 21631	31117-14103 31117-07109	6DC 9955cc 8DC 13273cc	6/8	130	145.2	80.5-3.1	1-4.0K 1-3.0	1-6.0	45	108.0	49.5 2.3R	2.251
65	MITSUBISHI	APS 21635	32017-07101	DH21 13714cc	6	135	185	100.0-9.0	3-4.0	2-5.5	50	110.5	54.2 2.0W	3.1
66	MITSUBISHI	APS 21636	MD019861	2G23 600cc	2	70	59	27.0+2.0	2-1.5	1-2.5	18	60.0		0.188
67	MITSUBISHI	APS 21637	MD008850	4G32 NEW	4	76.9	70.5	33.5-3.2	2-2.0	1-4.0	19	64.0		0.285
68	MITSUBISHI	APS 21637A	A12171P		4	76.9	70.5	33.5-3.2	2-2.0	1-4.0	19	64.0		0.269
69	MITSUBISHI	APS 21638	MD009584 MD009580	SL300 1500cc L031	4	73	70.21	33.21	2-1.5	1-4.0	19	64.0		0.245
70	MITSUBISHI	APS 21638A		L-031 1500cc	4	73	69.8	32.8	2-1.5	1-4.0	19	64.0		0.245
71	MITSUBISHI	APS 21638A1			4	73	70.21	33.21	2-1.5	1-4.0	19	64.0		0.245

72	MITSUBISHI	APS 21638B	MD009584	SL-300 1500cc	4	73	70.21	33.21	2-1.5	1-4.0	19	64.0		0.245
73	MITSUBISHI	APS 21639	MD000796	4G36 1200 A75	4	73	81	39.5+2.0	2-2.0	1-4.0	19	64.0		0.29
74	MITSUBISHI	APS 21639A		A75	4	73	81	39.5+2.0	2-2.0	1-4.0	19	64.0		0.29
75	MITSUBISHI	APS 21640	MD009560 (TEIKIN)	4G36	4	73	82.4	39.5+3.4	2-1.5	1-4.0	19	64.0		0.294
76	MITSUBISHI	APS 21642	MD012008 MD030322	LANCER 1400 G12 B.J	4	74	58	29.0-1.5	2-1.5	1-4.0	18	62.0		0.218
77	MITSUBISHI	APS 21642A	A12206P		4	74	58	29.0-1.5	2-1.5	1-4.0	18	62.0		0.235
78	MITSUBISHI	APS 21644	ME01200-13	4D30 3298cc	4	100	110.5	60.5-2.5	1-3.0K 1-2.0	1-5.0	34	84.0	36.5 1.5W	0.939
79	MITSUBISHI	APS 21644/J		4D30	4	100	110.5	60.5-2.5	1-3.0K 1-2.0	1-5.0	34	84	36.5*1.5W	
80	MITSUBISHI	APS C-21644/J		4D30	4	100	110.5	60.5-2.5	1-3.2K 1-2.5	1-5.0	34	84	36.5*1.5W	1030gr
81	MITSUBISHI	APS 21645	34417-10200	SD4E	2/4	94	98.5	51.5-3.5	1-2.5K 1-2.0	1-4.5	28	77.0	32 1.8R	0.772
82	MITSUBISHI	APS 21645A	34417-20101 (34417-04100)	S4E	4	94	98.5	51.5-3.5	1-2.5K 1-2.0	1-4.5	28	77.0	30.1 1.2W RTW28	0.26
83	MITSUBISHI	APS C-21645/J		S4E	4	94	98.5	51.5-3.5	1-2.7K 1-2.0	1-4.5	28	77.0	30.1*1.2W	
84	MITSUBISHI	APS 21646	MD024946 MD024991		4	91.1	77.2	35.2-5.0	2-2.0	1-4.0	22	79.0		0.422
85	MITSUBISHI	APS 21646A	MD026884	4G54R	4	91.1	77.2	35.2-5.0	2-2.0	1-4.0	22	79.0	32 1.8R	0.44
86	MITSUBISHI	APS 21646C		4G54	4	91.1	77.2	35.2-5.0	2-2.0	1-4.0	22	79.0	32 1.8R	0.431
87	MITSUBISHI	APS 21646C1		4G54	4	91.1	77	35.0-4.8	2-1.5	1-4.0	22	79.0	*	
88	MITSUBISHI	APS 21646D			4	91.1	77.2	35.2-5.0	2-1.5	1-4.0	22	79.0		
89	MITSUBISHI	APS 21646G		4G54R	4	91.1	77.2	35.2-5.0	2-2.0	1-4.0	22	79.0	32 1.8R	0.44
90	MITSUBISHI	APS 21646H		4G54C	4	91.1	77.3	35.3-3.1	2-1.5	1-4.0	22	79.0		

91	MITSUBISHI	APS 21646HB	MD061248	G54T	4	91.1	77.2	35.2-5.0	2-1.5	1-4.0	22	79.0	32 1.8R	0.475
92	MITSUBISHI	APS 21646HD			4	91.1	77.2	35.2-5.0	2-1.5	1-4.0	22	79.0	32 1.8R	0.473
93	MITSUBISHI	APS T-21646		4G54	4	91.1	77.2	35.2-5.0	2-2.0	1-4.0	22	14.0	*	0.470
94	MITSUBISHI	APS 21647	MD009520 MD009521	G32B GALANT 1600	4	76.9	70.5	33.5-2.2	2-2.0	1-4.0	19	64.0		0.286
95	MITSUBISHI	APS 21647B	MD008854		4	76.9	70.13	33.12-1.8	2-2.0	1-4.0	19	64.26		
96	MITSUBISHI	APS 21647D	A12211P	4G32B	4	76.9	70.5	33.5-2.2	2-2.0	1-4.0	19	64.0		0.276
97	MITSUBISHI	APS 21647E			4	76.9	70.13	33.12-1.8	2-2.0	1-4.0	19	64.26		0.274
98	MITSUBISHI	APS 21647E1		4G32B	4	76.9	70.5	33.5-2.2	2-2.0	1-4.0	19	64	*	
99	MITSUBISHI	APS 21647HA	MD008853-5	4G32B SR	4	76.9	70.5	33.5-2.73	2-2.0	1-4.0	19	64.0		0.268 0.274
100	MITSUBISHI	APS 21647HC	MD008860	4G32GS	4	76.9	70.5	33.5-0.5	2-2.0	1-4.0	19	64.0		0.285
101	MITSUBISHI	APS 21648	MD018240	L014 MINICA 700	2	76	57	27.0-0.3	2-1.5	1-2.5	18	60.0		0.224
102	MITSUBISHI	APS 21649	ME012001	4D30CANTER	4	100	110.4	60.4-2.8	1-3.0K 1-2.0	1-5.0	34	84.0	36.5 1.5W RTW34	0.939
103	MITSUBISHI	APS 21649X	ME012001	4D30	4	100	110.4	60.4-2.8	1-3.17K 1-2.0	1-5.0	34	84.0	36.5 1.5W	
104	MITSUBISHI	APS 21649J		4D30CANTER	4	100	110.4	60.4-2.8	1-3.0K 1-2.0	1-5.0	34	84.0		0.939
105	MITSUBISHI	APS 21650		COLT	4	68.4	60	28.5+2.5	2-2.5	1-4.0	18	60.0		0.188
106	MITSUBISHI	APS 21651		4DR1	4	88	98.4	51.4-3.3	1-2.5 2-2.0	1-4.0	28	76.0	30.1 1.2W	0.714
107	MITSUBISHI	APS 21652	MD066511	2G25 800cc	2	78	57.5	27.5-2.3	2-1.5	1-2.5	18	60.0		0.227
108	MITSUBISHI	APS 21653	MD073733	2G23 550cc SH550	2	70	67.5	27.3+10.2	2-1.5	1-2.5	18	60.0		0.188
109	MITSUBISHI	APS 21654	MD021063 MD021192	4G52 1995cc	4	84	79.95	40.32	2-2.0	1-4.0	22	75.0		0.473

110	MITSUBISHI	APS 21654A	A12207P		4	84	79.95	40.32	2-2.0	1-4.0	22	75.0		0.448
111	MITSUBISHI	APS 21654D			4	84	79.95	40.32	2-2.0	1-4.0	22	75.0		
112	MITSUBISHI	APS 21654N	MD021063 MD021192	4G52	4	84	79.45	39.82	2-2.0	1-4.0	22	75.0		
113	MITSUBISHI	APS 21655	MD050014 MD050011	4D-55	4	91.1	88.5	48.5-2.2	2-2.0K	1-4.0	29	75.0	32 1.6R	0.63
114	MITSUBISHI	APS 21655J	MD050014 MD050011	4D55	4	91.1	88.5	48.5-2.2	1-2.5K 1-2.0K	1-4.0	29	75.0	32 1.6R	
115	MITSUBISHI	APS 21655IJ	MD050014 MD050011	4D55 2346cc	4	91.1	88.5	48.5-2.2	1-2.6K 1-2.0K	1-4.0	29	75.0	32 1.6R	0.696
116	MITSUBISHI	APS 21655A	MD050021	4D55,2300 L200	4	91.1	88.5	48.5-2.2	1-2.6 1-2.0	1-4.0	29	75.0	32 1.6R	0.63
117	MITSUBISHI	APS 21655JA	MD050021	L200	4	91.1	88.5	48.5-2.2	1-2.6 1-2.0	1-4.0	29	75.0	32 1.6R	0.696
118	MITSUBISHI	APS 21655AG		L200	4	91.1	88.5	48.5-2.2	1-2.5 1-2.0	1-4.0	29	75.0	32 1.6R	0.63
119	MITSUBISHI	APS 21655AG1		C-200	4	91.1	88.5	48.5-2.2	1-2.5 1-2.0	1-4.0	29	75.0	32 1.6R	0.63
120	MITSUBISHI	APS 21655JI-1	MD050014 MD050011	4D55 2346cc	4	91.1	88.5	48.5-2.2	1-2.6K 1-2.0K	1-4.0	29	75.0	32 1.6R	0.696
121	MITSUBISHI	APS 21655JI-2	MD103308	4D56	4	91.1	88.5	48.5-2.2	1-2.6 1-2.0	1-4.0	29	75.0	32 1.6R	0.69
122	MITSUBISHI	APS 21655U	MD103308	4D-55T	4	91.1	88.5	48.5-2.2	1-2.5K 1-2.0K	1-4.0	29	75.0	32 1.6R	
123	MITSUBISHI	APS 21655IN	MD103308	4D-55T	4	91.1	88.5	48.5-2.2	1-2.5K 1-2.0K	1-4.0	29	75.0	32 1.6R	
124	MITSUBISHI	APS 21655JIN	MD103308	4D-55T	4	91.1	88.5	48.5-2.2	1-2.5K 1-2.0K	1-4.0	29	75.0	32 1.6R	
125	MITSUBISHI	APS T-21655/J		4D55/6	4	91.1	88.5	48.5-3.0 -2.5,-2.2	1-2.5 1-2.0	1-4.0	29	75.0	32.5*1.6R	
126	MITSUBISHI	APS T-21655H/JH	MD304835	STRADA2500	4	91.1	88.6	48.6-1.2 -0.4,-0.1	1-2.5 1-2.0	1-4.0	29.0	75.0	32.5*1.6R	
127	MITSUBISHI	APS T-21655H1/JH1		4D55	4	91.1	88.5	48.5-3.7 -2.9,-2.6	1-2.5 1-2.0	1-4.0	29	75.0	32.5*1.6R	
128	MITSUBISHI	APS T-21655H2/JH2		L200	4	91.1	88.7	48.7-3.1 -2.5,-1.85	1-2.5 1-2.0	1-4.0	29	75.0	32.5*1.6R	

129	MITSUBISHI	APS 21656			4	73	67.3	32.3	2-2.0	1-4.0	19	64.0		
130	MITSUBISHI	APS 21658	MD071172	G54JP	4	91.1	78.3	36.0+0.3	2-1.5	1-4.0	22	79.0		0.465
131	MITSUBISHI	APS 21658A	A12219P		4	91.1	78.3	36.3+0.3	2-1.5	1-4.0	22	79.0		0.453 0.460
132	MITSUBISHI	APS 21658C			4	91.1	78.3	35.7+0.3	2-1.5	1-4.0	22	79.0		
133	MITSUBISHI	APS 21659	MD026921	G54	4	91.1	77.4	35.4	2-2.0	1-4.0	22	79.0		0.451
134	MITSUBISHI	APS 21659C			4	91.1	77.4	35.1	2-2.0	1-4.0	22	79.0		
135	MITSUBISHI	APS 21659A			4	91.1	77.4	35.4	2-1.5	1-4.0	22	79.0		0.451
136	MITSUBISHI	APS 21660		4G63	4	85	74	35.0+2.0	2-2.0	1-4.0	21	72.0		0.344
137	MITSUBISHI	APS 21660A		4G63	4	85	74	35.0+2.0	2-2.0	1-4.0	21	72.0		0.344
138	MITSUBISHI	APS 21660AN		4G63	4	85	71.9	34.9+0.5	2-2.0	1-4.0	21	72.0		0.344
139	MITSUBISHI	APS 21661	MD099925-7	4G32	4	76.9	68	34.0-2.2	2-1.5	1-4.0	19	64.0		0.278
140	MITSUBISHI	APS 21661A		4G32 SK	4	76.9	68	34.0-2.2	2-1.5	1-4.0	19	64.0		0.274
141	MITSUBISHI	APS 21662	MD120289	3G82	3	65	52	27.0-8.0	2-1.5	1-2.8	16	51.0		0.14
142	MITSUBISHI	APS 21662A	4G82	3G82 / 4G82	3/4	65	52	27.0-8.0	2-1.5	1-2.8	16	51.0		0.14
143	MITSUBISHI	APS 21663	MD030312	G11B	4	69.5	58.8	29.0+0.8	2-1.5	1-4.0	18	60.0		0.197
144	MITSUBISHI	APS 21663A			4	69.5	58.8	29.0+0.8	2-1.5	1-4.0	18	60.0		0.197
145	MITSUBISHI	APS 21664	MD002044	4DR5-1 肯达3.5MT 铁片	4	92	99.7	52.7-2.4	1-2.5K 2-2.0	1-4.5	28	77.0	32 2.0R	0.725
146	MITSUBISHI	APS 21665	ME012131	4D31 (S300cc)	4	100	110.7	60.7-9.7 -18.0	1-3.0K 1-2.0	1-5.0	34	84.0	36.5 1.5W RTW34	0.945
147	MITSUBISHI	APS 21665X	ME012131	4D31	4	100	110.7	60.7-18	1-3.0K 1-2.0	1-5.0	34	84.0	36.5 1.5W	

148	MITSUBISHI	APS 21665J	ME012131	4D31 (S300cc)	4	100	110.7	60.7-9.7 -18.0	1-3.21K 1-2.0	1-5.0	34	84.0	36.5 1.5W RTW34	0.945
149	MITSUBISHI	APS 21666	MD188292	4G63-52 4G63, 4G63K	4	85	67.4	35.0+0.4 -1.0	1-1.2 1-1.5	1-3.0	22	62.0		0.347
150	MITSUBISHI	APS 21666A		4G63K	4	85	67.4	35.0+0.4	1-1.2 1-1.5	1-3.0	22	62.0		
151	MITSUBISHI	APS 21666G			4	85	67.4	35.0+0.4 -1.0	2-1.5	1-4.0	22	62.0		
152	MITSUBISHI	APS 21667	MD040591	4G63	4	85	72.2	35.5-0.9	2-2.0	1-4.0	21	72.0		0.356
153	MITSUBISHI	APS C-21668J	23411-72002	8DC91	8	135	153	88.0-24.4	1-3.5 2-3.0	1-4.0	50	112.0	54.2 2.0W	2.56
154	MITSUBISHI	APS 21668J	ME062336	8DC91=8DC9	8	135	153	88.0-24.4	1-3.0 2-3.0	1-6.0	50	112.0	54.2 2.0W RTW50	2.564
155	MITSUBISHI	APS C-21668U/JU	ME090167	8DC91	8	135	153	88.0-25.3 -1.5,-1.3	1-3.5 2-3.0	1-6.0	50	112.0	54.2 2.0W	2.564
156	MITSUBISHI	APS C-21668G/JG	ME091048	8DC9-NEW	8	135	153.2	88.2-24.5 -1.5,-1.3	1-3.5 2-3.0	1-4.0	50	112.0	54.2*2.0W	
157	MITSUBISHI	APS C-21668G1/JG1	ME062336	8DC9-OLD	8	135	153.2	88.2-24.5 -1.5,-1.3	1-3.5 2-3.0	1-6.0	50	112.0	54.2*2.0W	
158	MITSUBISHI	APS 21668E		8DC91	8	135	153	88.0-24.4	1-3.0 2-3.0	1-6.0	50	112.0	54.2 2.0W RTW50	2.564
159	MITSUBISHI	APS 21668JE		8DC91	8	135	153	88.0-24.4	1-3.0 2-3.0	1-6.0	50	112.0	54.2 2.0W RTW50	
160	MITSUBISHI	APS 21669			8	135	143.1	78.1-1.3 -12.3 -23.6	1-3.0 1-3.0	1-4.0	45	108.0	48.5 1.75W RTW45	2.435
161	MITSUBISHI	APS 21669J	ME062589	8DC82=8DC8	8	135	143.1	78.1-1.3 -12.3 -23.6	1-3.0 1-3.0	1-4.0	45	108.0	48.5 1.75W RTW45	2.435
162	MITSUBISHI	APS C-21669/J		8DC8	8	135	143	78.0-23.7 -1.7	1-4.0 1-3.0	1-6.0	45	108	48.5*1.8W	2425±20gr
163	MITSUBISHI	APS 21669JG	MED90717	8DC82A	8	135	143.1	78.1-1.3 -12.5 -23.5	1-3.5 1-3.0	1-4.0	45	108.0	48.5 1.75W RTW45	2.461
164	MITSUBISHI	APS 21669JI	ME062422	8DC81	8	135	143	78.0-1.5 -12.6 -23.4	1-3.5 1-3.0	1-6.0	45	108.0	48.5 1.75W RTW45	2.439
165	MITSUBISHI	APS 21669JI1	ME062422	8DC81	8	135	143	78.0-1.4 -13.2 -23.9	1-3.5 1-3.0	1-6.0	45	108.0	48.5 1.80W RTW45	
166	MITSUBISHI	APS 21670JI	ME091048	8DC91T	8	135	153.2	88.2-1.4 -12.4 -24.3	1-3.5 2-3.0	1-4.0	50	112.0	54.2 2.0W	

167	MITSUBISHI	APS 21670JIA		8DC92	8	135	153.2	88.0-24.5	1-3.5 2-3.0	1-4.0	50	112.0	54.2 2.2W	2.684
168	MITSUBISHI	APS 21671		GT150		150	211	109.0	1-5.0 2-3.5	2-6.0	58	121.0	62.2 2.0W	4.101
169	MITSUBISHI	APS 21671J		GT150		150	211	109.0	1-5.0 2-3.5	2-6.0	58	121.0	62.2 2.0W RTW58	4.101
170	MITSUBISHI	APS 21672	MD061985	4D65	4	80.6	78.8	41.8-0.5 -1.2 -2.1	1-2.0 1-2.0	1-4.0	25	68.0	26.9 1.2W RTW25	0.442
171	MITSUBISHI	APS 21672G			4	80.6	78.8	41.8-0.5 -1.2 -2.1	2-2.0	1-4.0	25	68.0	26.9 1.2W RTW25	0.442
172	MITSUBISHI	APS 21673J	MD072264	4D65T	4	80.6	78.8	41.8-1.0 -1.2 -2.1	2-2.0	1-4.0	25	68.0	26.9 1.2W RTW25	0.482
173	MITSUBISHI	APS 21674			6	110	116.1	71.1-0.3 -10.0 -20.0	1-3.0 1-2.5	1-5.0	38	90.0	42 1.8R	1.405
174	MITSUBISHI	APS 21674J	ME032569	6D14T	6	110	116.1	71.1-0.3 -10.0 -20.0	1-3.0 1-2.5		38	90.0	42 1.8R	1.405
175	MITSUBISHI	APS 21675	ME052730	6D22T	6	130	158.2	83.1-0.5-1.5 -12.3 -23.3	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W	
176	MITSUBISHI	APS C-21675J	23411-83002-ZEO	6D22	6	130	158	83.0-26.1 -1.1, -0.4	1-1.91(3.5) 1-3.0	1-4.0	50	105.0	54.2 2.0W	2.528
177	MITSUBISHI	APS 21675J	ME052730	6D22T	6	130	158.2	83.1-0.5-1.5 -12.3 -23.3	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W	
178	MITSUBISHI	APS 21675U	ME052447	6D22	6	130	158	82.9-0.4 -15.1 -26.1	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W	2.475
179	MITSUBISHI	APS 21675JU	ME052447	6D22	6	130	158	82.9-0.4 -15.1 -26.1	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W RTW50	2.475
180	MITSUBISHI	APS 21675UE	ME052447	6D22	6	130	158	82.9-0.4 -15.1 -26.1	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W RTW50	
181	MITSUBISHI	21675JUE	ME052447	6D22	6	130	158	82.9-0.4 -15.1 -26.1	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W RTW50	
182	MITSUBISHI	APS 21675UEG/JUEG		6D22	6	130	158	82.9-26.1 -1.1,-0.4	1-3.5 1-3.0	1-4.0	50	105	54.2*2.0W	
183	MITSUBISHI	APS 21675U1	ME052664	6D22T	6	130	158.2	83.1-21.4 -1.2 -0.4	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W	
184	MITSUBISHI	APS 21675JU1	ME052664	6D22T	6	130	158.2	83.1-21.4 -1.2 -0.4	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W	
185	MITSUBISHI	APS 21675JI		6D22T	6	130	158.2	83.1-21.4 -1.2 -0.4	1-3.5 1-3.0	1-6.0	50	105.0	54.2 2.0W	

186	MITSUBISHI	APS C-21675JG	ME052447	6D22	6	130	157.6	83.0-26.2	1-3.5 1-3.0	1-4.0	50	105.0	54.2*2.0W	
187	MITSUBISHI	APS C-21675G1/JG1	ME052447AM	6D22	6	130.0	157.6	83.0-26.2 -1.2 -0.3	1-3.53 1-3.0	1-4.0	50.0	105.0	54.2*2.0W	2.5860
188	MITSUBISHI	APS 21676	MD074715	G15B	4	75.5	58	29.0-0.7	2-1.5	1-4.0	18	60.0		0.245
189	MITSUBISHI	APS 21676C	MD074715	G15B	4	75.5	58	28.7-0.7	2-1.5	1-4.0	18	60.0		
190	MITSUBISHI	APS 21676E	MD074715	G15B	4	75.5	58	29.0-0.7	2-1.5	1-4.0	18	60.0		
191	MITSUBISHI	APS 21676F			4	75.5	58	29.0-1.2	2-1.5	1-4.0	18	60.0		0.229
192	MITSUBISHI	APS 21676FC			4	75.5	58	28.7-1.2	2-1.5	1-4.0	18	60.0		
193	MITSUBISHI	APS 21676N		G15B	4	75.5	57.6	28.6-0.7	2-1.5	1-4.0	18	60.0	*	
194	MITSUBISHI	APS C-21677/J	ME072062	6D16	6	118	116.1	71.1-22.0	1-3.0 1-2.5	1-4.0	38	93.0	40.8 1.5W	
195	MITSUBISHI	APS 21677	ME072062	6D16	6	118	116.1	71.1-22.0 -0.5	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W	1.68
196	MITSUBISHI	APS 21677J	ME072062	6D16	6	118	116.1	71.1-21.8	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W RTW38	1.68
197	MITSUBISHI	APS 21677E		6D16	6	118	116.1	71.1-21.8	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W RTW38	1.68
198	MITSUBISHI	APS 21677JE		6D16	6	118	116.1	71.1-21.8	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W RTW38	
199	MITSUBISHI	APS 21677V	ME072062	6D16T	6	118	116.1	71.1-22.0 -0.5	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W	
200	MITSUBISHI	APS 21677JV	ME072062	6D16T	6	118	116.1	71.1-22.0 -0.5	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W	
201	MITSUBISHI	APS 21678	MD144901	4G15	4	75.5	58	29.0-0.6	1-1.2 1-1.5	1-3.0	18	56.0		0.23
202	MITSUBISHI	APS 21678C			4	75.5	58	28.7-0.6	1-1.2 1-1.5	1-3.0	18	56.0		
203	MITSUBISHI	APS 21678G	MD144901	4G15	4	75.5	58	29.0-0.6	2-1.5	1-4.0	18	56.0		0.224
204	MITSUBISHI	APS 21678N			4	75.5	57.6	28.6-0.2	1-1.2 1-1.5	1-3.0	18	56.0	*	

205	MITSUBISHI	APS 21679		6D14-A	6	110	116.1	71.1-0.3 -21.0	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W RTW38	1.375
206	MITSUBISHI	APS 21679J		6D14-A	6	110	116.1	71.1-20.9	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W RTW38	1.375
207	MITSUBISHI	APS 21679D		6D14-A	6	110	116.1	71.1-0.3 -21.0	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W RTW38	1.375
208	MITSUBISHI	APS 21679JD			6	110	116.1	71.1-20.9	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W RTW38	1.375
209	MITSUBISHI	APS 21679G		6D14-A	6	110	116.1	71.1-0.3 -21.0	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W RTW38	1.375
210	MITSUBISHI	APS 21679U		6D14-2A	6	110	115.8	70.8-20.8	1-3.0K 1-2.5	1-5.0	38	90.0	40.8 1.5W	1.355
211	MITSUBISHI	APS 21680	H42A83		4	82.3	66	32.5-1.4	2-1.5	1-4.0	21	66.5		0.319
212	MITSUBISHI	APS 21680CG			4	82.3	66	32.2+1.4	1-1.2 1-1.5	1-3.0	21	66.0		
213	MITSUBISHI	APS 21680G		61D LANCER1.6	4	82.3	66	32.5+1.4	1-1.2 1-1.5	1-3.0	21	66.0		0.326
214	MITSUBISHI	APS T-21681/J	MD012174	4D32	4	104	110.7	60.7-18.8	1-3.0 1-2.0	1-4.0	34	84.0	36.5*1.5W	1.0
215	MITSUBISHI	APS C-21681/J	ME012174	4D32	4	104	110.7	60.7-19.0	1-3.0 1-2.0	1-4.0	34	84.0	36.5*1.5W	
216	MITSUBISHI	APS 21681	MD012170	4D32	4	104	110.7	60.7-18.8	1-2.5 1-2.0	1-4.0	34	84.0	36.5 1.5W RTW34	1.031
217	MITSUBISHI	APS 21681J	MD012170	4D32	4	104	110.7	60.7-18.8	1-2.5 1-2.0	1-4.0	34	84.0	36.5 1.5W RTW34	1.031
218	MITSUBISHI	APS 21681G	MD012174	4D32	4	104	110.7	60.7-18.8	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.031
219	MITSUBISHI	APS 21681JG	MD012174	4D32	4	104	110.7	60.7-18.8	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W RTW34	1.091
220	MITSUBISHI	APS 21681G1		4D32	4	104	110.7	60.7-18.8	1-2.5 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.031
221	MITSUBISHI	APS 21681JG1		4D32	4	104	110.7	60.7-18.8	1-2.5 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.031
222	MITSUBISHI	APS 21681GX		4D32	4	104	110.7	60.7-18.8	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	
223	MITSUBISHI	APS C-21681H/JH		4D32	4	104	110.8	60.7-18.9	1-3.0 1-2.0	1-4.0	34	84.5	36.5*1.5W	1040±20gr

224	MITSUBISHI	APS 21682L	MD152563	6G72	6	91.1	68.2	32.2-3.0	2-1.5	1-4.0	22	64.0		0.405
225	MITSUBISHI	APS 21682R	MD119671	6G72	6	91.1	68.2	32.2-3.0	2-1.5	1-4.0	22	64.0		0.405
226	MITSUBISHI	APS 21682CR		6G72	6	91.1	68.2	31.9-3.0	2-1.5	1-4.0	22	64.0		
227	MITSUBISHI	APS 21682CL		6G72	6	91.1	68.2	31.9-3.0	2-1.5	1-4.0	22	64.0		
228	MITSUBISHI	APS 21683	MD129922	4G63	4	85	67	35.0-2.1	1-1.2 1-1.5	1-3.0	21	66.0		0.384 0.344
229	MITSUBISHI	APS 21683C			4	85	67	34.7-2.1	1-1.2 1-1.5	1-3.0	21	66.0		
230	MITSUBISHI	APS 21683N		4G63	4	85	66.6	34.6-2.1	1-1.2 1-1.5	1-3.0	21	66.0	*	
231	MITSUBISHI	APS 21684	MD314274-6 MD329140-6 (TEIKIN)	4G92-S4	4	81	61.48	29.35+3.13	2-1.2	1-2.8	19	58.0		0.272
232	MITSUBISHI	APS 21685		4G92	4	81	62.3	30.0+3.3	2-1.2	1-2.8	19	58.0		0.274
233	MITSUBISHI	APS 21686	MD304838	4D56-NA	4	91.1	88.7	48.7-2.6 -1.3	1-2.5 1-2.0	1-4.0	29	75.0	32 2.0R	0.650 0.710
234	MITSUBISHI	APS 21686G		4D56-NA	4	91.1	88.7	48.7-2.6 -1.3	1-2.5 1-2.0	1-4.0	29	75.0	32 2.0R	
235	MITSUBISHI	APS 21686JG			4	91.1	88.7	48.7-0.2 -1.3 -2.6	1-2.5 1-2.0	1-4.0	29	75.0	32 2.0R	0.711
236	MITSUBISHI	APS T-21686H/JH	MD304847	4D56TC	4	91.1	88.6	48.6-2.7 -1.4,-0.3	1-2.5 1-2.0	1-4.0	29.0	75.0	32.5*1.6R	
237	MITSUBISHI	APS 21687	(ME091050)	8DC11	8	142	153.1	88.1-1.6 -25.3	1-3.5 2-3.0	1-4.0	50	112.0	54.2 2.0W	2.915
238	MITSUBISHI	APS 21687J		8DC11	8	142	153.1	88.1-1.6 -25.3	1-3.5 2-3.0	1-4.0	50	112.0	54.2 2.0W RTW50	2.915
239	MITSUBISHI	APS 21687JN	ME091050	8DC11	8	142	153.1	88.1-25.3 - 1.6,-1.4	1-3.5 2-3.0	1-4.0	50	112.0	54.2 2.0W	2.915
240	MITSUBISHI	APS C-21687/J		8DC11	8	142	153.1	88.1-25.3 -1.6,-1.4	1-3.5 2-3.0	1-5.0	50	112.0	54.2*2.0W	
241	MITSUBISHI	APS C-21687V/JV		8DC11	8	142	153.1	88.1-25.1 -1.3	1-3.5 2-3.0	1-4.0	50	112.0	54.2*2.0W	
242	MITSUBISHI	APS 21688	MD099759	4G13	4	71	58.5	29.3-1.1	2-1.5	1-4.0	18	60.0		0.21

243	MITSUBISHI	APS 21689	MD172036	4G13	4	71	59.8	29.2+1.8	2-1.5	1-4.0	18	56.0		0.213
244	MITSUBISHI	APS 21689X	MD172036	4G13	4	71	59.8	29.2+1.8	1-1.2 1-1.5	1-3.0	18	56.0	*	
245	MITSUBISHI	APS 21689G			4	71	59.8	29.2+1.8	1-1.2 1-1.5	1-3.0	18	56.0		0.213
246	MITSUBISHI	APS 21690	MD099770	4G15	4	75.5	58.6	29.4-3.6	2-1.5	1-4.0	18	60.0		0.244
247	MITSUBISHI	APS 21690C			4	75.5	58.6	29.4-3.6	2-1.5	1-4.0	18	60.0		
248	MITSUBISHI	APS 21691		L200	4	95	91.7	51.7-0.4 -1.3	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	0.827
249	MITSUBISHI	APS 21691J	ME201780-2	L200	4	95	91.7	51.7-0.4 -1.3	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	
250	MITSUBISHI	APS C-21691/J	ME201780	4M40	4	95	91.7	51.7-3.1 -1.3,-0.4	1-2.5 1-2.0	1-4.0	30	78.8	33.5*1.9R	0.790
251	MITSUBISHI	APS 21691HG1/JHG1		4M40	4	95	91.7	51.7-3.0 -1.2,-0.4	1-3.5 1 - 2.0	1-3.0	30	78.0	32.1*1.2W	
252	MITSUBISHI	APS 21691G		4M40	4	95	91.7	51.7-0.4 -1.2	1-2.24 1-2.0	1-4.0	30	78.0	32.1 1.2W	0.8
253	MITSUBISHI	APS 21691JG		4M40	4	95	91.7	51.7-0.4 -1.2	1-2.24 1-2.0	1-4.0	30	78.0	32.1 1.2W	0.8
254	MITSUBISHI	APS T-21691JG	ME204403		4	95	91.7	51.7-3.1 -1.3,-0.4	1-2.5 1-2.0	1-3.0	30	78.0	32.1*1.5W	
255	MITSUBISHI	APS T-21691G1/JG1	ME202821	4M40	4	95	91.7	51.7-1.2 -0.4	1-2.5 1-2.0	1-4.0	30	78.0	32.1*1.2W	
256	MITSUBISHI	APS 21691G1	ME200680-682	4M40	4	95	91.7	51.7-0.4 -1.2	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	
257	MITSUBISHI	APS 21691JG1	ME200680-682	4M40	4	95	91.7	51.7-0.4 -1.2	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	
258	MITSUBISHI	APS 21691G2		L200	4	95	91.7	51.7-0.4 -1.3	1-2.5 1-2.0	1-4.5	30	77.0	32.1 1.2W	
259	MITSUBISHI	APS 21691JG2		L200	4	95	91.7	51.7-0.4 -1.3	1-2.5 1-2.5	1-4.5	30	77.0	32.1 1.2W	
260	MITSUBISHI	APS 21691GA	ME202828	4M40	4	95	91.7	51.7-0.4 -0.2	1-2.2 1-2.0	1-4.0	30	78.0	32.1 1.2W	
261	MITSUBISHI	APS 21691JGA	ME202828	4M40	4	95	91.7	51.7-0.4 -0.2	1-2.2 1-2.0	1-3.0	30	78.0	32.1 1.2W	

262	MITSUBISHI	APS 21692		4DR7	4	95	94.6	52.6-2.3	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W RTW30	0.781
263	MITSUBISHI	APS 21693		daew00 1.5n	4	76.5	51.4	28.0-3.6	2-2.0	1-4.0	18	55.0		0.233
264	MITSUBISHI	APS C-21693		RACER 1.4	4	76.5	51.4	28.4-4.9 -0.4	2-1.5	1-3.0	18	55.0		0.233
265	MITSUBISHI	APS 21693G		daew00 1.5n	4	76.5	51.4	28.0-3.6	2-2.0	1-4.0	18	55.0		0.233
266	MITSUBISHI	APS 21694		LANCER	4	82.7	76.3	39.4-0.3 -1.4	1-2.0 1-2.0	1-3.0	25	66.0	26.9 1.2W	0.493
267	MITSUBISHI	APS 21694J	MD194163	LANCER	4	82.7	76.3	39.4-0.3 -1.4	1-2.0 1-2.0	1-3.0	25	66.0	26.9 1.2W	0.493
268	MITSUBISHI	APS 21695	MD182601	D55T	4	91.1	88.7	48.7-2.4 -2.7	1-2.5 1-2.0	1-4.0	29	75.0	32 1.6R	
269	MITSUBISHI	APS 21695J	MD182601	D55T	4	91.1	88.7	48.7-2.4 -2.7	1-2.5 1-2.0	1-4.0	29	75.0	32 1.6R	0.619
270	MITSUBISHI	APS 21695L			4	91.1								
271	MITSUBISHI	APS 21695JL			4	91.1								
272	MITSUBISHI	APS T-21696H/JH		6D16T-2	6	118	116.1	71.1-22.6 -0.2	1-3.0 1-2.5	1-4.0	38	92.0	43.0*2.0R	1.66
273	MITSUBISHI	APS T-21696/J		6D16T-2	6	118	116.1	71.1-22.6 -0.2	1-3.0 1-0.2	1-4.0	38	92		
274	MITSUBISHI	APS 21696	ME072065	6D16T	6	118	116.1	71.1-22.7	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W RTW38	
275	MITSUBISHI	APS 21696J	ME072065	6D16T	6	118	116.1	71.1-22.7	1-3.0 1-2.5	1-4.0	38	92.0	40.8 1.5W RTW38	1.69
276	MITSUBISHI	APS C-21696/J		6D16T	6	118	116.1	71.1-22.7	1-3.0 1-2.5	1-4.0	38	92.5	40.8*1.5W	
277	MITSUBISHI	APS T-21696U/JU		6D16T	6	118	114.7	69.7-22.6	1-3.0 1-2.5	1-4.0	38	92.0	43.0*2.0R	
278	MITSUBISHI	APS 21697	MD329139	LANCER VIRAGE 1.8	4	81	60.02	30.1+0.92	2-1.2	1-2.8	19	12.0		
279	MITSUBISHI	APS 21697CU			4	81	60	30.5+0.2	2-1.2	1-2.8	19	58.0		
280	MITSUBISHI	APS 21697H		4G93	4	81	59.2	30.2+0.1	2-1.2	1-2.8	19	58.0		

281	MITSUBISHI	APS 21697HC		4G93	4	81	59.2	29.9+0.1	2-1.2	1-2.8	19	58.0		
282	MITSUBISHI	APS 21697U	MD318097	4G93	4	81	60	30.8+0.2	2-1.2	1-2.8	19	58.0		0.275
283	MITSUBISHI	APS 21697UG	MD183457	4G93	4	81	60	30.8+0.2	2-1.2	1-2.8	19	58.0		
284	MITSUBISHI	APS 21697UI		4G93	4	81	60	30.5+0.2	2-1.2	1-2.8	19	58.0		0.275
285	MITSUBISHI	APS 21698	ME012858	4D31T 6D31T	4	100	110.7	60.7-17.5	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W RTW34	0.99
286	MITSUBISHI	APS 21698J	ME012858	4D31T 6D31T	4	100	110.7	60.7-17.5	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W RTW34	0.99
287	MITSUBISHI	APS 21698U	ME012155	4D31T	4	100	110.7	60.7-18.3	1-3.0 1-2.0	1-5.0	34	84.0	36.5 1.5W	
288	MITSUBISHI	APS 21698JU	ME012155	4D31T	4	100	110.7	60.7-18.3	1-3.0 1-2.0	1-5.0	34	84.0	36.5 1.5W	
289	MITSUBISHI	APS 21699	ME052792	6D22 3AT	6	130	158.2	83.1-23.5	1-3.5 1-3.0	1-4.0	50	105.0	54.2 2.0W RTW50	2.355
290	MITSUBISHI	APS 21699J	ME052792	6D22 3AT	6	130	158.2	83.1-23.5	1-3.5 1-3.0	1-4.0	50	105.0	54.2 2.0W RTW50	2.355
291	MITSUBISHI	APS C-21699Y/JY	23411-83005	6D22	6	130	158.2	83.1-23.2 -1.2 -0.3	1-3.5 1-2.0	1-4.0	50	106.0	54.2*2.0W	2.473
292	MITSUBISHI	APS 21700	MD182607	D56T	4	91.1	88.7	48.7-2.4 -3.0 -2.7 0.2	1-2.5 1-2.1	1-4.0	29	75.0	32 1.6R	0.617
293	MITSUBISHI	APS 21700J	D56T	MD182607	4	91.1	88.7	48.7-2.4 -3.0 -2.7 0.2	1-2.5 1-2.1	1-4.0	29	75.0	32 1.6R	
294	MITSUBISHI	APS 21701	MD308200	4G63	4	85	67	35.0-5.4	1-1.2 1-1.5	1-3.0	22	62.0		0.371
295	MITSUBISHI	APS 21701C			4	85	67	34.7-5.4	1-1.2 1-1.5	1-3.0	22	62.0		
296	MITSUBISHI	APS 21702	MD194157		4	82.7	76.3	39.3-1.5 -1.6 -0.2	1-2.0 1-2.0	1-3.0	25	66.0	26.9 1.2W RTW25	0.457
297	MITSUBISHI	APS 21702J	MD194157	D68T	4	82.7	76.3	39.3-1.5 -1.6 -0.2	1-2.0 1-2.0	1-3.0	25	66.0	26.9 1.2W RTW25	0.457
298	MITSUBISHI	APS 21702G		D68T	4	82.7	76.3	39.3-1.5 -1.6 -0.2	1-2.0 1-2.0	1-3.0	25	66.0	26.9 1.2W	
299	MITSUBISHI	APS 21702JG		D68T	4	82.7	76.3	39.3-1.5,-1.6 -0.2	1-2.0 1-2.0	1-3.0	25	66.0	26.9 1.2W	

300	MITSUBISHI	APS 21703	MD188100	4G63N	4	85	67	35.0-18.2	1-1.2 1-1.5	1-2.8	22	62.0		0.344
301	MITSUBISHI	APS 21703G		4G63N	4	85	67	35.0-18.2	1-1.2 1-1.5	1-3.0	22	62.0		
302	MITSUBISHI	APS 21704	MD105377	G64B	4	86.5	72.4	34.9+0.3 +0.5	2-1.5	1-4.0	21	72.0		0.36
303	MITSUBISHI	APS 21704C			4	86.5	72.4	34.6+0.3 +0.5	2-1.5	1-4.0	21	72.0		
304	MITSUBISHI	APS 21705P	MD158172	G63DM	4	85	67.7	35.0-0.7	1-1.2 1-1.5	1-3.0	21	66.0		0.35
305	MITSUBISHI	APS 21705G		G63DM	4	85	67.7	35.0+0.7	1-1.2 1-1.5	1-3.0	21			
306	MITSUBISHI	APS 21705PU	MD129942	G63DH	4	85	67	35.0-0.6	1-1.2 1-1.5	1-3.0	21	66.0		0.351
307	MITSUBISHI	APS 21706	MD192212	63DMK	4	85	67.7	35+0.7	1-1.2 1-1.5	1-3.0	22	62.0		0.36
308	MITSUBISHI	APS 21706P	MD192212	63DMK	4	85	67.7	35+0.7	1-1.2 1-1.5	1-3.0	22	62.0		0.36
309	MITSUBISHI	APS 21706PU	MD190268	63DP	4	85	67	35.0-0.6	1-1.2 1-1.5	1-3.0	22	62.0		
310	MITSUBISHI	APS 21706U	MD190268	63DP	4	85	67	35.0-0.6	1-1.2 1-1.5	1-3.0	22	62.0		
311	MITSUBISHI	APS 21707	MD193226	G63SP	4	85	67	35-1.1	1-1.2 1-1.5	1-2.8	22	62.0		0.358
312	MITSUBISHI	APS 21707G1		4G63	4									
313	MITSUBISHI	21707CPU		4G63DK	4	85	67	34.7-2.3	1-1.2 1-1.5	1-3.0	22	62.0		
314	MITSUBISHI	APS 21707PU	MD190262	4G63DK	4	85	67	35.0-2.3	1-1.2 1-1.5	1-3.0	22	62.0		0.35
315	MITSUBISHI	APS 21708	ME072055	6D15T	6	113	116.1	71.1-21.4	1-3.0 1-2.5	1-4.0	38	93.0	40.8 1.5W RTW38	1.55
316	MITSUBISHI	APS 21708J	ME072055	6D15T	6	113	116.1	71.1-21.4	1-3.0 1-2.5	1-4.0	38	93.0	40.8 1.5W RTW38	1.55
317	MITSUBISHI	APS 21708V	ME072055	6D15	6	113	116.1	71.1-21.7	1-3.0 1-2.5	1-4.0	38	93.0	40.8 1.5W	1.55
318	MITSUBISHI	APS 21708JV	ME072055	6D15	6	113	116.1	71.1-21.7	1-3.0 1-2.5	1-4.0	38	93.0	40.8 1.5W	1.55

319	MITSUBISHI	APS 21709/J	ME012928	4D34	4	104	112.2	62.2-20.4	1-3.07 1-2.0	1-4.0	34	84.0	36.5 1.5W RTW34	1.099
320	MITSUBISHI	APS 21710	MD188998	G64	4	86.5	67.4	35+0.3 +0.4	1-1.2 1-1.5	1-3.0	22	62.0		0.365
321	MITSUBISHI	APS 21710C			4	86.5	67.4	34.7+0.3 +0.4	1-1.2 1-1.5	1-3.0	22	62.0		
322	MITSUBISHI	APS 21711J	ME013325		4	104	112.2	62.2-20.5	1-3.0 1-2.0	1-4.0	36	88.0	38.8 1.5W RTW36	1.138
323	MITSUBISHI	APS 21712CP			4	85	67	34.7-5.5	1-1.2 1-1.5	1-3.0	21	66.0		0.351
324	MITSUBISHI	APS 21712P		G63DT	4	85	67	35-5.5	1-1.2 1-1.5	1-3.0	21	66.0		
325	MITSUBISHI	APS 21713CP			4	81.5	67	34.7-1.0	1-1.2 1-1.5	1-3.0	21	66.0		0.32
326	MITSUBISHI	APS 21713P	23410-33410	Pahy1	4	81.5	67	35-1.0	1-1.2 1-1.5	1-3.0	21	66.0		0.32
327	MITSUBISHI	APS 21713N			4	81.5	66	34.6-1.0	1-1.2 1-1.5	1-3.0	21	66.0		
328	MITSUBISHI	APS 21714P	MD326541	CM99	4	66	48.65	26.65-3.09	1-1.0 1-1.2	1-2.5	16	44.0		0.143
329	MITSUBISHI	APS 21715	MD100416	4G37	4	80.6	72	34+4.0	2-1.5	1-4.0	19	64.0		0.323
330	MITSUBISHI	APS 21715C		4G37	4	80.6	72	33.7+4.0	2-1.5	1-4.0	19	64.0		
331	MITSUBISHI	APS 21716	ME032626	6D14A (6600 cc)	6	110	115.8	70.8-2.1	1-3.0 1-2.5	1-5.0	38	90.0	42 1.8R	1.375
332	MITSUBISHI	APS 21717	MD040591	4G63B	4	85								0.352
333	MITSUBISHI	APS 21717X	MD040591	4G63		85	72	35.0-1.0	2-2.0	1-4.0	21.0	72.0		
334	MITSUBISHI	APS 21717C			4	85	72	34.7-1.0	2-2.0	1-4.0	21	72.0		
335	MITSUBISHI	APS 21718CL		6G72	6	91.1								0.376
336	MITSUBISHI	APS 21718CR		6G72	6	91.1	67.5	31.4-3.5	2-1.5	1-4.0	22	66.0		
337	MITSUBISHI	APS 21718LP			6	91.1	67.5	31.4-3.5	2-1.5	1-4.0	22	66.0		0.367

338	MITSUBISHI	APS 21718RP		6G72	6	91.1								0.367
339	MITSUBISHI	APS 21718LX		6G72	6	91.1	67.5	31.7-3.5	2-1.5	1-4.0	22	66.0		
340	MITSUBISHI	APS 21718RX		6G72	6	91.1	67.5	31.7-3.5	2-1.5	1-4.0	22	66.0		
341	MITSUBISHI	APS 21718L		6G72	6	91.1	67.5	31.7-3.5	2-1.5	1-4.0	22	66.0		
342	MITSUBISHI	APS 21718R		6G72	6	91.1	67.5	31.7-3.5	2-1.5	1-4.0	22	66.0		
343	MITSUBISHI	APS 21719P		VG72 24V	6	91.1	66	32-3.5	1-1.2 1-1.5	1-3.5	22	64.0		0.378
344	MITSUBISHI	APS 21720	ME012897	4D33	4	108	112.2	62.2-21.3	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.126
345	MITSUBISHI	APS 21720J	ME012897	4D33	4	108	112.2	62.2-21.3	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.126
346	MITSUBISHI	APS C-21720/J		4D33	4	108	112.2	62.2-19.4	1-3.0 1-2.0	1-4.0	34	84	36.5*1.5W	1126±5gr
347	MITSUBISHI	APS V-21720/J		4D33	4	108	112.2	62.2-21.3	1-3.0 1-2.0	1-4.0	34	84	36.5*1.5W	1126gr
348	MITSUBISHI	APS 21720X	ME012897	4D33	4	108	112.2	62.2-21.3	1-3.0 1-2.0	1-4.0	34	84	36.5 1.5W	
349	MITSUBISHI	APS 21720A	ME013312	4D33	4	108	112.2	62.2-21.0	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	
350	MITSUBISHI	APS 21720JA	ME013312	4D33	4	108	112.2	62.2-21.0	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	
351	MITSUBISHI	APS 21721P		VG72H	6	91.1	66	32.0-0.7	1-1.2 1-1.5	1-3.0	22	64.0		0.395
352	MITSUBISHI	APS 21721CN		VG72H	4	91.1	66	31.7-0.3	1-1.2 1-1.5	1-3.0	22	64.0	*	
353	MITSUBISHI	APS 21722P		VG72N	6	91.1	66.5	32.0+0.5	1-1.2 1-1.5	1-3.0	22	64.0		0.4
354	MITSUBISHI	APS 21723	1004011-D1		6	110	115.9	70.8-20.7	1-3.0K 1-2.5	1-5.0	38	90.0	40.8 1.5W	1.36
355	MITSUBISHI	APS 21724	DFX003-1004011		6	113	113.5	68.3-21.2	1-3.0K 1-2.5	1-5.0	38	93.0	40.8 1.5W	
356	MITSUBISHI	APS 21725L	MD352494	GALANT 2.0	6	78.4	55.3	28.65+1.1	2-1.2	1-2.8	19	58.0		0.247

357	MITSUBISHI	APS 21725R	MD352494	GALANT 2.0	6	78.4	55.3	28.65+1.1	2-1.2	1-2.8	19	58.0		
358	MITSUBISHI	APS 21726	MD303074	4G64	4	86.5	67	35.0-4.15	1-1.2 1-1.5	1-2.8	22	62.0		0.349
359	MITSUBISHI	APS 21726P	MD303074	4G64	4	86.5	67	35.0-4.15	1-1.2 1-1.5	1-2.8	22	62.0		0.349
360	MITSUBISHI	APS 21726N			4	86.5	66.6	34.6-4.15	1-1.2 1-1.5	1-2.8	22	62.0	*	
361	MITSUBISHI	APS T-21726		4G64K	4	86.5	67	35.0-4.15	1-1.2 1-1.5	1-3.0	22	62.0	*	0.360
362	MITSUBISHI	APS 21727	MD012858	6D31	6	100	110.7	60.7-17.4	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	
363	MITSUBISHI	APS 21727J	MD012858	6D31	6	100	110.7	60.7-17.4	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.025
364	MITSUBISHI	APS T-21727G/JG	ME012810		4	100	110.7	60.7-17.4	1-3.0 1-2.0	1-5.0	34	84.0	36.5*1.5W	
365	MITSUBISHI	APS T-21727G1/JG1		HD3500	6	100	110.7	60.7-17.4	1-3.2 1-2.0	1-4.0	34	84.0	37.0*1.6R	1.0
366	MITSUBISHI	APS 21728		S6KT	6	102	97.8	57.8-18.9	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	0.95
367	MITSUBISHI	APS 21728J		S6KT	6	102	97.8	57.8-18.9	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	
368	MITSUBISHI	APS C-21728/J		S6KT NEW	1	102	98	57.8-20.2	1-3.0 1-2.2	1-4.0	34	84	36.5*1.8W	986gr
369	MITSUBISHI	APS 21729	ME032870	6D15T	6	113	116.2	71.0-0.6 -23	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W	1.505
370	MITSUBISHI	APS 21729J	ME032870	6D15T	6	113	116.2	71.0-0.6 -23	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W	
371	MITSUBISHI	APS 21729E		6D15T	6	113	116.2	71.0-0.6 -23	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W	
372	MITSUBISHI	APS 21729EX	ME032870	6D15T	6	113	116.2	71.0-0.6 -23	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W	
373	MITSUBISHI	APS 21729JE		6D15T	6	113	116.2	71.0-0.6 -23	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W	
374	MITSUBISHI	APS 21730	ME002117	4DR5	4	92	99.7	52.7-2.6	1-2.5 2-2.0	1-4.5	28	77.0	31 1.8R	0.729
375	MITSUBISHI	APS 21731		6110AK	6	110	113.3	68.3-22.5	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W	1.335

376	MITSUBISHI	APS 21731J		6110AK	6	110	113.3	68.3-22.5	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.5W	1.335
377	MITSUBISHI	APS 21732	MD367775J~7J	4G18-S4	4	76	46.98	25.98-0.54	2-1.2	1-2.5	18	55.0		
378	MITSUBISHI	APS T-21732	MD371689	4G18	4	76	47	26.0-0.5	2-1.2	1-2.5	18	56.0	*	
379	MITSUBISHI	APS 21733		4G13 (8 VALVE)	4	71	60.5	28.9+2.6	2-1.5	1-4.0	18	60.0		0.204
380	MITSUBISHI	APS 21734P		GNH589	4	91.1	76.5	35.5+3.3	2-2.0	1-4.0	22	73.5		
381	MITSUBISHI	APS 21735P		6110AKZ	6	110	113.3	68.3-22.5	1-3.0 1-2.5	1-5.0	42	90.0	45.5 1.75W	1.46
382	MITSUBISHI	APS 21735JP		6110AKZ	6	110	113.3	68.3-22.5	1-3.0 1-2.5	1-5.0	42	90.0	45.5 1.75W	1.46
383	MITSUBISHI	APS 21736		4G63	4	85	69	35.4+1.6 -0.5	1-1.2 1-1.5	1-3.0	22	62.0		0.338
384	MITSUBISHI	APS 21737	ME032742 ME032743 (ME072074)	6D14T	6	110	116.1	71.2-20.3 -0.3	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.6W	1.39
385	MITSUBISHI	APS 21737J	ME032742 ME032743 (ME072074)	6D14T	6	110	116.1	71.2-20.3 -0.3	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.6W	1.39
386	MITSUBISHI	APS 21738	ME032870	6D15T	6	113	116.1	71.1-23.0 -0.3	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.6W	1.49
387	MITSUBISHI	APS 21738J	ME032870	6D15T	6	113	116.1	71.1-23.0 -0.3	1-3.0 1-2.5	1-5.0	38	90.0	40.8 1.6W	1.49
388	MITSUBISHI	APS 21739	34317-21100	S6KT	6	102	97.8	57.8-18.9	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.8W	0.977
389	MITSUBISHI	APS 21739J	34317-21100	S6KT	6	102	97.8	57.8-18.9	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.8W	0.977
390	MITSUBISHI	APS 21739JP	34317-21100	S6KT	6	102	97.8	57.8-18.9	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.8W	
391	MITSUBISHI	APS 21740	ME018277	4D32	4	104	112.3	62.3-20.7	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.105
392	MITSUBISHI	APS 21740J	ME018277	4D32	4	104	112.3	62.3-20.7	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	1.105
393	MITSUBISHI	APS 21741						71.1-20.6						
394	MITSUBISHI	APS 21741P	MD307820	4G63	4	85	67	35.0-3.3	1-1.2 1-1.5	1-2.8	22	62.0		

395	MITSUBISHI	APS C-21742J	ME072170	6D14T	6	110	116.1	71.1-20.6	1-3.0 1-2.5	1-4.0	38	90.0	40.8*1.5W	
396	MITSUBISHI	APS 21742	ME072170	6D14T	6	110	116.1	71.1-20.6	1-3.0 1-2.5	1-4.0	38	90.0	40.8 1.5W	1.45
397	MITSUBISHI	APS 21742J	ME072170	6D14T	6	110	116.1	71.1-20.6	1-3.0 1-2.5	1-4.0	38	90.0	40.8 1.5W	1.45
398	MITSUBISHI	APS 21743		C12	4	74.5	50.3	26.8	1-1.2 1-1.5	1-2.5	17	45.5		
399	MITSUBISHI	APS 21743X		C12	4	74.5	50.3	26.8	1-1.2 1-1.5	1-2.5	17	45.5		
400	MITSUBISHI	APS 21744		6113 AD8A	6	113	113.4	68.3-21.9	1-3.0 1-2.5	1-5.0	38	93.0	40.8 1.5W	
401	MITSUBISHI	APS 21745	ME012090	4D30	4	100	110.5	60.5-2.8	1-3.0 1-2.0	1-5.0	34	84.0	36.5 1.5W	
402	MITSUBISHI	APS 21745J	ME012090	4D30	4	100	110.5	60.5-2.8	1-3.0 1-2.0	1-5.0	34	84.0	36.5 1.5W	
403	MITSUBISHI	APS 21746	ME032593(MD032480) (MD023634/033936)AL FIN		6	113	115.8	70.8-21.3	1-3.0 1-2.5	1-5.0	38	90.0	42 1.6R	
404	MITSUBISHI	APS 21747	MD376648~50	4G63-D4	4	85	54.65	34.65-1.26	2-1.2	1-2.0	22	64.0		
405	MITSUBISHI	APS 21748		4D57	4	91.1	75.9	46.3-3.1 -2.3,-2.6 -3.4	2-2.0	1-3.0	29	75.5	31.5 1.2W	
406	MITSUBISHI	APS 21748J		4D57	4	91.1	75.9	46.3-3.1 -2.3,-2.6 -3.4	2-2.0	1-3.0	29	75.5	31.5 1.2W	
407	MITSUBISHI	APS T-21748U/JU		4D57	4	91.1	76.2	46.2-3.1 -2.2,-1.9 -0.3	2-2.0	1-3.0	29	75.0	32.0*12R	0.6
408	MITSUBISHI	APS T-21748UG/JUG		4D57	4	91.1	76.2	46.2-3.1 -2.2,-1.9,-0.3	1-2.5	1-4.0	29	75.0	32.5*1.6R	
409	MITSUBISHI	APS 21749	ME201781	4M40	4	95	91.6	51.6-1.2 -0.7 -0.3	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	
410	MITSUBISHI	APS 21749J		4M40	4	95	91.6	51.6-1.2 -0.7 -0.3	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	
411	MITSUBISHI	APS 21749H		4M40	4	95	91.6	51.6-1.2 -0.7 -0.3	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	
412	MITSUBISHI	APS 21749JH		4M40	4	95	91.6	51.6-1.2 -0.7 -0.3	1-2.5 1-2.0	1-4.0	30	78.0	32.1 1.2W	
413	MITSUBISHI	APS 21749JG		4M40	4	95	91.6	51.6-3.0 1.2,-0.7 -0.3	1-2.5 1-2.0	1-3.0	30	78.0	32.1 1.2W	

414	MITSUBISHI	APS 21750	ME012906 ME012145	4D31	4	100	110.7	60.7-18.2	1-3.0 1-2.0	1-5.0	34	84.0	36.5 1.5W	
415	MITSUBISHI	APS 21750J	ME012906 ME012145	4D31	4	100	110.7	60.7-18.2	1-3.0 1-2.0	1-5.0	34	84.0	36.5 1.5W	
416	MITSUBISHI	APS 21751L		6G73 PAMI28L/R	6	83.5	64	31.9+0.1	1-1.2 1-1.5	1-3.0	22	64.0		
417	MITSUBISHI	APS 21751R		6G73 PAMI28L/R	6	83.5	64	31.9+0.1	1-1.2 1-1.5	1-3.0	22	64.0		
418	MITSUBISHI	APS 21751CL		6G73	6	83.5	64	31.6+0.1	1-1.2 1-1.5	1-3.0	22	64.0		
419	MITSUBISHI	APS 21751CR		6G73	6	83.5	64	31.6+0.1	1-1.2 1-1.5	1-3.0	22	64.0		
420	MITSUBISHI	APS 21752	ME072047	6D14 2AT	6	110	116.1	71.1-21.5	1-3.0 1-2.5	1-4.0	38	90.0	40.8 1.5W	
421	MITSUBISHI	APS 21752J	ME072047	6D14 2AT	6	110	116.1	71.1-21.5	1-3.0 1-2.5	1-4.0	38	90.0	40.8 1.5W	
422	MITSUBISHI	APS 21752JA	ME072047	6D14 2AT	6	110								
423	MITSUBISHI	APS 21753	MD308276	6G74 PAMI30	6	93	66	32.0-2.7	2-1.5	1-3.0	22	64.0	23.5 1.0W	
424	MITSUBISHI	APS 21753C		6G74 PAMI30	6	93	66	31.7-2.7	2-1.5	1-3.0	22	64.0	23.5 1.0W	
425	MITSUBISHI	APS 21754	ME018274	4D32	4	104	110.7	60.7-18.9	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	
426	MITSUBISHI	APS 21754J	ME018274	4D32	4	104	110.7	60.7-18.9	1-3.0 1-2.0	1-4.0	34	84.0	36.5 1.5W	
427	MITSUBISHI	APS 21755	(32A17-00100)	S4S	4	94	89.8	55.0-4.5	1-2.5 1-2.0	1-4.0	30	76.3	32.1 1.2W	
428	MITSUBISHI	APS 21755Q	(32A17-00100)	S4S	4	94	89.8	55.0-4.5	1-2.5 1-2.0	1-4.0	30	76.5	33.5 1.8R	
429	MITSUBISHI	APS 21756		S4E1	4	94	90.1	51.5-3.5	1-2.5 1-2.0	1-4.5	28	77.0	30.1 1.2W	
430	MITSUBISHI	APS 21756JQ		S4E1	4	94	90.1	51.5-3.5	1-2.5 1-2.0	1-4.5	28	77.0	30.1 1.2W	0.762
431	MITSUBISHI	APS 21757		S4E2	4	98	98.5	51.5-3.2	1-3.0 1-2.0	1-5.0	28	77.0	30.1 1.2W	
432	MITSUBISHI	APS C-21757/J		S4E2	4	98	89.9	51.4-3.5	1-3.0 1-2.0	1-5.0	28	77.0	30.1-1.2W	0.798

433	MITSUBISHI	APS 21758		P149	4	87.5	63.4	31.3-0.4	2-1.2	1-3.0	21	72.0		
434	MITSUBISHI	APS 21758C		P149	4	87.5	63.4	31.0-0.4	2-1.2	1-3.0	21	72.0		
435	MITSUBISHI	APS 21759L	MD197814	6G72	6	91.1	66.1	32.2-2.9	1-1.2 1-1.5	1-3.0	22	64.0		
436	MITSUBISHI	APS 21759R	MD197808	6G72	6	91.1	66.1	32.2-2.9	1-1.2 1-1.5	1-3.0	22	64.0		
437	MITSUBISHI	APS 21760	MD318501	6G72 PAM133M	6	91.1	65.8	31.8-2.5	1-1.2 1-1.5	1-3.0	22	64.0		
438	MITSUBISHI	APS 21760C		6G72 PAM133M	6	91.1	65.8	31.5-3.2	1-1.2 1-1.5	1-3.0	22	64.0		
439	MITSUBISHI	APS 21760N			4	91.1	64.8	30.8-2.5	1-1.2 1-1.5	1-3.0	22	64.0	*	
440	MITSUBISHI	APS C-21760		72S-L	4	91.1	65.9	31.9-2.5	1-1.2 1-1.5	1-3.0	22.0	64.0	*	
441	MITSUBISHI	APS C-21760H		72S-E	4	91.1	65.2	31.2-2.6	1-1.2 1-1.5	1-3.0	22.0	64.0	*	0.3780
442	MITSUBISHI	APS 21761		6G74 PAMI31M	6	93	65.2	31.2-6.0	2-1.5	1-3.0	22	64.0	23.5 1.0W	
443	MITSUBISHI	APS 21761C		PAMI31M 6G74	6	93	65.2	29.9-6.0	2-1.5	1-3.0	22	64.0	23.5 1.0W	
444	MITSUBISHI	APS 21763J	ME151409	6D24	6	130	153.2	78.2-26.2 -1.5,-0.6	1-3.5 1-3.0	1-4.0	50	105.0	52.4 2.0W	
445	MITSUBISHI	APS 21764J	ME014160	6D34T 4D34T	4/6	104	112.2	62.2-20.7	1-3.50 1-2.0	1-4.0	36	88.0	38.8 1.5W	
446	MITSUBISHI	APS 21765	MD332841	4G15	4	75.5	49.7	28.7-1.5	1-1.2 1-1.5	1-2.8	18	56.0		
447	MITSUBISHI	APS T-21765	MD332841	4G15	4	75.5	49.7	28.7-1.5	1-1.2 1-1.5	1-2.8	18	56.0	*	
448	MITSUBISHI	APS 21766J	ME072576	6D17	6	118	111.1	66.1-23.1	1-3.0 1-2.5	1-4.0	38	92.5	40.8 1.5W	
449	MITSUBISHI	APS C-21766/J	ME072394	6D17	6	118	111.1	66.1-22.0	1-3.0 1-2.5	1-4.0	38	92.5	40.8*1.5W	1532gr
450	MITSUBISHI	APS 21767		6G72 PAMT32	6	91.1	64.2	30.2-1.3	1-1.2 1-1.5	1-3.0	22	64.0		
451	MITSUBISHI	APS 21767C		6G72 PAMT32	6	91.1	64.2	29.9-1.3	1-1.2 1-1.5	1-3.0	22	64.0		

452	MITSUBISHI	APS 21768JH	ME014693	4D35	4	110	109.7	59.7-21.4	1-3.0 1-2.0	1-4.0	36	87.5	38.8 1.5W	
453	MITSUBISHI	APS F-21768Y/JY	ME014693	4D35	4	110	109.7	59.7-21.4	1-3.0 1-2.0	1-4.0	36	87.5	38.8*1.5W	1189
454	MITSUBISHI	APS F-21768YG/JYG		4D35	4	110	109.7	59.7-21.4	1-3.0 1-2.5	1-4.0	36	87.5	38.8*1.5W	1172.5
455	MITSUBISHI	APS 21768YHG/JYHG		4D35	4	110	109.7	59.7-21.4	1-3.0 1-2.5	1-4.0	36	81.5	38.8*1.5W	
456	MITSUBISHI	APS 21769J	ME018280	4D33 4A	4	108.0	112.1	62.2-20.7	1-3.0 1-2.0	1-4.0	34.0	83.5	36.5 1.5W	
457	MITSUBISHI	APS T-21769U/JU	ME016895	4D33-4A	4	108	112.1	62.2-20.3	1-3.0 1-2.0	1-4.0	34	83.5	36.5*1.5W	1.220
458	MITSUBISHI	APS 21769X	ME018280	4D33	4	108	112.1	62.2-20.7	1-3.0 1-2.0	1-4.0	34	83.5	36.5*1.5W	1220gr
459	MITSUBISHI	APS 21770JY	ME220470	4D34T4	4	104.0	112.1	62.2-22.9	1-2.5 1-2.0	1-4.0	36.0	88.0	38.8 1.5W	
460	MITSUBISHI	APS 21770YE/JYE	ME220470	4D34-3AT	4	104	112.2	62.2-22.9	1-3.0 1-2.0	1-4.0	36	88.0	38.8*1.5W	
461	MITSUBISHI	APS F-21770YU/JYU	ME220454	4D34-2AT/3AT	4	104	112.2	62.2-19.9	1-3.0 1-2.0	1-4.0	36	88.0	38.8*1.5W	
462	MITSUBISHI	APS 21771J	ME191470	4M41T	4	98.5	87	47.0-20.4 -1.2,-0.3	1-2.5 1-1.5	1-3.0	32	80.0	34.4 1.5W	
463	MITSUBISHI	APS F-21772U	MD329659	4G13	4	71	50.0	29.0-0.3	1-1.2 1-1.5	1-3.0	18	56.0	*	
464	MITSUBISHI	APS T-21772	MD331001	4G13M	4	71	50.3	29.0+0.3	1-1.2 1-1.5	1-2.8	18	56.0		0.2
465	MITSUBISHI	APS CMC-001	MD354837~9	4G64-S4	4	86.5	53.5	30.5	1-1.2 1-1.5	1-2.8	22	62.0		
466	MITSUBISHI	APS T-21773L/LJ	MD377963	K-54	4	91.1	78.7	48.7-2.6	1-2.5 1-2.0	1-4.0	32	75.0	34.4 1.2W	
467	MITSUBISHI	APS T-21773R/RJ	MD377966	K-54	4	91.1	78.7	48.7-2.6	1-2.5 1-2.0	1-4.0	32	75.0	34.4 1.2W	
468	MITSUBISHI	APS F-21774/J	32517-60100		6	150	161.8	99.8-19.7 -4.0	1-4.5 1-3.0	1-6.0	58	125.0	62.2 2.0W	
469	MITSUBISHI	APS F-21775/J	32517-60200	D6A-MTK	6	145	161.9	99.8-20.7 -3.8	1-4.5 1-3.0	1-6.0	55	111.5	59.2 2.0W	
470	MITSUBISHI	APS F-21776/J	ME190903		4	95	87	47.0-18.1 -1.2,-0.3	1-2.5 1-2.0	1-3.0	32	80.0	34.4*1.2W	

471	MITSUBISHI	APS F-21778	MN149038	3.5L	6	93	64.2	30.2-4.7	2-1.5	1-3.0	22	64.0	23.5*1.0W	
472	MITSUBISHI	APS F-21779		S4L	4	78	72.6	39.7-2.4	1-2.5 1-2.0	1-4.0	23	74.0	*	
473	MITSUBISHI	APS C-21780	MM302500	NM45	4	65	67.5	38.2	3-2.5	1-4.0	20	52.0	21.5*1.0W	
474	MITSUBISHI	APS C-21781J		4D31	4	100	110.7	60.7-18.9	1-3.0 1-2.0	1-5.0	34	84.0	36.5*1.5W	
475	MITSUBISHI	APS C-21782J	ME032870	6D15	6	113	116.2	71.0-23.0 -0.6	1-3.0 1-2.5	1-5.0	38	90.0	40.8*1.5W	
476	MITSUBISHI	APS C-21783J		6D16	6	118	116.1	71.1-22.0 -0.2	1-3.0 1-2.5	1-4.0	38	92.0	40.8*1.5W	
477	MITSUBISHI	APS C-21783I/JI		6D16	6	118	116.1	71.1-22.0 -0.2	1-3.0 1-2.5	1-4.0	38	92.5	40.8*1.5W	
478	MITSUBISHI	APS C-21783U/JU		6D16	6	118	116.1	71.1-23.0 -0.2	1-3.0 1-2.5	1-4.0	38	92.0	40.8*1.5W	
479	MITSUBISHI	APS V-21783		6D16	6	118	116.1	71.1-22.0 -0.2	1-3.0 1-2.5	1-4.0	38	92.0	40.8*1.5W	
480	MITSUBISHI	APS 21784LY		4D55T	4	91.1	88.7	48.7-1.4	1-2.5K 1-2.0K	1-4.0	29	75.0	32 1.6R	
481	MITSUBISHI	APS 21784JLY		4D55T	4	91.1	88.7	48.7-1.4	1-2.5K 1-2.0K	1-4.0	29	75.0	32 1.6R	
482	MITSUBISHI	APS 21784RY		4D56T	4	91.1	88.7	48.7-1.4	1-2.5K 1-2.0K	1-4.0	29	75.0	32 1.6R	
483	MITSUBISHI	APS 21784JRY		4D56T	4	91.1	88.7	48.7-1.4	1-2.5K 1-2.0	1-4.0	29	75.0	32 1.6R	
484	MITSUBISHI	APS T-21784L/RJYH	MD304859	4D56TC	4	91.1	88.7		1-2.5K 1-2.0K	1-4.0	29			
485	MITSUBISHI	APS 21784LJYG		4D55T/4D56T	4	91.1	88.7	48.7-1.4	1-2.5 1-2.0	1-4.0	29	75.0	32 1.6R	
486	MITSUBISHI	APS 21784RJYG		4D55T/4D56T	4	91.1	88.7	48.7-1.4	1-2.5 1-2.0	1-4.0	29	75.0	32 1.6R	
487	MITSUBISHI	APS F-21785		COLT	4	81.5	50.4	30.4-1.2	2-1.2	1-2.5	19	58.0	*	
488	MITSUBISHI	APS F-21786	MD161584		1	65	52.1	26.0+1.1 +0.9,+0.2	2-1.2	1-2.8	16	51.0	*	
489	MITSUBISHI	APS F-21787	MD196252		1	60	53.3	25.8+3.5 +0.2	1-1.0 1-1.2	1-2.5	16	46.0	*	

490	MITSUBISHI	APS F-21788	MD318090		1	60	50	26.0-1.9	1-1.0 1-1.2	1-2.5	16	46.0	*	
491	MITSUBISHI	APS F-21789	MD358110		1	65	42.6	25.9+1.2	1-1.0 1-0.8	1-2.0	16	46.0	*	
492	MITSUBISHI	APS F-21790JY	ME202095	4M40-T	4	95	91.6	51.6-2.9 -1.1,-0.9,-0.2	1-2.5 1-2.0	1-3.0	30	78.0	32.1*1.2W	
493	MITSUBISHI	APS C-21791/J		S6A110	6	110	121	70.9-20.0 -3.2	1-3.0 1-2.5	1-5.0	42	93.8	45.5*1.75W	
494	MITSUBISHI	APS F-21792	GRUNDER 2.4	4G69-SA	4	87	59.1	28.0-1.9	2-1.2	1-2.0	22	62.0	*	
495	MITSUBISHI	APS C-21793Y/JY		6D16	6	118	116.1	71.1-22.1 -0.15	1-3.0 1-2.5	1-4.0	38	92.5	40.8*1.5W	1.546
496	MITSUBISHI	APS C-21794/J		4DR5	4	92	99.5	52.5-3.5	1-2.5 2-2.0	1-4.5	28	77.0	30.1*1.2W	
497	MITSUBISHI	APS F-21795/J	ME091049	8DC10	8	138	153.1	88.1-24.8 -1.5,-1.3	1-3.5 2-3.0	1-4.0	50	112	54.2*2.0W	2691gr
498	MITSUBISHI	APS C-21796		6DB10	6	110	152.5	77.7-12.1 -3.0	1-3.5 2-2.5	1-5.0	40	94	43.5*1.75W	1484gr
499	MITSUBISHI	APS F-21797/J	37117-44100B	S6N	6	160	185	120.0-23.5 -3.9,-3.1	2-4.0	1-6.0	65	133	69.2*2.5W	5237gr
500	MITSUBISHI	APS F-21798/J	32A17-03100	F6S-DT	6	94	90.4	55.4-17.4	1-2.5K 1-2.0	1-4.0	30	77	32.1*1.2W	822gr
501	MITSUBISHI	APS C-21799/J		S4E-2T	4	98	98.5	51.4-3.4	1-3.0K 1-2.0	1-5.0	32	78.4	34.4*1.2W	918gr
502	MITSUBISHI	APS C-21800/J	ME052090	6D20	6	125	158	83.0-23.0 -1.3	1-3.5 1-3.0	1-6.0	50	101.5	54.2*2.0W	2352+20gr
503	MITSUBISHI	APS 51601		T12	1	31	35	16.0+2.0	2-1.5		9	24.5	11 0.8R	
504	MITSUBISHI	APS 51603			1	60	51	27.0	2-2.0	1-3.5	13	50.0	15 1.2R	0.128
505	MITSUBISHI	APS 51604		G3	1	65	55	27.0	2-2.5	2-4.0	14	53.5	16 1.2R	
506	MITSUBISHI	APS 51605	K872-111-0	SD3	1	65	70	40.5	3-2.5	1-4.0	20	52.0	23 1.4R	0.257
507	MITSUBISHI	APS 51606	K782-111-3	NM55	1	68	67	38.0	3-2.5	1-4.0	20	52.0	23 1.4R	
508	MITSUBISHI	APS 51606A	K782-111-3	NM55L E100	1	68	67	38.5	3-2.5	1-4.0	20	52.0	23 1.4R	

509	MITSUBISHI	APS 51607	K782-111-1	SD4H 4.5HP	1	68	74	41.5	3-2.5	1-4.0	20	56.0	23 1.4R	0.281
510	MITSUBISHI	APS 51608	K822-101-0	SD5,NM75 7HP	1	78	80	43.0	3-2.5	1-4.0	23	65.0	26 1.6R	0.383
511	MITSUBISHI	APS C-51608	MM400470	NM75	1	78.0	80	43.0	3-2.5	1-4.0	23.0	65	26.0*1.7R	
512	MITSUBISHI	APS F-51608H	MM400470	NM75	1	78	80	43.0	3-2.5	1-4.0	23.0	65	26.0*1.6R	
513	MITSUBISHI	APS 51609	K762-111-2	M85 8HP	1	80	82.5	45.0	3-2.5	1-4.0	25	67.0	28 1.6R	0.426
514	MITSUBISHI	APS 51609A	76KB-020-1	SD6,ND60	1	80	84	45.0	3-2.5	2-4.0	25	67.0	28 1.6R	
515	MITSUBISHI	APS T-51609	K762111-2	M85 5R	1	80	82.5	45	3-2.5	2-4.0	25	67	28.0*1.6R	430gr
516	MITSUBISHI	APS 51610	K902-111-0	M95	1	85	87	44.8	3-2.5	1-4.0	25	67.0	28 1.6R	0.506
517	MITSUBISHI	APS 51611	K772-111-1	SD8,SD65 11HP	1	90	100	52.0	3-2.5	1-4.0	30	72.0	33 1.8R	0.648
518	MITSUBISHI	APS 51612	K882-111-2	M11	1	92	90	48.0	3-2.5	1-4.0	28	72.0	31 1.8R	0.625
519	MITSUBISHI	APS 51612A	76KC-020-1	M11,ND80	1	92	90	48.0	3-2.5	2-4.0	28	72.0		
520	MITSUBISHI	APS 51614	K842-111-0	SD10,M14 14HP	1	96	100	52.0	3-2.5	1-4.0	32	78.0	35 1.8R	0.768
521	MITSUBISHI	APS 51614A	76KD-020-1	M14, ND100	1	96	100	52.0	3-2.5	2-4.0	32	78.0	35 1.8R	0.768
522	MITSUBISHI	APS 51614B	K842-111-0	SD10	1	96	100	52.0	3-2.5	1-4.0	32	78.0	35 1.8R	0.768
523	MITSUBISHI	APS 51615	K842-151-2	M18 18HP	1	100	100	52.23	1-2.5 2-2.5	1-4.0	32	78.0	35 1.8R	0.825
524	MITSUBISHI	APS 51615A	K842-150-2	M16 16HP	1	100	100	52.23	3-2.5	2-4.0	32	78.0	35 1.8R	0.825
525	MITSUBISHI	APS 51615B			1	100	100	52.23	1-2.5 2-2.5	2-4.0	32	78.0	35 1.8R	0.825
526	MITSUBISHI	APS T-51615		M-16	4	100	100	52.23	1-2.7 2-2.5	1-4.0	32	78.0	35.0*1.6D	0.800
527	MITSUBISHI	APS 51616		M80,SD5E	1	80	80	43.0	3-2.5	1-4.0	23	65.0	26 1.6R	0.348

528	MITSUBISHI	APS 51617	76KC-020-1	M11,ND80	1	92	90	48.0	3-2.5	2-4.0	28	72.0	31 1.8R	0.626
529	MITSUBISHI	APS 51618		M110	1	88	87.2	45.2	3-2.5	1-4.0	25	67.0	28 1.4R	0.52
530	MITSUBISHI	APS T-51618		M110	1	88	87.2	45.2	3-2.5	1-4.0	25	67	28.0*1.4R	510gr
531	MITSUBISHI	APS 51619		M130	1	94	90	48.0	3-2.5	1-4.0	28	72.0	31 1.6R	0.657
532	MITSUBISHI	APS 51620			1	39	38.7	16.4+3.3	2-1.5		10	32.0	12 1.0R	0.034
533	MITSUBISHI	APS 51621		SD4.5	1	72	65.5	35.5	1-2.0 1-1.5	1-4.0	20	54.0	23 1.4R	0.321
534	MITSUBISHI	APS 51622			1	44	40.1	17+4.1	2-2.0		10	36.5	10.7 1.0W	0.0516
535	MITSUBISHI	APS 51623		D-700	1	82	78.2	39-13.7	1-2.5 2-2.0	1-4.0	23	62.0	26 1.6R	
536	MITSUBISHI	APS 51624		D-800	1	88	78.5	41-14.3	1-2.5 2-2.0	1-4.0	25	67.0	28 1.6R	
537	MITSUBISHI	APS 51625		D-900 D-1000	1	90	81	43.5-16.3	1-2.5 2-2.0	1-4.0	25	67.0	28 1.6R	
538	MITSUBISHI	APS T-51627		M-1	1	65	68	39.0-1.3	3-2.5	1-4.0	19	57.0	*	
539	MITSUBISHI	APS T-51628		M-2	1	68	68	39.0	3-2.5	1-4.0	19	60.0	*	
540	MITSUBISHI	APS T-51629		M-3	1	73	72	39.0	1-2.5 2-2.0	1-4.0	19	64.0	*	
541	MITSUBISHI	APS T-51630		M-4	1	73	72	39.0-1.3	1-2.5 2-2.0	1-4.0	19	64.0	*	
542	MITSUBISHI	APS T-51631		M-5	1	77	86.5	52.5-1.5	2-2.0	1-4.0	25	65.0	28.0 1.4R	
543	MITSUBISHI	APS T-51632		M-6	1	78	72	39.0-2.0	1-2.5 1-2.0	1-4.0	23	65.0	26.0 1.6R	
544	MITSUBISHI	APS F-51633	MM404575	NM90	1	80	84	45.0	3-2.5	1-4.0	25	67.0	28.0*1.6R	
545	MITSUBISHI	APS T-51634	MM333783	D700	1	76	72.2	39.0-13.17	2-2.0	1-4.0	23	62.0	26.0*1.6R	
546	MITSUBISHI	APS T-51635		M-7	1	80	95.5	57.5-1.5 -0.5	1-3.0 2-2.5	1-4.0	25	69.0	28.0*1.6R	

547	MITSUBISHI	APS T-51636		M-8	1	85	90	55.0-1.5 -0.5	1-3.0 2-2.5	1-4.0	32	70.0	35.0*1.6R	
548	MITSUBISHI	APS T-51637		M-9	1	85	91.5	57.5-1.3 -0.4	1-2.5 2-2.0	1-4.0	25	72.0	28.0*1.6R	
549	MITSUBISHI	APS T-51638		M-10	1	90	98.3	50.5-0.3	2-2.5 1-2.0	1-4.5	28	75.0	31.0*1.6R	
550	MITSUBISHI	APS T-51639		M-11	1	70	68	39.0	3-2.5	1-4.0	19	64.0	*	
551	MITSUBISHI	APS T-51640		M-12	4	82	78.5	42.0-15.9 -1.2,-1.0	1-1.5 1-1.5	1-3.0	25	64.0	28.0*1.6R	
552	MITSUBISHI	APS T-51641		M-13	4	81	78.5	42.0-15.9 -1.2,-1.0	1-1.5 1-1.5	1-3.0	25	64.0	28.0*1.6R	
553	MITSUBISHI	APS T-51642		M-14	4	78	82.5	42.0	1-2.0 1-2.0	1-4.0	24	61.0	*	
554	MITSUBISHI	APS T-51643		M-15	4	80	82.5	42.0-1.5	1-2.0 1-2.0	1-4.0	25	70.0	*	
555	MITSUBISHI	APS T-51644		M-16	4	86	95	50.0-1.1	1-2.5 1-2.0	1-4.5	28	72.0	31.0*1.6R	
556	MITSUBISHI	APS T-51645-1		M-17	4	76	72	39.0-13.7	1-2.5 1-2.0	1-4.0	23	62.0	26.0*1.6R	
557	MITSUBISHI	APS T-51645-2		M-17	4	76	72	39.0-13.7	1-2.5 1-2.0	1-4.0	23	62.0	26.0*1.6R	
558	MITSUBISHI	APS T-51647		M-19	4	76	72	39.0	1-2.5 1-2.0	1-4.0	23	62.0	26.0*1.6R	
559	MITSUBISHI	APS T-51648		M-20	4	82	86.5	49.0	2-2.0	1-4.0	26	66.0	29.0*1.6R	
560	MITSUBISHI	APS T-51649		M-21	4	75	65.5	35.5	1-2.0 1-1.5	1-4.0	21	55.0	24.0*1.4R	
561	MITSUBISHI	APS T-51650		M-22	4	84.0	83.7	43.7-1.9	1-2.0 1-1.5	1-4.0	25.0	65.0	28.0*1.6R	
562	MITSUBISHI	APS T-51651		M-23	4	84	87.8	47.8-2.8	1-2.0 1-1.5	1-4.0	28	72.0	31.0*1.6R	
563	MITSUBISHI	APS T-51652		M-24	4	70	68.2	39.2-1.4	1-2.5 1-2.5	1-4.0	19	64.0	*	
564	MITSUBISHI	APS T-51653		M-25	4	86	95.5	51.5-1.3	3-2.0	1-5.0	27	72.0	30.0*1.6R	
565	MITSUBISHI	APS T-51654		M-26	4	80	75.2	43.2-2.2	2-2.0	1-4.0	25	63.0	28.0*1.6R	

566	MITSUBISHI	APS T-51655		M-27	4	76	80	45.0-2.3	2-2.0	1-4.0	25	63.0	28.0*1.6R	
567	MITSUBISHI	APS T-51656		M-28	4	76.0	78.2	43.2-1.8	2-2.0	1-4.0	25.0	63.0	28.0*1.6R	
568	MITSUBISHI	APS T-51657		M-29	4	82	82.5	42.0-1.5	1-2.0 1-2.0	1-4.0	25	70.0	28.0*1.6R	
569	MITSUBISHI	APS T-51659	MM333787-M	DI-800M	4	82	78.2	41.0-13.62	1-2.5 2-2.0	1-4.0	25	62.0	28.0*1.6R	
570	MITSUBISHI	APS T-51660		TU26	1	33	33	15.0+2.0	2-1.5		8	27	9.7*0.8R	20gr
571	MITSUBISHI	APS T-51661		TL43	1	40	40	17.0+3.5	2-1.5		10	33	11.5*1.0R	35gr
572	MITSUBISHI	APS T-51662		TL33	1	36	35.5	16.0+2.5	2-1.5		9	29	10.7*0.8R	30gr