



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	OTHER	APS F-16006	OM60.03.037/38/39 S		1	40.0	42.8	22.0	1-1.0		12	33.0	14.0*1.2R	
2	OTHER	APS T-16007	031-0650A-200	TC2200	1	31	30.5	14.0+1.2	1-1.5		8	22.2		
3	OTHER	APS T-16008	031-0712G-200		1	30	30.5	13.5+2.0	1-1.5		8	22.2		
4	OTHER	APS F-16009	NX-70050		1	66.4	75.5	38.0	1-1.0		18	56.0	21.0*1.4R	
5	OTHER	APS F-16010	NX-70051		1	66.4	79.3	38.1+3.7	1-1.0		18	56.0	21.0*1.4R	
6	OTHER	APS F-16011	NX-70047		1	67.5	74.6	26.7	2-1.0		18	48.0	21.0*1.4R	
7	OTHER	APS F-16012	NX-70026		1	54.25	58	28.0-0.14	1-1.0		15	46.5	17.0*1.0R	
8	OTHER	APS F-16013	NX-70040		1	67.5	75.4	33.4-3.63	2-1.0		18	44.0	21.0*1.4R	
9	OTHER	APS F-16014	NX-70029		1	54	58	29.5	2-1.0		15	45.0	17.0*1.0R	
10	OTHER(KTM)	APS F-16015	NX-70000P		1	39.5	48	21.49+2.51	1-1.0		12	33.0	14.0*1.0R	
11	OTHER(KTM)	APS F-16016	NX-70004P		1	47	53.2	24.1+2.2	1-1.0		14	40.0	16.0*1.0R	
12	OTHER(KTM)	APS F-16017	NX-70002P		1	43.5	48	21.55+2.45	1-1.0		12	38.0	14.0*1.0R	
13	OTHER	APS C-16018	EH300J1064		1	78	55	27	2-1.5	1-3.0	21	64	24.2*1.4R	
14	OTHER(TIGER)	APS T-16019		SMART	1	52.4	39.6	21.9-2.1	2-1.0	1-2.0	14	41.5	16.0*1.0R	93gr

15	OTHER(TIGER)	APS T-16019H		SMART	1	54.4	39.6	21.9-2.3	2-1.0	1-2.0	14	41.5	16.0*1.0R	
16	OTHER(TIGER)	APS T-16020		JOKER	1	54	39.3	21.7-2.65	2-1.0	1-2.0	14	41.5	16.0*1.0R	86gr
17	OTHER(TIGER)	APS T-16020H		JOKER	1	56	39.3	21.7-2.87	2-1.0	1-2.0	14	41.5	16.0*1.0R	
18	OTHER(TIGER)	APS F-16021	NX-70030P		1	56	59.5	29.5	2-1.0K		15	47	17.0*1.0R	138.8gr
19	OTHER	APS A-013		GP88	1	53	45.4	19.5-0.85	1-1.5		12	44.5	14.0*1.0R	
20	OTHER	APS A-016		E20	1	102	54.5	27.5-1.5	2-1.2	1-2.5	23	64.5	26.0*1.4R	396.6gr
21	OTHER	APS A-019	MP-09348P		1	47.6	49.5	22.2-2.0	1-0.8		12	37	14.0*1.0R	
22	OTHER	APS A-020	EFC40096006	EF-HC	4	78	54.78	30.2+7.08 '-2.6	2-1.2	1-2.0	22	56	23.5*1.0W	
23	OTHER	APS 29501			4	80.963 3 3/16"	90.6 3.567"	50.7 1.9961"	3-1/8"	1-1/4"	21.828	66.5	25 1.6R	0.496
24	OTHER	APS 29502			4	82.55 3 1/4"	90.6 3.567"	50.8 2.0"	3-1/8"	1-1/4"	21.828	68.2	25 1.6R	0.422
25	OTHER	APS 29503			4	87.313 3 7/16"	90.3 3.5552"	50.6 1.9922"	3-1/8"	1-1/4"	21.828	73.0	25 1.6R	0.566
26	OTHER	APS 29505			6	106.5 4.193"	112.0 4.4095"	66.24-20.8 2.6049"-0.8189"	1-1/8" 1-3/32"	1-9/64"	34.925	83.5	37.8 1.5W	1.262
27	OTHER	APS 29506			8	111.919 4 13/32"	76.0 2.9922"	38.0 1.4961"	3-2.5	1-4.5	28	73.5	32.0 1.8R	0.82
28	OTHER	APS 29507	2805-274-3461	M48	12	146.05 5 3/4"	124.2 4.8898"	82.74-3.7 3.2574"-0.1457"	2-3/32"	2-3/16"	34.925	114.3		2.512
29	OTHER	APS 29508	4130-340-1857		6	107.95 4 1/4"	114.3 4.5"	57.15 2.25"	2-1/8"	1-3/16"	28.575	93.0	31 1.2W	0.94
30	OTHER	APS 29509	2805-554-3731		6	127.0 5.0"	84.7 3.3347"	45.42-12.5 1.7882"-0.4922"	2-2.5	1-4.0	28.575	82.5		0.934
31	OTHER	APS 29510	2805-491-3303		4	99.314 3.91"	87.6 3.4489"	44.5-2.0 1.752"-0.0788"	2-5/64"	1-3/16"	25	76.2	29 1.6R	0.593
32	OTHER	APS 29511	2805-705-4698	M-41	12	146.05 5 3/4"	122.4 4.8189"	81.125-9.5 3.1939"-0.3741"	2-3/32"	2-3/16"	34.925	114.3		
33	OTHER	APS 29512	2805-594-5859			92.075 3.625"	100.0 3.937"	52.5 2.067"	2-3/32"	1-3/16"	25.4	70.0		0.558

34	OTHER	APS 29513	1.32E+106			57.15	58.34	28.62+4.72	1-3.06 1-2.42	1-4.77	10.655			
35	OTHER	APS 29514	HM264011-C			77	64	32.0-9.96	1-1.2 1-1.5	1-4.0	20			
36	OTHER	APS 29514HA				77	64	32.0-9.70	1-1.2 1-1.5	1-4.0	20			
37	OTHER	APS 29514HB				77	64	32.0-9.96	1-1.2 1-1.5	1-4.0	20			
38	OTHER	APS 29514HC				77	64	32.0-9.21	1-1.2 1-1.5	1-4.0	20			
39	OTHER	APS 29515		SKODA		72	65.5	34.0-0.5	2-2.0	1-4.0	20	60.0	21.5 1.0W RTW20	0.253
40	OTHER	APS 29515HA				72	67.5	34.0+2.0	2-2.0	1-4.0	20	60.0	21.5 1.0W RTW20	0.246
41	OTHER	APS 29516			8	89	71	40.9-5.0	2-1.5	1-4.0	22.225	70.0		
42	OTHER	APS 29517		UTB650	8	108	141	87.2-23.2	3-3.0	2-6.0	40	88.0	43.5 1.75W RTW40	1.56
43	OTHER	APS 29517H		UTB108	4	108	140.9	87.1-23.4	3-3.0	2-6.0	40	87.9	43.5 1.8W	
44	OTHER	APS 29518		L/3R 3HP	4	76.1	103.2	65.1-1.8,-9.0 -15.4	1-3.19 2-2.5	2-4.0	25.4	65.0	27.5 1.2W R25.4	0.572 0.754
45	OTHER	APS 29519		493	4	93	96.7	58.8-18.4	1-3.0 1-2.0	1-3.0	32	78.0	35.5 1.8R	
46	OTHER	APS 29519	DAVID BROWN	RKA-1715	6	99.9	105.6	60.26-19.3	3-2.38	1-4.76	31.75	87.0	34.4 1.2W	
47	OTHER	APS 29519J		493	4	93	96.7	58.8-18.4	1-3.0 1-2.0	1-3.0	32	78.0	35.5 1.8R	
48	OTHER	APS 29520U	PAHY3(TU3)	TU3F	4	75	64	40.55-1.0	1-1.75 1-2.0	1-3.0	19.5	62.0		
49	OTHER	APS 29520UN		TU3F	4	75	64	40.55-1.0	1-1.75 1-2.0	1-3.0	19.5	62		
50	OTHER	APS 29521	492Q-2-1004015A	492Q	4	92	100	51.0-7.8	2-2.5	1-5.0	25	66.0	28 2.1R	0.544
51	OTHER	APS 29522	H/492Q	H/492Q	4	92	100	51.0	2-2.5	1-5.0	25	66.0	28 2.1R	0.564
52	OTHER	APS 29523	1004010	JT468Q		68.5	55	25.0	2-1.5	1-2.8	16	53.0	18 1.0W	

53	OTHER	APS 29524				101.5	108	61.0-19.5 -1.8	1-3.0 1-2.38	1-4.76	31.75	80.0	34.4 1.2W	
54	OTHER	APS 29525		TU5JP	4	78.5	57.5	32.25-1.6	2-1.5	1-3.0	19.5	60.0		
55	OTHER	APS 29526J			16	175	214	128.9-42.8	3-4.0	1-6.0	66	150.0	70.1 2.5W	
56	OTHER	APS 29527				100	108.5	65.2-22.7	2-2.5	1-5.5	38	85.0	40.8 1.8R	
57	OTHER	APS 29527H			1	100	108.5	65.2-22.6	2-2.5	1-5.5	38	85	42 1.8R	
58	OTHER	APS 29528		GPH-160	4	95.25	108	73.50-19.0	2-3.0 1-2.38	1-4.76	31.75	77.0	34.4 1.5W	
59	OTHER	APS 29530J		D14	6	127.0	146.6	94.6-26.1 -3.1,-2.8	1-3.0 1-2.38	1-4.76	50	108	54.2 2.0W	
60	OTHER	APS 29530JH		D14	6	127	146.6	94.6-26.1 -3.1,-2.8	1-3.0 1-2.38	1-4.76	50	108	54.2 2.0W	
61	OTHER	APS 29531J		DSC11	6	127.0	156.4	98.8-27.1-3.0	1-3.0 1-2.38	1-4.76	50	108	54.2 2.0W	
62	OTHER	APS 29531JH		DSC11	6	127.0	156.4	98.8-27.1 -3.0	2-2.38	1-4.76	50	108	54.2 2.0W	
63	OTHER	APS 29532J	MAN-D0826 5102501 7548		6	108	107.9	71.0-	1-3.0 1-2.0	1-3.5	42	86.0	45.5 1.80W	
64	OTHER	APS 29533R/L	R:0436859 L:0436860		3	93.5	81.0	35.3+3.9	2-2.0		24.0	77.5	27 1.4R	
65	OTHER	APS 29534J		D11	6	127.0	166.0	98.5-26.9 2.5	- 3-2.38	1-6.35	47.0	108.0	50.5 1.75W	
66	OTHER	APS 29536		2800	6	130.0	169.6	101-29.1 4.1	- 2-3.17	1-6.35	48.0	111.0	51.5 1.75W	
67	OTHER(KIA)	APS 29537	OK2Y4-11-SAO	T8 1.8T	4	81	50.5	30.3-2.6	2-1.5	1-3.0	20	58.5	23.0 1.4R	
68	OTHER(MACK)	APS F-29537J	57GC283A	E6	6	123.825	141.4	94-19.1 -2.4, -1.2	3-3.0	1-4.76	50.8	101.7		2.52
69	OTHER(KIA)	APS 29537C	OK2Y4-11-SAO	T8 1.8T	4	81	50.5	30.0-2.6	2-1.5	1-3.0	20	58.5	23.0 1.4R	
70	OTHER(ASIA)	APS F-29538	2350401	Z120	3	70	69.5	30.1+7.4	1-1.2 1-1.5	1-2.8	18	62.0	*	
71	OTHER(SSANG YON	APS F-29539J	A2350389	OM601	4	89	74.6	44.6-9.1 -1.3,-1.0	1-2.5 1-2.0	1-3.0	26	62.0	29.0 1.6R	

72	OTHER	APS C-29540	7959		4	79.5	60.7	39.7-17.7 -1.0	1-1.8 1-2.0	1-3.0	24	59.0	27.8 1.4R	
73	OTHER	APS C-29540N	7959A		4	79.5	60.7	39.7-17.7 -1.0	1-1.8 1-2.0	1-3.0	24	59.0	27.8 1.4R	
74	OTHER	APS C-29544		F200	1	68	49	23.5-1.1	2-1.5	1-2.5	18	53.4	19.5 1.1W	
75	OTHER	APS C-29545			6	105	130.8	73.0	1-3.5 2-2.5	1-4.5	38	88.0	40.8*1.5W	
76	OTHER	APS C-29546			1	80	67.3	42.5-0.8	2-2.0	1-3.0	24	63.0	25.9*1.2W	
77	OTHER	APS F-29547	910-15900		8	82.524	80.1	39.3+5.3	2-2.38	2-4.76	19.05	70.0	22.0*1.4R	
78	OTHER	APS C-295511Y/JY			1	165	170.7	110.7-39.5 -2.2,-1.7	1-4.0 1-3.5	1-6.0	54	142.0	58.2*2.0W	5.306
79	OTHER	13183001140			4	83.1	69.2	39.2	2-2.0	1-4.0	20	72.0	23.0*1.5R	0.378
80	OTHER	APS F-29553		FL912	5	100	123.5	71.9+5.7 -15.7	1-3.0 1-2.5	1-5.0	35	80.0	37.8*1.5W	
81	OTHER	APS F-29554	237644		1	92.075	98.4	53.0-12.7	3-2.38	1-4.76	25.4	75.5	27.9*1.2W	
82	OTHER	APS F-29555	4348077		1	112.7125	145.5	78.9	3-2.38	2-4.76	38.14	97.0	40.8*1.5W	
83	OTHER	APS F-29556	D4516864		1	90.4875	105.2	57.7	3-2.38	2-4.76	25.4	75.5	27.9*1.2W	
84	OTHER	APS F-29557/J	74395176		1	133.35	177.2	107.5	3-3.17	1-6.35	57.2	108.0	62.2*2.0W	
85	OTHER	APS C-29558Y/JY			1	165	163.3	98.3-30.1 -2.2,-1.7	1-4.0 1-3.5	1-6.0	54	142.0	58.2*2.0W	4.780
86	OTHER	APS T-29559/J		CY402BQ	1	102	104.2	58.7-19.5 -0.3	1-3.0 1-2.5	1-5.0	35	87.0	37.8*1.5W	
87	OTHER	APS T-29560/J		YSD490Q	1	90	98	54.7-16.8 -0.7,-0.4	2-2.5	1-5.0	29	77.5	31.5*1.2W	
88	OTHER	APS T-29561/J		CY 4100	1	100	100.7	58.7-18.5 -0.3	1-3.0 1-2.5	1-5.0	35	85.0	37.8*1.5W	
89	OTHER	APS F-29562/J		MWM407TC	4	93	86.2	56.2-20.7 -1.6	1-2.5 1-2.0	1-3.0	35	77.0	37.8*1.5W	
90	OTHER(G.M.)	APS F-29563		CN10	4	71.1	58.2	37.3-1.9	1-1.2 1-1.5	1-2.0	18	50.0	*	

91	OTHER(ATV)	APS F-29564		Raptor 250	1	74	42.5	25.4-1.9	2-0.8	1-1.5	17	42.0	20.0*1.2R	
92	OTHER	APS F-29565/J		HSD 2.8	4	93	79.7	52.7-18.4	1-2.5 1-2.0	1-3.0	32	73.0	34.4*1.2W	
93	OTHER	APS F-29566/J		NGD 3.0	4	96	79.7	52.7-17.5	1-2.5 1-2.0	1-3.0	32	76.0	34.4*1.2W	
94	OTHER	APS C-29567Y			4	165	142.5	78.6-10.8 -4.8			60	124.0	72.5*2.5W	6.812
95	OTHER	APS C-29568			1	72.5	98.3	51.4-4.3	2-2.5		18	61.5	21.0*1.0R	
96	OTHER	APS C-29572/J			1	150	119.4	75.8-19.1 7.1	1-2.5 1-2.5	1-6.0	42	138	*	2754±35g
97	OTHER	APS F-29573/J	295673		6	120	134.8	83.8-26.5 -1.3,-0.9	1-3.5 1-3.0	1-4.0	50	97.3	54.2*1.0W	1890gr
98	OTHER	APS 81V17			4	81.5	82.5	47.0-5.7	2-2.0	1-3.9	23.8	69.9	25.9 1.4W	
99	OTHER	APS 81V7+			4	81.5	82.5	47.0-8.6	2-2.0	1-3.9	23.8	69.9	25.9 1.4W	
100	OTHER	APS 87V73			4	87.5	75.8	44.0-4.7	2-2.0	1-3.9	23.8	74.7	26.0 1.4W	
101	OTHER(MWM)	APS F-29569/J		MWM407	4	93	86.2	56.2-18.5 -1.6	1-2.5 1-2.0	1-3.0	35	77	37.8*1.5W	851.6gr
102	OTHER	APS F-29570Y/JY	4252000021	V1	4	92	86	51	1-2.2 1-2.0	1-4.0	32	75.7	35.5*2.0R	
103	OTHER	APS C-29571	EY350J1501/1		1	78	71	33.0	2-2.0	1-4.0	20	66	22.5*1.6R	
104	OTHER	APS C-29572/J			1	150	119.4	75.8-19.1 -7.1	1-2.5 1-2.5	1-6.0	42	138	*	2754±35g
105	OTHER	APS 54105L	AM54390 AM54391	440/22	2	66	75.8	36.0+3.8	1-1.5 1-1.5		18	56.0	19.5 1.0W RTW18	
106	OTHER	APS 54105R	AM54390 AM54391	440/22	2	66	75.8	36.0+3.8	1-1.5 1-1.5		18	56.0	19.5 1.0W RTW18	
107	OTHER	APS 54106		340L/C	2	61.7	67.8	29.7+5.6	1-1.2		16	52.0	17.3 1.0W	0.163
108	OTHER	APS 54107	110-23441-01 3082445	340TX	2	62	69.8	30.0+5.3	1-1.2		16	52.0	17.3 1.0W	0.16
109	OTHER	APS 54108L	420-985-970	399/2	1	64.5	68.2	32.0+4.2	1-2.5L 1-2.0		18	52.0	19.5 1.0W	0.21

110	OTHER	APS 54108R	420-985-970	399/2	1	64.5	68.2	32.0+4.2	1-2.5L 1-2.0		18	52.0	19.5 1.0W	0.21
111	OTHER	APS 54109	420-985-500	399TWIN	1	64.5	68.2	32.0+4.2	2-2.0		18	52.0	21*1.4R 19.5*1.0W	0.246
112	OTHER	APS 54110			1	65	71.5	34.0+4.5	2-1.5		18	56.0	19.5 1.0W	0.237
113	OTHER	APS 54111	44-62-0150		1	25.349	23.876	16.002	1-3.0		7.963	21.0		
114	OTHER	APS 54112L	AM54630 AM54631	340/22A	1	58	69.8	32.0+2.8	2-1.5		18	48.0	19.5 1.0W	0.187
115	OTHER	APS 54112R	AM54630 AM54631	340/22A	1	58	69.8	32.0+2.8	2-1.5		18	48.0	19.5 1.0W	0.187
116	OTHER	APS 54113L	AM53902 AM53903	340/23	1	58	72.8	36.0+2.8	1-1.5 1-1.5		18	48.0	19.5 1.0W	0.195
117	OTHER	APS 54113R	AM53902 AM53903	340/23	1	58	72.8	36.0+2.8	1-1.5 1-1.5		18	48.0	19.5 1.0W	0.195
118	OTHER	APS 54114L	AM52486 AM52487	440/21	1	66	75.8	36.0+3.8	2-1.5		16	56.0	17.3 1.0W	0.27
119	OTHER	APS 54114R	AM52486 AM52487	440/21	1	66	75.8	36.0+3.8	2-1.5		16	56.0	17.3 1.0W	0.27
120	OTHER	APS 54115L	AM53032 AM53033	400/22	1	63	75.3	36.0+3.3	2-1.5		18	52.0	21*1.4R 19.5*1.0W	0.246
121	OTHER	APS 54115R	AM53032 AM53033	400/22	1	63	75.3	36.0+3.3	2-1.5		18	52.0	21*1.4R 19.5*1.0W	0.246
122	OTHER	APS 54116			1	77	79	39.0	2-1.5		18	66.0	21*1.4R 19.5*1.0W	0.35
123	OTHER	APS 54117			1	64	68.7	31.0+3.7	2-1.2		16	47.5	17.3 1.0W RTW16	0.198
124	OTHER	APS 54118	010-819		1	88	85.1	37.6+5.0	2-2.0		21	64.5	22.5 1.0W	
125	OTHER	APS 54119	47-111C	951 DI	1	88	85.1	37.5+5.1	2-1.3		21	64.5	24 1.4R	
126	OTHER	APS 54120		GPAF2916	4	65	68	36.3	2-2.38	1=3.96	17	55.0	20.5 1.6R	
127	OTHER	APS 54121		AT-09123D	2	64	65.6	36.0+4.6	2-1.0		16	50.0	18 1.0R	
128	OTHER	APS 54121N		AT-09123A	2	64	65.6	36.0+4.6	2-1.0		16	50.0	18 1.0R	

129	OTHER	APS 54122			1	39	25.7	16.0-2.9	1-1.0	1-2.5	9	30.0		
130	OTHER	APS 54123		951	1	92	85	37.5+2.5	1-2.0		20	65.0	23 1.6R	
131	OTHER	APS C-54124YUE /JYUE			6	102	122.2	69.3-22.0 -1.3,-0.6	2-3.0	1-3.0	35	80	37.9*1.5W	1307±15g
132	OTHER	APS 54125		800RFI	1	82	83.7	35.4+4.4	1-1.0 1-2.0		20.0	60.0	23 1.6R	
133	OTHER	APS F-54128		C9240PS	1	72	68.9	30+2.9	2-1.2		16	52.0	18.0 1.0R	
134	OTHER	APS F-54128H	9495P7295	195	1	72	68.9	32.9-2.9	2-1.2		16	52	18.0*1.0R	232.4gr
135	OTHER	APS F-54129	SM-09163P		1	73.75	82.5	38.0+2.5	2-1.5		22	62.0	25.0 1.4R	
136	OTHER	APS F-54130	SM-09164P		1	85.0	83.5	33.0+2.5	2-1.5		24	64.0	27.0 1.4R	
137	OTHER	APS F-54131	SM-09081P		1	76	70.3	29.2+2.1	1-1.5 1-1.5		20	59.0	23.0 1.6R	
138	OTHER	APS C-54132			6	100	122	71.5+4.5 -21.8	1-3.0 2-2.5	1-5.0	35	81.0	37.8 1.5W	1.165
139	OTHER	APS F-54134			1	72	71.2	39.0-4.2	2-0.8		16	62.0	18.0*1.4R	
140	OTHER	APS C-54135			6	100.0	123.3	72.0-1.0	1-1.8 2-2.5	1-5.0	35.0	80.0	37.8 1.6W	1.228
141	OTHER	54101			1	58	61.6	27.0+3.1	2-2.0		15	50.0	17 1.0R	
142	OTHER	54102			1	70	85.5	50.25+5.5	4-2.5		16	61.0	18 1.2R	
143	OTHER	54103			1	76	87	49.65+7.0	4-3.17		17.5	66.0	20.5 1.2R	
144	OTHER	54104			1	85	70	34.5	2-3.0	1-4.5	20	76.0	21.5 1.0W	0.364