



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@cps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	ROBIN	APS 52001	106-23401-11	EC 10 4HP	1	50	56	27.0	2-1.8		12	41.0	14 1.0R	0.101
2	ROBIN	APS C-52001	106-23421-H1 (STD)		1	50	56	27.0	2-1.8		12	40.7	14.0*1.0W	
3	ROBIN	APS 52002		SPR30,EY13	1	60	54	32.0	2-2.5	1-4.0	14	51.0	16 1.0R	
4	ROBIN	APS 52003		6HP	1	60	70	30.0+5.0	3-2.0		16	52.0	18 1.4R	0.155
5	ROBIN	APS 52005		SPR80	1	65	57	27.0	2-2.5	1-4.0	14	54.0	16 1.0R	0.135
6	ROBIN	APS 52006		EY18	1	65	58	27.0	2-2.5	1-4.0	14	55.0	16 1.0R	0.148
7	ROBIN	APS 52007		EY25	1	72	67	30.0	2-2.5	1-4.0	16	63.0	18 1.2R	0.208
8	ROBIN	APS 52010		R38	1	38	41.6	16.5+2.6	2-1.5		10	31.0	12 1.0R	
9	ROBIN	APS 52011	EC03-206E		1	36	34	16.0+3.0	2-1.6		10	31.0	12 0.8R	0.036
10	ROBIN	APS 52012	EC04-206/2B		1	40	34.5	16.0+3.5	2-1.6		12	31.0	14 1.0R	0.041
11	ROBIN	APS 52013	107-23401-01	6HP	1	62	70	29.5+5.5	2-2.0		16	52.0	18 1.2R	0.19
12	ROBIN	APS 52014			1	72	74	38.0+4.0	2-1.5		18	62.0	21 1.0R	0.293
13	ROBIN	APS 52015		EY15	1	63	52	25.0	2-2.0	1-2.8	14	52.0	16 1.0R	
14	ROBIN	APS 52016		EY20	1	67	56	25.0	2-2.0	1-2.8	14	52.0	16 1.0R	

15	ROBIN	APS 52017	152-23401-11		1	65	70.3	38.0+3.3	1-1.2		18	54.5	21*1.2R 19.5*1.0W	0.21
16	ROBIN	APS 52018	153-23401-01		1	72	71.9	38.0+3.9	2-1.5		18	62.0	19.5 1.0W	0.243
17	ROBIN	APS 52019	110-23451-01	3082634	1	61.7	69.7	29.8+5.2	2-1.5		16	52.0	18 0.8R	0.178
18	ROBIN	APS 52020			1	67.7	73.4	37.8+3.6	1-3.0 1-1.0		18	58.0	21 1.2R	0.272
19	ROBIN	APS 52021	131-23411-01	3082451	1	67.7	73.6	38.0+3.6	1-1.2		18	58.0	19.5 1.0W	0.24
20	ROBIN	APS 52022	150-23411-11	3083090	1	67.7	71.6	38.0+3.6	1-1.5		18	58.0	21 0.8R	0.232
21	ROBIN	APS 52023	150-23401-11	3083159	1	67.7	73.6	38.0+3.6	1-1.5		18	58.0	19.5 1.0W RTW18	0.229
22	ROBIN	APS 52024	110-23431-01		1	62	69.56	29.6+5.26	1-3.0L 1-1.0		16	52.0	17.3 1.0W	0.193
23	ROBIN	APS 52025			1	67.7	70.5	37.8+3.7	2-1.2		18	59.0	19.5 1.0W	0.24
24	ROBIN	APS 52026			1	62.2	64	29.0+5.0	1-1.5		16	48.0	18 0.8R	0.152
25	ROBIN	APS 52026A			1	62.45	64	29.0+5.0	1-1.5		16	48.0	18 0.8R	
26	ROBIN	APS 52027			1	72	74	38.0+4.0	2-1.5		18	62.0	19.5 1.0W RTW18	0.225
27	ROBIN	APS 52028	010-834		1	71.3	73.4	38.2+3.3	2-1.2		18	58.0	19.5 1.0W	
28	ROBIN	APS 52029	010-831		1	65	76.2	38.0+3.2	2-1.2		18	55.0	19.5 1.0W	
29	ROBIN	APS 52030			1	64	48.5	22.9	2-1.5	1-2.5	16	53.0	18 1.0R	
30	ROBIN	APS 52031		50-305	1	83	82	38.1+4.2	2-1.5		18	62.0	19.5 1.0W	
31	ROBIN	APS F-52031U	NA-50002		1	83	82.4	42.4-4.28	2-1.5		18	63	21.0*1.4R	
32	ROBIN	APS 52032		5153	1	83	64	27.5-5.1	2-1.5	1-2.8	20	66.5	23 1.4R	
33	ROBIN	APS C-52033	58025006K1		1	50.0	47.3	20.0+3.3	2-1.8		12.0	44	13.0*0.7R	

34	ROBIN	APS C-52034	54125007K0		1	44.0	41.18	17.5+4.18	2-1.8		12.0	38	13.0*0.7R	
35	ROBIN	APS T-52035		NB411	1	40	40.7	18.2+3.3	2-1.6		10.0			
36	ROBIN	APS T-52035C		NB411	1	40	40	17.6+3.2	2-1.6		10.0			