



APS Automotive Enterprises Co.,Ltd.

A2,2ND Floor,Main Building,33 Changhong Road,Modern Logistics Park,Xiamen,China 361006

Tel: 86-592-5619 592 86-592-2620 070 Fax: 86-592-5610884 E-mail: aa@aaps.cn / karl@aaps.cn

<http://www.apspart.com>

<http://apsparts.en.alibaba.com/index.html>

NO.	CAR	APS NO.	OEM NO	MODEL & DESCRIPTION	CYL NO.	CYL. DIA	PISTON				PIN		CLIP	N.W. (KG)
							LONG	COMP DIST	RING		DIA	LONG		
									COMP	OIL				
1	YANMAR	APS 53701		NT65	1	65	87.1	47.1	4-2.5	1-4.0	23	53.0	26 1.6R	0.29
2	YANMAR	APS 53702	104100-22020	NS40,TH3,TS50	1	70	69	41.0	3-2.0	1-4.0	21	59.0	24 1.4	
3	YANMAR	APS T-53702		TA50	1	70	69	41	3-2.0	1-4.0	21	59	24*1.4R	280gr
4	YANMAR	APS 53702HA	105140-22020	AS5-L,NS40C-G TS50C-G	1	70	69	40.9	3-2.0	1-4.0	21	59.0	24 1.4	0.306
5	YANMAR	APS 53703	101104-22021	F4E,D4	1	70	84	47.0	3-2.5	2-4.0	23	56.5	26 1.6R	0.365
6	YANMAR	APS 53704	101200-22021	NT70	1	70	97	55.0	4-2.5	1-4.0	26	56.5	29 1.6R	0.372
7	YANMAR	APS 53705	121450-22020	3T72,SB	1	72	69	37.0	2-2.0	1-4.0	20	57.0	23 1.8R	0.3
8	YANMAR	APS 53706	104200-22020	NS50 TH4 TS60	1	75	72	41.5	3-2.0	1-4.0	23	63.2	24.1 1.2W	0.368
9	YANMAR	APS 53706HA	105240-22020	TS60CT	1	75	72	41.5	3-2.0	1-4.0	23	63.0	26 1.8R	0.36
10	YANMAR	APS 53706HG		TA60	1	75	72	41.5	3-2.0	1-4.0	23	63.0	25 1.8R	0.358
11	YANMAR	APS 53707	124060-22100	2TR13,2T75C	1	75	72.3	41.8	3-2.0	1-4.0	23	63.0	26 1.8R	0.364
12	YANMAR	APS 53708	101204-22050	F5E,D5	1	75	90.8	54.8	3-2.5	2-4.0	26	60.5	29 1.6R	0.371
13	YANMAR	APS 53709	101300-22020	NT75	1	75	102	55.0	4-2.5	1-4.0	28	63.0	31 1.8R	0.455
14	YANMAR	APS 53710	10811-22111	TH5,TS70,TS80 TH6	1	80	80	44.5	3-2.5	1-4.0	26	66.0	29 1.4R	0.425

15	YANMAR	APS 53710A		TH55	1	80	80	44.5	3-2.5	2-4.0	26	66.0		
16	YANMAR	APS 53710B	124160-22020	2TR15,3T80 3T80J	2/3	80	80.3	44.8	3-2.5	1-4.0	26	66.0	29 1.4R	0.423
17	YANMAR	APS 53711	101304-22050	F6E,D6	1	80	96.2	55.2	3-2.5	1-4.0	28	65.5	31 1.8R	0.541
18	YANMAR	APS 53712		NT80K	1	80	103	56.0	4-2.5	1-4.0	30	66.0	33 2.3R	0.611
19	YANMAR	APS 53714		TH55	1	80	80	44.5	3-2.5	2-4.0	26	66.0	29 1.6R	0.4
20	YANMAR	APS 53715		TH7 TS105 NS90	1	85	88	46.0	3-2.5	1-4.0	28	71.0	31 1.4R	0.516
21	YANMAR	APS 53715A		TH7. NS90	1	85	88	46.0	3-2.5	1-4.0	28	71.0	31 1.8R	0.516
22	YANMAR	APS 53716	102400-22020	NT85	1	85	115.5	63.3	4-2.5	1-4.0	32	70.0	35 2.3R	0.734
23	YANMAR	APS 53717		TC500 10.5HP	1	88	93	46.0	3-2.5	1-4.0	28	71.0	31 1.6R	0.592
24	YANMAR	APS 53718	F801-23-200	F8,D8	1	90	108.5	63.0	3-2.5	1-4.5	32	75.0	35 2.3R	0.81
25	YANMAR	APS 53719	104600-22021	TH8 TS130CT	1	92	94.06	48.76	3-2.5	1-4.0	30	73.2	32.1 1.2W	0.562
26	YANMAR	APS 53719A		TH88	1	92	94.06	48.76	3-2.5	2-4.0	30	73.0		
27	YANMAR	APS 53720	104700-22021	[TH10,TS155,N S13]	1	95	100.6	56.6	3-2.5	1-4.5	32	80.0	35 2.3R	0.85
28	YANMAR	APS 53721	102501-22030	NT95	1	95	131.1	68.8	3-2.5	2-4.5	35	79.5	38 2.3R	1.01
29	YANMAR	APS T-53721		NT-95	4	95	131.1	68.8	4-2.5	1-4.5	35	79.5	38.0*1.8R	970gr
30	YANMAR	APS 53722	101504-22040	F10,D10	1	100	120	69.0	1-2.5K 2-2.5	2-4.5	35	80.0	38 2.3R	0.153
31	YANMAR	APS 53723	106990-22020	TS220	1	110	118	68.0	3-2.5	1-4.5	36	89.0	38.8 1.5W	1.34
32	YANMAR	APS 53726		TH77	1	85	88	46.0	3-2.5	2-4.0	28	70.5	31 1.8R	0.516
33	YANMAR	APS 53727		THC75E	1	88	94	49.0	3-2.5	1-4.0	30	72.0	33 2.0R	0.588

34	YANMAR	APS 53728	104800-22021	TS 180 C7	1	102	100.5	56.5	3-2.5	1-4.5	32	80.0	35 2.3R	0.966
35	YANMAR	APS 53728Q		TS 180	1	102	100.5	56.3	3-2.5	1-4.5	32	80.0	34.4 1.2W	
36	YANMAR	APS 53729		D7	1	85	102.5	56.2	3-2.5	1-4.0	30	70.0	33 2.3R	0.705
37	YANMAR	APS 53730	123220-22031	2T	1	95	131	68.9	1-3.5 2-2.5	2-4.5	35	80.0	37.8 1.5W	1.104
38	YANMAR	APS 53731	129403-22010	4TN78,4TN78T 3TN78,3TN78T	3/4	78	86.75	50.25	2-2.0	1-4.0	26	66.0	29 1.8R	0.495
39	YANMAR	APS 53732		TH5E	1	82	80	44.5	3-2.5	1-4.0	26	66.0	29 1.6R	0.449
40	YANMAR	APS 53733		A7	1	80	76	42.0	2-2.5	1-4.0	23	63.0	26 1.6R	0.372
41	YANMAR	APS 53733A			1	80	76	42.0	3-2.5	1-4.0	23	63.0	26 1.6R	0.367
42	YANMAR	APS 53734		A8,TA80	1	84	80.7	45.7	2-2.5	1-4.0	26	65.0	29 1.6R	0.494
43	YANMAR	APS 53734A		A8-E8	1	84	80.7	45.7	3-2.0	1-4.5	26	65.0	29 1.6R	0.494
44	YANMAR	APS T-53734		TA80	1	84	80.7	45.7	3-2.5	1-4.0	26	66	29.0*1.6R	
45	YANMAR	APS 53735		A10	1	88	84.5	45.5	2-2.5	1-4.0	26	66.0	29 1.6R	0.506
46	YANMAR	APS 53735A		A10-THC75E	1	88	84.5	45.5	3-2.5	1-4.0	26	66.0	29 1.6R	0.506
47	YANMAR	APS 53736		NT-110	1	110	160	83.0	3-2.5	2-5.0	44	90.0		
48	YANMAR	APS 53737		TH88	1	92	94.06	48.76	3-2.5	2-4.0	30	73.0	33 2.3R	0.652
49	YANMAR	APS 53738		F9,D9	1	95	109.5	60.0	3-2.5	1-4.5	32	80.0	35 2.0R	0.827
50	YANMAR	APS 53739		TD18	1	102	100.5	56.5-17.9 -20.0	1-3.0 1-2.5	1-4.5	32	80.0	35 2.0R	0.918
51	YANMAR	APS 53739A		TD18	1	102	100.5	56.5-20.5 -18.4	1-3.0 1-2.5	1-4.5	32	80.0		
52	YANMAR	APS 53739B		TD18	1	102	100.5	56.5-19.8 -21.9	1-3.0 1-2.5	1-4.5	32	80.0	38.8 1.5W	

53	YANMAR	APS 53739C		TD18	1	102	100.5	56.5-21.9	1-3.0 1-2.5	1-4.5	32	80.0		
54	YANMAR	APS 53739D		TD18	1	102	100.5	56.5-18.6 -17.9	1-3.0 1-2.5	1-4.5	32	80.0		
55	YANMAR	APS 53739E		TD18	1	102	100.5	56.5-21.6	1-3.0 1-2.5	1-4.5	32	80.0		
56	YANMAR	APS 53739F		TD18	1	102	100.5	56.5-21.9	2-2.5	1-4.5	32	80.0		
57	YANMAR	APS 53739G		3T80J	1	102	100.5	56.5-21.9	2-2.5	1-4.5	32	80.0		
58	YANMAR	APS 53740		TS190	1	110	109.5	66.5-24.0	3-2.5	1-4.5	36	89.0	38.8 1.5W	1.28
59	YANMAR	APS 53741	119270-22010	3TN66UT	3	66	58	33.0-1.0 -0.5	2-1.5	1-3.5	20	51.0	23 1.8R	0.225
60	YANMAR	APS 53741HA	119285-22010	3TN66LE- UIK/VIE	3	66	58	33.0-1.0 -0.5	2-1.5	1-3.5	20	51.0	21.5 1.0W	0.225
61	YANMAR	APS 53741HB	500707-22060	X3-66B	3	66	58.8	33.8	2-1.5	1-3.5	20	51.0	23 1.8R	
62	YANMAR	APS 53741HC	500707-22070	X3-66B	3	66	58.8	33.8	1-1.5K 1-1.5	1-3.5	20	51.0	23 1.8R	
63	YANMAR	APS 53741HD	519270-22060	3TN66	3	66	58.5	33.5	2-1.5	1-3.5	20	51.0	23 1.8R	
64	YANMAR	APS Y-53741U	519306-22010	2TNE66	2	66	58	33.0-1.5 -0.65	1-1.5K 1-1.5	1-3.0	20	51.0	23.0*1.8R	
65	YANMAR	APS Y-53741U1	519306-22020	2TNE66	2	66	58	33.0-1.0 -0.25	1-1.5K 1-1.5	1-3.0	20	51.0	23.0*1.8R	
66	YANMAR	APS 53742	160710-22051	GE50	1	70	58	27.0+0.5	2-1.5	1-2.8	16	58.0	17.3 1.0W	0.155
67	YANMAR	APS 53743	160810-22051	GE70	1	78	63	27.0	2-1.5	1-4.0	16	60.0	17.3 1.0W	0.213
68	YANMAR	APS 53744	114350-22032	L60S	1	75	70	34.5-9.9	2-1.5	1-3.5	21	59.0	22.5 1.0W	0.335
69	YANMAR	APS 53745	114360-22032	L60D	1	75	70	34.5-9.9	2-1.5	1-3.5	21	59.0	22.5 1.0W	0.335
70	YANMAR	APS 53746	129402-22010	3TN82	1	82	86.75	50.25-15.0	2-2.0	1-4.0	26	66.0		
71	YANMAR	APS 53747	119810-22020	3TN75	3	75	75	44.5-12.7	2-2.0	1-4.0	23	60.0	26 1.8R	

72	YANMAR	APS 53747A	119885-22020	3TN75E-RTK	3	75	75	44.5-12.7	2-2.0	1-4.0	23	60.0	24.5 1.2W	
73	YANMAR	APS 53747Q	119285-22010	3TN66LE-UTK	3	66	58	33.0-1.0 -0.5	2-1.5	1-3.5	20	50.0		
74	YANMAR	APS 53748	160590-22050	GV35	1	58	47	21.0	1-1.2 1-1.5	1-2.5	13	47.9	14.1 1.0W	0.091
75	YANMAR	APS 53748G	160590-22051	GA120	1	58	47	21.0	2-1.5	1-2.5	13	47.9	14.1 1.0W	0.091
76	YANMAR	APS 53748GA	560590-22060	GA120	1	58	46.8	21.0	2-1.5	1-2.5	13	47.9	14.1 1.0W	
77	YANMAR	APS 53749	160690-22050	GV50	1	64	51	23.5	1-1.2 1-1.5	1-2.5	16	52.9	17.3 1.0W	0.12
78	YANMAR	APS 53749A	560690-22160	GA160	1	64	51	23.5	2-1.5	1-2.5	16	52.9	17.3 1.0W	0.12
79	YANMAR	APS 53750	714250-22723	L-40	1	68	63	31.0-9.5	2-1.5	1-3.5	19	51.0	20.5 1.0W	0.212
80	YANMAR	APS 53751	160490-22010	GA90	1	53	45	21.0	2-1.5	1-2.5	12	46.0	13 1.0W	0.212
81	YANMAR	APS 53752	519209-22170	3TNE66K	3	66	53.075	28.075-0.5 -1.0	1-1.5 1-1.5	1-3.0	20	54.5	21.5 1.0W	0.21
82	YANMAR	APS 53753J		KD145	3	145	190	110.0-3.4 -7.1	3-4.0	2-6.0	58	121.0	62.2 2.0W	3.944
83	YANMAR	APS 53754J		KD145	3	145	190	110.0-1.5 -3.1	3-4.0	2-6.0	58	121.0	62.2 2.0W	3.944
84	YANMAR	APS 53755				200	300.2	175.0-24.0 -15.0	4-4.5	2-8.0	80	174.0		10.778
85	YANMAR	APS 53755G				200	292.2	167.0-16.0 -7.0	4-4.5	2-8.0	80	174.0		10.604
86	YANMAR	APS 53755J				200	300.2	175.0-24.0 -15.0	4-4.5	2-8.0	80	174.0		10.778
87	YANMAR	APS 53755JG				200	292.2	167.0-16.0 -7.0	4-4.5	2-8.0	80	174.0		10.604
88	YANMAR	APS 53755JV				200	300.2	175.0-24.0 -10.0	4-4.5	2-8.0	80	174.0		10.778
89	YANMAR	APS 53755V				200	300.2	175.0-24.0 -10.0	4-4.5	2-8.0	80	174.0		10.778
90	YANMAR	APS 53756				170	251	137.0-12.4 -7.5	4-3.5	2-6.0	70	141.0	74.5 2.5W	6.717

91	YANMAR	APS 53756J				170	251	137.0-12.4 -7.5	4-3.5	2-6.0	70	141.0	74.5 2.5W	6.717
92	YANMAR	APS 53756JU				170	251	137.0-14.7 -12.5,-9.6	4-3.5	2-6.0	70	141.0	74.5 2.5W	6.599
93	YANMAR	APS 53756U				170	251	137.0-14.7 -12.5	4-3.5	2-6.0	70	141.0	74.5 2.5W	6.599
94	YANMAR	APS 53757				140	190	110.0-1.7 -3.6	1-4.0 2-3.0	2-5.5	58	116.0	62.2 2.0W	3.726
95	YANMAR	APS 53757J				140	190	110.0-1.7 -3.6	1-4.0 2-3.0	2-5.5	58	116.0	62.2 2.0W	3.726
96	YANMAR	APS 53758	105370-22020	TF75	1	80	85.6	49.1	3-2.5	1-4.0	26	66.0	29 1.6R	0.778 0.450
97	YANMAR	APS 53759	105470-22020	TF85	1	85	85.6	49.1	3-2.5	1-4.0	26	66.0	29 1.6R	0.519
98	YANMAR	APS 53760	105570-22020	TF105	1	88	96.5	54.0	3-2.5	1-4.0	28	71.0	31 1.6R	0.63
99	YANMAR	APS 53761	105640-22020	A12	1	90	94	48.8	3-2.5	1-4.0	30	73.0	33 2.35R	0.627
100	YANMAR	APS 53761G		YM2000	1	90	94	48.8	3-2.5	1-4.0	30	73.0	33.5 1.6R	
101	YANMAR	APS F-53761H1		YM2210	1	90	94	48.8	3-2.5	1-4.0	30	73.0	33.5 1.6R	
102	YANMAR	APS 53762	105670-22020	TF115	1	92	96.5	54.0	3-2.5	1-4.0	28	71.0	31 1.6R	0.709
103	YANMAR	APS 53763	105740-22020	A14	1	95	94	48.8	3-2.5	1-4.5	30	73.0	33 2.35R	0.698
104	YANMAR	APS V-53764		3TNE72K	3	72	61.425	33.425-2.0 '-0.8	1-1.55K 1-1.5	1-3.0	21	58.8	22.5*1.0W	290 gr
105	YANMAR	APS 53764	519609-22150	3TNE72K	3	72	61.425	33.425-0.9 -2.0	1-1.5K 1-1.5	1-3.0	21	58.5	22.5 1.0W	0.29
106	YANMAR	APS 53765	160598-22060	GA140	1	62	48	21.0-1.5	2-1.5	1-2.5	13	47.9	14.1 1.0W	0.105
107	YANMAR	APS 53766	160698- 22060(GA180)	GA160	1	68	53.5	23.5-2.0	2-1.5	1-2.5	16	52.9	17.3 1.0W	0.135
108	YANMAR	APS 53767	105100-22021	TF60	1	75	77.8	44.8-0.4 -13.2	3-2.0	1-4.0	23	60.0	26 1.8R	0.394
109	YANMAR	APS 53768	105200-22021	TF70	1	78	77.8	44.8-6.4 -13.7	3-2.0	1-4.0	23	60.0	26 1.8R	0.428

110	YANMAR	APS 53769	105400-22021	TF90	1	85	85.8	49.3-0.1,-0.2	3-2.5	1-4.0	26	66.0	29 1.4R	0.555
111	YANMAR	APS 53770	105990-22021	TS230	1	112	118	68.6-26.0	3-2.5	1-4.5	36	89.0	38.8 1.5W	1.41
112	YANMAR	APS 53771		TF75M	1	80	85.8	49.3-0.2,-0.4	3-2.5	1-4.0	26	66.0	29 1.6R	0.456
113	YANMAR	APS T-53771			4	80	78.2	43..2-2.2	2-2.0	1-4.0	25	63	28.0*1.6R	
114	YANMAR	APS 53772		TF85M	1	85	85.6	49.3-0.4 -1.2	3-2.5	1-4.0	26	66.0	29 1.6R	0.518
115	YANMAR	APS 53773		TF105M	1	88	96.7	54.5-0.2 -0.4	3-2.5	1-4.0	28	71.0	31 1.6R	0.633
116	YANMAR	APS 53774		TF115M	1	92	96.8	54.3-0.4 -0.6	3-2.5	1-4.0	28	71.0	31 1.6R	0.711
117	YANMAR	APS 53775		TA160	1	97	100.5	56.5	3-2.5	1-4.5	32	80.0	35.5 2.0R	0.915
118	YANMAR	APS 53776		NS10	1	39.5	51	17.5+4.0	3-2.5 1-4.0		12	32.0	31 1.6R	0.633
119	YANMAR	APS 53777	105300-22021	NFD9	1	80	85.8	49.3-1.6	3-2.5	1-4.0	26	66.0	29 1.4R	0.488
120	YANMAR	APS 53778	105500-22020	TF110	1	88	96.75	54.25-17.6	3-2.5	1-4.0	28	71.0	31 1.4R	0.682
121	YANMAR	APS 53779	105600-22020	TF120	1	92	96.75	54.25-17.8	3-2.5	1-4.0	28	71.0	31 1.4R	0.756
122	YANMAR	APS Y-53779U	505600-22040	TF120	1	92	96.75	54.25	3-2.5	1-4.0	28	71	31.0*1.4R	840gr
123	YANMAR	APS 53780	105700-22020	TF140	1	96	108.2	61.2-19.5	3-2.5	1-4.5	32	80.0	35.5 2.3R	0.9
124	YANMAR	APS 53781	105800-22020	TF160	1	102	108.2	61.2-19.7	3-2.5	1-4.5	32	80.0	35.5 2.3R	1.03
125	YANMAR	APS 53782	105890-22020	TS190	1	110	109.5	66.64-24.0	3-2.5	1-4.5	36	89.0	38.8 1.5W	1.277
126	YANMAR	APS 53783	103288-22020	NS75	1	80	80	44.5	3-2.5	1-4.0	26	66.2	27.9 1.2W	0.42
127	YANMAR	APS 53784	103438-22020	NS90	1	85	88	46.0	3-2.5	1-4.0	28	71.2	30.1 1.2W	0.515
128	YANMAR	APS 53785	521425-22020	BTD22	1	90	98	56.0-7.0 -17.5	3-2.5	1-4.0	30	73.2	32.1 1.2W	0.78

129	YANMAR	APS 53786	018-22021	NS18	1	102	100.5	56.3	3-2.5	1-4.0	32	80.2	34.4 1.2W	0.985
130	YANMAR	APS 53787	118200-22011	2V-78	1	78	56.59	28.09	1-1.2 1-1.5	1-3.0	19	52.0		0.203
131	YANMAR	APS Y-53787	518200-22090	2H-78 2V-78	2	78	56.59	28.09	1-1.5K 1-1.5	1-3.0	20	53.6	20.5 1.0W	
132	YANMAR	APS Y-53787U	518200-22091	2H-78 2V-78	2	78	56.85	28.35-2.8 -1.0	1-1.55K 1-1.5	1-3.0	20	53.6	21.5 1.0W	
133	YANMAR	APS Y-53787UG	518200-22099	2H-78 2V-78	2	78	56.85	28.35-2.8 -1.0	1-1.2 1-1.5	1-3.0	20	53.6	21.5 1.0W	
134	YANMAR	APS 53788	7025388	388	3	72	65.5	37.5-1.0 -3.0	2-1.5	1-3.5	21	57.0	22.5 1.0W	0.32
135	YANMAR	APS 53789J	105950-22022	TF300	1	125	126.5	71.5-23.8	3-2.5	1-5.0	38	97.5	40.8 1.5W	
136	YANMAR	APS 53789	118200-22030	2H78 2V78	2	78	56.59	28.09	1-1.2 1-1.5	1-3.0	19	52.0		
137	YANMAR	APS 53789/J		TF300		125	126.5	38.0-23.8	3-2.5	1-5.0	38	97.5	40.8 1.5W	
138	YANMAR	APS 53790	118200-22050	2V78,2H78	2	78	56.59	28.09	3-2.5	1-5.0	38	53.6	20.5 1.0W	
139	YANMAR	APS 53792U1		L100	4	86.0	77.9	37.0	2-2.0	1-4.0	23.0	65.0	25 1.2W	
140	YANMAR	APS 53792U2		L100	4	86.0	77.9	37.0	2-2.0	1-4.0	23.0	65.0	25 1.2W	
141	YANMAR	APS 53792			1	86	78.9	38.0-12.5 -0.3	2-2.0	1-4.0	23	65.0	24.5 1.1W	
142	YANMAR	APS C-53792R/L	CF186FS-04003	186F 铁片	4	86.0	78.9	38.0-12.4 -1.0	2-2.0	1-4.0	22.0	65.0	25.2*1.2 W	
143	YANMAR	APS C-53792R/LA	ETQ186F-0404	186F 铁片	4	86	79	38.0-12.5 -1.0	2-2.0	1-4.0	23	65.0	25.2*1.2 W	
144	YANMAR	APS 53792U		L100	4	86	77.9	37.0-13.6 -0.3	2-2.0	1-4.0	23	65.0	24.5 1.1W	
145	YANMAR	APS C-53792UR/UL		L100	4	86.0	77.9	37.0-13.6 -0.3	2-2.0	1-4.0	23.0	65	24.7*1.2W	
146	YANMAR	APS TEST1-53792		L100	4	86	77.9	37	2-2.0	1-4.0	23	14	25 1.2W	
147	YANMAR	APS TEST2-53792		L100	4	86	77.9	37	2-2.0	1-4.0	23	14	25 1.2W	

148	YANMAR	APS TEST3-53792	L186F-04003		4	86	78.9	38.0-12	2-2.0	1-4.0	23	65	25.2 1.1W	
149	YANMAR	APS 53793	114270-22030	L40AS	1	68	63	31.0-9.5 -0.36	2-1.5	1-3.5	19	50.6	20.5 1.0W	
150	YANMAR	APS 53794	114280-22030	L40AD	1	68	63	31.0-9.5 -0.36	2-1.5	1-3.5	19	50.6	20.5 1.0W	
151	YANMAR	APS 53795	114770-22030	L48AS	1	70	63	31.0-8.82 -0.36	2-1.5	1-3.5	19	50.6	20.5 1.0W	
152	YANMAR	APS 53796	114780-22030	L48AD	1	70	63	31.0-8.82 -0.36	2-1.5	1-3.5	19	50.6	20.5 1.0W	
153	YANMAR	APS 53797	114370-22030	L60AS	1	75	70	34.5-9.9 -0.36	2-1.5	1-3.5	21	58.7	22.5 1.0W	
154	YANMAR	APS 53798	114380-22030	L60AD	1	75	70	34.5-9.9 -0.36	2-1.5	1-3.5	21	58.7	22.5 1.0W	
155	YANMAR	APS 53799	114870-22030	L70AS	1	78	70	34.5-10.55 -0.36	2-1.5	1-3.5	21	58.7	22.5 1.0W	
156	YANMAR	APS 53800	114880-22030	L70AD	1	78	70	34.5-10.55 -0.36	2-1.5	1-3.5	21	58.7	22.5 1.0W	
157	YANMAR	APS 53801	114650-22021	L90AS	1	84	79	38.0-11.74 -0.25	2-2.0	1-4.0	23	64.7	22.5 1.0W	
158	YANMAR	APS 53802	114660-22021	L90AD	1	84	79	38.0-11.74 -0.25	2-2.0	1-4.0	23	64.7	22.5 1.0W	
159	YANMAR	APS 53803	114970-22030	L100AS	1	86	79	38.0-12.35 -0.25	2-2.0	1-4.0	23	64.7	24.7 1.2W	
160	YANMAR	APS 53804	114980-22030	L100AD	1	86	79	38.0-12.35 -0.25	2-2.0	1-4.0	23	64.7	24.7 1.2W	
161	YANMAR	APS 53805		170F	1	70	63	31.0-9.0	2-1.5	1-3.5	19	51.0	20.5 1.0W	
162	YANMAR	APS 53805U		170F	4	70	63	31.0-10.0	2-1.5	1-3.5	19	51.0	20.5 1.0W	
163	YANMAR	APS 53806		178F	4	78	70	34.5-11.4	2-1.5	1-3.5	21	59.0	22.5 1.0W	
164	YANMAR	APS 53806U		178F	1	78	70	34.5-10.5	2-1.5	1-3.5	21	59.0	22.5 1.0W	
165	YANMAR	APS 53807	160496-22050	GA100	1	55	46	20.0-2.0	2-1.5	1-2.5	12	46.2	13.0*1.0 W	
166	YANMAR	APS 53808	114772-22031	L488E	1	70	62	30.0-9.88 -0.36	2-1.5	1-3.5	19	50.6	20.5 1.0W	

167	YANMAR	APS 53808U	514110-22550	L48N	1	70	62	30.0	2-1.5	1-3.5	19	50.6	20.5 1.0W	
168	YANMAR	APS Y-53808UG	514772-22910	L48N	1	70	62	30.0	2-1.5	1-3.5	19	50.6	20.5*1.0 W	
169	YANMAR	APS Y-53808H	514110-22030	L48V	1	70	62	30.0-10.11 -0.36	2-1.5	1-3.5	19	50.6	20.5*1.0 W	
170	YANMAR	APS 53810	114988-22031	L100AE-DEG	1	86	79.8	37.0-13.6 -0.25	2-2.0	1-4.0	23	64.7	24.5 1.2W	
171	YANMAR	APS 53811Y/JY	748687-22720	6LAAK-UT	6	148	168	106-21.6 -4.5	1-4.0 2-3.5	1-6.0	55	124	59.2 2.0W	
172	YANMAR	APS 53811Q/JQ	748619-22720	6LA-DT	6	148	168	106-21.6 -4.5	1-4.0 2-3.5	1-6.0	55	122	59.2 2.0W	
173	YANMAR	APS F-53811YU/JYU		6LA-UT	6	148	168	106-25.4 -4.5	1-4.0 2-3.5	1-6.0	55	124.0	59.2 2.0W	
174	YANMAR	APS F-53813YU2 /JYU2		6HA-DT(4V)	6	130	150	92.0-21.5 '-4.4	1-4.0 2-3.0	1-6.0	48	111.5	51.5*1.75W	
175	YANMAR	APS F-53811YUE /JYUE		6LA-DT 中空	6	148	168	106-25.4 -4.5	1-4.0 2-3.5	1-6.0	55	124.0	59.2 2.0W	
176	YANMAR	APS 53812J	727616-22721	6CH-DT	6	105	119.7	69.7-18.9 -3.4,-3.1	1-3.0 2-2.5	1-5.0	38	88	40.8 1.5W	
177	YANMAR	APS 53813/J	726634-22723	6HT-DT	6	130	150	92.0-24- 4.7	1-4.0 2-3.0	1-6.0	48	111.5	51.5 1.75W	
178	YANMAR	APS 538013U/JU	726635-22724	6HA-HT	6	130	150	92.0-30- 4.6	1-4.0 2-3.0	1-6.0	48	111.5	51.5 1.75W	
179	YANMAR	APS 53813YUI/JYUI		6HA-HT(2V)	6	130	150	92.0-30.6 '-4.4	1-4.0 2-3.0	1-6.0	48	111.5	51.5*1.75W	
180	YANMAR	APS F-53813YU1/JY	726635-22725	6HAM-THE	6	130	150	92.0-22.5 '4.6	1-4.0 2-3.0	1-6.0	48	111.5	51.5-1.75W	
181	YANMAR	APS 53814J	748616-22720	6LA-HT	6	150	168	106.0- 25.5-4.5	1-4.0 2-3.5	1-6.0	55	120	59.2 2.0W	
182	YANMAR	APS 53815/J	727688-22721	6CH-UTE	6	105	119.7	69.7-18.0 -3.4,-3.1	1-3.0 2-2.5	1-5.0	40	86	43.5 1.75W	
183	YANMAR	APS F-53816U	114220-22030	L70N	1	78.0	69.5	34.0-12.7	2-1.5	1-3.5	21.0	58.7	22.5*1.0 W	
184	YANMAR	APS Y-53816O	514210-22520	L70V	1	78.0	69.5	34.0-12.7 -0.36	2-1.5	1-3.5	21.0	58.7	22.5*1.0 W	
185	YANMAR	APS Y-53816H1	514220-22090	L70N	1	78	69.5	34.0-12.7 '-0.36	2-1.5	1-3.5	21	58.7	22.5*1.0W	330gr

186	YANMAR	APS F-53817U	114320-22030	L100N	1	86.0	78.5	37.5-14.5	2-2.0	1-4.0	23.0	64.7	24.5*1.2 W	
187	YANMAR	APS Y-53817O	514340-22030	L100V	1	86.0	78.5	37.5-14.5 -0.25	2-2.0	1-4.0	23.0	64.7	24.5*1.2 W	
188	YANMAR	APS C-53818J				165	192	122.5-25	3-4.0	1-6.0	64	138.0		
189	YANMAR	APS C-53819J				150	213	125.7-18.3	3-3.5	1-6.0	65	124.4	69.2 2.9W	4.752
190	YANMAR	APS F-53820		E86	1	86	84.0	47.2-16.0	2-2.0	1-4.0	26	70.0	27.9 1.2W	
191	YANMAR	APS F-53821	748688-22752-A	6LSH-ST	6	150	168	106.0-25.3 -4.4	1-4.0 2-3.5	1-6.0	58	124.0	62.2 2.0W	
192	YANMAR	APS F-53824U	524795-22080	3GP88Z 3GP88ZD	3	88	83.55	46.775- 17.0	2-2.0	1-4.0	26.0	69.5	27.9*1.2 W	
193	YANMAR	APS Y-53824U1	524350-22010	3GPJ88	3	88	83.23	46.455-18.0	2-2.0	1-4.0	26	69.5	27.9*1.2W	493±2.5g
194	YANMAR	APS F-53824I	524593-22590	3GPH88	1	88	83.23	46.455	2-2.0	1-4.0	26.0	69.5	27.9*1.2 W	
195	YANMAR	APS F-53825J		3S15 中空	1	91.5	105.0	63.6-19.9	1-2.5 2-2.0	1-4.5	34.0	75.0	36.5*1.5 W	
196	YANMAR	APS F-53826		YM1700	1	85	90.1	48.8	3-2.5	1-4.0	30.0	70.0	33.5*2.2R	
197	YANMAR	APS T-53827		Y-1	1	75	82.5	42-1.7	1-2.0K 1-2.0	1-4.0	24	61.0	*	
198	YANMAR	APS T-53828		Y-2	1	75	87.6	57.6-0.6	1-2.5K 2-2.0	1-4.0	25	65.0	28.0 1.4R	
199	YANMAR	APS T-53829		Y-3	1	76	79.5	47.5	3-2.0	1-4.0	25	65.0	28.0 1.4R	
200	YANMAR	APS T-53830		Y-4	1	77	78.5	43.5-?	1-2.0K 1-1.5	1-3.0	25	65.0	28.0 1.4R	
201	YANMAR	APS T-53831		Y-7	1	84	79.3	47.3	3-2.0	1-4.0	25	72.0	28.08 1.4R	
202	YANMAR	APS T-53832		YM3000	1	84	90.4	49.1	3-2.5	1-4.0	30	69.5	33.5*2.2R	
203	YANMAR	APS T-53833		YM1401	1	72	69.9	37.3	2-2.0	1-4.0	20	57.0	23.0*1.4R	
204	YANMAR	APS T-53834		YM2310	1	84	84	42.0	2-2.0	1-4.0	26	66.0	29.0*1.4R	

205	YANMAR	APS T-53835		YM2010	1	82	84	42.0	2-2.0	1-4.0	26	66.0	29.0*1.4R	
206	YANMAR	APS T-53836		YM2200	1	90	93	49.0-2.0 -1.0	3-2.5	1-4.5	28	78.0	31.5*1.4R	
207	YANMAR	APS F-53837JY		6LA-ST	6	150.0	168.0	106.0-25.3 -4.4	1-4.0 2-3.5	1-6.0	58.0	124.0	62.2*2.0 W	
208	YANMAR	APS C-53838			4	88.0	84	47.2-16.6	2-2.0	1-4.0	26.0	69.8	27.9*1.2 W	0.5860
209	YANMAR	APS C-53838U	129005-22080	4TNV88	4	88.0	84	47.2-15.5	2-2.0	1-4.0	26.0	69.6	27.9*1.2 W	0.5920
210	YANMAR	APS F-53839Y/JY	728627-22321	6GH-UTE	6	118.0	128.1	78.1-20.0 -4.7,-4.3	1-3.5 2-2.5	1-5.5	44.0	95.0	47.5*1.75 W	
211	YANMAR	APS F-53839YU/JYU		6GH-DT	6	118.0	128.1	78.1-23.4 -4.0,-3.7	1-3.5 2-2.5	1-5.5	44.0	95.0	47.5*1.75 W	
212	YANMAR	APS F-53839YE/JYE	728628-22722	6GH-ST	6	117.9	128.1	78.1-20.0 -4.7,-4.3	1-3.5 2-2.5	1-5.5	46	95	49.7*1.75W	
213	YANMAR	APS F-53840Y/JY		4HB	4	123.9	150.1	92.1-24.0	1-4.0 2-3.0	1-6.0	48.0	93.0	51.5*1.75 W	
214	YANMAR	APS F-53842Y/JY		6HH-HTU	6	119.0	128.1	78.1-26.5 -3.8,-3.5	1-3.5 2-2.5	1-5.5	44.0	95.0	47.5*1.75 W	
215	YANMAR	APS F-53843/J			6	130.0	150	92.0-31.0 -0.6	1-4.0 2-3.0	1-6.0	48.0	111.5	51.5*1.75 W	
216	YANMAR	APS C-53844		188F	4	88.0	78	37.0-13.5 -0.5	2-2.0	1-4.0	23.0	65.0	24.7*1.2 W	
217	YANMAR	APS F-53847X	124394-22010	3GPF68-C	3	68.0	56.075	31.075- 10.0	2-1.5	1-3.0	20.0	54.7	21.5*1.0 W	
218	YANMAR	APS F-53848	124493-22010	3GPF74	3	74.0	60.575	32.575- 13.3	2-1.5	1-3.0	21.0	58.8	22.5*1.0 W	
219	YANMAR	APS F-53848I	124498-22010	3GPE74-H2	3	74.0	60.575	32.575- 13.3	2-1.5	1-3.0	21.0	58.8	22.5*1.0 W	
220	YANMAR	APS F-53848H	124298-22011	3GP74Z	3	74	60.575	32.575-13.3	2-1.5	1-3.0	21	58.8	22.5*1.0W	257gr
221	YANMAR	APS Y-53848HI	124499-22011	3GPE74	3	74	60.575	32.575-14.8	2-1.5	1-3.0	21	58.8	22.5*1.0W	251±2.5g
222	YANMAR	APS F-53849	124598-22010	3GPE88-H2	3	88.0	83.23	46.455- 12.8	2-2.0	1-4.0	26.0	69.8	27.9*1.2 W	
223	YANMAR	APS Y-53849U	124599-22011	3GPE88	3	88.0	83.55	46.775- 17.4	2-2.0	1-4.0	26.0	69.8	27.9*1.2 W	

224	YANMAR	APS F-53850	129902-22011	4TNE98	4	98.0	98.725	54.725-19.8	1-2.0 1-2.0	1-3.0	30.0	72.7	32.1*1.2 W	
225	YANMAR	APS F-53850U	129953-22011	4TNE98	4	98	98.725	54.725-18.9	1-2.0 1-2.0	1-3.0	30	72.7	32.1*1.2W	860±9gr
226	YANMAR	APS F-53851	119623-22010	3TNE74	3	74.0	61.425	33.425-3.2 -1.1	1-1.55 1-1.5	1-3.0	21.0	58.8	22.5*1.0 W	
227	YANMAR	APS F-53852	119265-22031	2TNE68-N 3TNE68-N	2/3	68.0	52.658	27.658	1-1.55 1-1.5	1-3.0	20.0	54.7	21.5*1.0 W	
228	YANMAR	APS F-53853	124390-22010	3TG72-EJUV 3TG72-EJMA	3	72.0	61.05	33.1-8.2	2-1.5	1-2.8	21.0	56.8	22.5*1.0 W	
229	YANMAR	APS F-53853U	524490-22990	3TG72	3	72.0	61.05	33.1	2-1.5	1-2.8	21.0	56.8	22.5*1.0 W	
230	YANMAR	APS F-53854	124793-22010	4GPF98-C	4	98.0	97.99	53.99-21.8	2-2.0	1-3.0	30.0	72.7	32.1*1.2 W	
231	YANMAR	APS F-53854U	124793-22020	4GPF98-C1	4	98.0	97.99	53.99-21.3	2-2.0	1-3.0	30.0	72.7	32.1*1.2 W	
232	YANMAR	APS F-53854U1	124798-22010	4GPE98-C	4	98	97.99	53.99-22.52	2-2.0	1-3.0	30	72.7	32.1*1.2W	
233	YANMAR	APS Y-53854UA	500746-22800		4	98	97.99	53.99-21.3	2-2.0	1-3.0	30	72.7	32.1*1.2W	704gr
234	YANMAR	APS F-53855	129486-22010	4TNE86-TK	4	86.0	84	47.225-16.0	2-2.0	1-4.0	26.0	69.8	27.9*1.2 W	
235	YANMAR	APS F-53856	119326-22012	2TNE68-N 3TNE68-N	2 3	68.0	52.887	27.887-1.64	1-1.55 1-1.5	1-3.0	20.0	54.7	21.5*1.0 W	
236	YANMAR	APS F-53857A	119025-22011	3TNM72	3	72.0	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22.0	52.5	23.5*1.0 W	
237	YANMAR	APS F-53857X	119517-22010	3TNM72	3	72.0	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22.0	52.5	23.5*1.0 W	
238	YANMAR	APS F-53857XA	119517-22020	3TNM72	3	72.0	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22.0	52.5	23.5*1.0 W	
239	YANMAR	APS C-53862U/JU		NE98	1	98	98.7	54.8-19.9	1-2.0 1-2.0	1-3.0	30	72	32.1*1.3W	813gr
240	YANMAR	APS C-53864		4TNE88	4	88	84	47.2-16.6	2-2.0	1-4.0	26	70.2	27.9*1.2W	532gr
241	YANMAR	APS C-53865/J			1	106	111.2	61.2-21.2	1-2.5 1-2.0	1-3.0	37	83.1	39.8*1.5W	1116gr
242	YANMAR	APS F-53866Y/JY	726618-22732	6KH-ET	6	132.9	149.2	91.2-23.0 '-4.2,-3.7	1-4.0 2-2.5	1-6.0	52	112	56.2*2.0W	2527gr

243	YANMAR	APS F-53866YU /JYU	726616-22726	6KH-UT	6	132.9	149.2	91.2-23.0 '-4.2,-3.7	1-4.0 2-2.5	1-6.0	52	112	56.2*2.0W	
244	YANMAR	APS C-53868		4T84-2	4	84	86.6	50.2-16.5	2-2.0	1-4.0	26	66	28.7*1.2W	542gr
245	YANMAR	APS C-53869		4T84-3	4	84	84	47.3-16.6	2-2.0	1-4.0	26	70	28.7*1.5W	510gr
246	YANMAR	APS C-53870/J		MD	1	100	119.8	63.8-5.8 '-2.7,-2.3	1-3.0 2-2.0	1-4.5	35	80	37.8*1.5W	1094gr
247	YANMAR	APS C-53872/J	727610-22726	4CH	4	105	119.3	69.7-24.6 '-1.8	1-3.0 2-2.5	1-5.0	36	89.5	38.8*1.5W	1297gr
248	YANMAR	APS C-53873/J		3L15A	1	91.5	105	63.7-26.3 '-1.0	1-2.5 2-2.0	1-4.5	32	75.5	34.4*1.2W	936gr
249	YANMAR	APS C-53874/J		ESD	1	120	155	83.0-9.2 '-2.4,-1.3	1-3.5 2-3.0	2-5.0	44	102	47.5*1.75W	2170gr
250	YANMAR	APS F-53875	124199-22012	3GP68Z 3GP68ZD	3	68	52.8	27.8-11.1	2-1.5	1-3.0	20	54.7	21.5*1.0W	194gr
251	YANMAR	APS F-53876	124195-22011	3GP66-H 2GP66-H	3/2	66	57.7	32.7-10.5 '-0.3,-0.2	2-1.5	1-3.5	20	51	23.0*1.8R	185±2.5gr
252	YANMAR	APS C-53877/J		EKD	6	130	166.9	93.2-10.2 '-7.3-3.2-	1-4.0 2-3.0	2-5.5	50	108	54.2*2.0W	2730±30gr
253	YANMAR	APS C-53878/J		3M15	1	91.5	131.9	74.0-5.5 '-4.4,-1.2	1-3.5 2-2.5	2-4.5	38	76	40.8*1.5W	959±15gr
254	YANMAR	APS C-53879/J		4PF	1	130	147.9	84.1	1-4.0 2-3.0	2-5.0	42	102	45.5*1.75W	2548±35gr
255	YANMAR	APS C-53880/J		ES	1	115	155	83.2-8.0 '-1.6	1-3.5 2-3.0	2-5.0	44	97	47.5*1.75W	1866±25gr
256	YANMAR	APS C-53881/J		3E15B	4	91.5	132.2	74.0-2.8 '-1.8	1-3.5 2-2.5	2-4.5	38	76	40.8*1.5W	964±15gr
257	YANMAR	APS C-53883H/JH			4	83	80	43.5-16.0	1-2.0 1-2.0	1-4.0	25	64	27.8*1.4R	532gr
258	YANMAR	APS F-53885	124190-22011	3TG66	3	66	55.6	30.6-8.55	2-1.5	1-2.8	20	51	23.0*1.8R	170gr
259	YANMAR	APS F-53822 (Y-011)	119802-22010	3TNV82A	1	82	71.01	39.01-14.4	2-2.0	1-4.0	23	64.5	24.5 1.2W	
260	YANMAR	APS Y-012	129004-22010	3TNV84 4TNV84	1	84	84	47.225-15	2-2.0	1-4.0	26	69.5	27.9 1.2W	
261	YANMAR	APS Y-012G		3TNV84HT	3	84	84	47.225-15	1-2.0K 1-2.0	1-4.0	26	69.5	27.9 1.2W	

262	YANMAR	APS Y-013	514210-22510	L320 L320E	1	78	69.5	34-12.7 -0.36	2-1.5	1-3.5	21	58.7	22.5 1.0W	
263	YANMAR	APS Y-013U	514210-22510	L320 L320E	1	78	70	34.5	2-1.5	1-3.5	21	58.7	22.5 1.0W	
264	YANMAR	APS Y-013UA	514210-22550	L70V	1	78	69.5	34.0	2-1.5	1-3.5	21	58.7	22.5 1.0W	
265	YAMAHA	APS Y-013A	114210-22030	L70V	1	78.0	69.5	34.0-12.7 -0.36	2-1.5	1-3.5	21.0	58.7	22.5 1.0W	
266	YANMAR	APS Y-014	514310-22510	L435 L435E	1	86	78.5	37.5-14.5 -0.25	2-2.0	1-4.0	23	64.7	24.5 1.2W	
267	YANMAR	APS Y-014UA	514310-22550	L100V	1	86	78.5	37.5	2-2.0	1-4.0	23	64.7	24.5 1.2W	
268	YANMAR	APS Y-014O	514310-22150	L435E	1	86	78.5	37.5-14.5- 0.25	2-2.0	1-4.0	23	64.7	24.5 1.2W	
269	YANMAR	APS Y-014O1	114310-22030	L100V	1	86.0	78.5	37.5-14.5 -0.25	2-2.0	1-4.0	23.0	64.7	24.5 1.2W	
270	YANMAR	APS Y-015	524593-22810	3GPG88 4GPG88	3/4	88	83.23	46.455- 18.0	2-2.0	1-3.0	26	69.5	27.9 1.2W	
271	YANMAR	APS Y-015G	524593-22820	3GPG88 4GPG88	3/4	88.0	83.23	46.455- 18.0	2-2.0	1-4.0	26.0	69.5	27.9 1.2W	
272	YANMAR	APS Y-016UA	519125-22520	3TNV68	3	68	53	28.0-2.2 -0.8	1-1.55 1-1.5	1-3.0	20	54.5	21.5 1.0W	
273	YANMAR	APS Y-016UA1	519125-22550	3TNM68	3	68	53	28.0-2.2 -0.8	1-1.55 1-1.5	1-3.0	20	54.5	21.5*1.0 W	
274	YANMAR	APS Y-016UA2	519125-22560	3TNM68	3	68	53	28.0-2.2 -0.8	1-1.5 1-1.5	1-3.0	20	54.5	21.5*1.0 W	
275	YANMAR	APS Y-016UA20	519125-22570	3TNM68	3	68	53	28.0-2.2 -0.8	1-1.5 1-1.5	1-3.0	20	54.5	21.5*1.0 W	
276	YANMAR	APS Y-016UXA	519125-22510	3TNV68	3	68	53	28.0-2.2 -0.8	1-1.55 1-1.5	1-3.0	20	54.5	21.5 1.0W	
277	YANMAR	APS Y-016UA3X	519125-22580	3TNM68	3	68	53	28.0-2.2 -0.8	1-1.5 1-1.5	1-3.0	20	54.5	21.5*1.0 W	
278	YANMAR	APS Y-016UA3OX	519125-22590	3TNM68	3	68	53	28.0-2.2 -0.8	1-1.5 1-1.5	1-3.0	20	54.5	21.5*1.0 W	
279	YANMAR	APS Y-017U	519025-22090	3TNM72	3	72	62	34.0	1-1.5 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
280	YANMAR	APS Y-017A	519025-22040	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.5 1-1.5	1-3.0	22	52.5	23.5*1.0 W	

281	YANMAR	APS Y-017AO	519025-22050	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.5 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
282	YANMAR	APS Y-017AX	519025-22060	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.5 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
283	YANMAR	APS Y-017AOX	519025-22070	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.5 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
284	YANMAR	APS Y-53851U	519515-22910	3TNE74	3	74	62	34.0	1-1.55 1-1.5	1-3.0	22	58.8	23.5*1.0 W	
285	YANMAR	APS F-53857 (Y-017)	519025-22080	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.5 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
286	YANMAR	APS C-53858/J		6CH	6	105	119.4	69.7-24.7 -1.0,-0.8	1-3.0 2-2.5	1-5.0	36	89.0	38.8*1.5 W2	
287	YANMAR	APS F-53859	119515-22010	3TNV70	3	70	62	34.0-2.2 -0.8	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
288	YANMAR	APS Y-53859U	519514-22010	3TNV70	3	70	62	34	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0W	278gr
289	YANMAR	APS F-53860	160698-22051	GA180	1	68	53	23.1	2-1.5	1-2.5	16	52.9	17.3*1.0 W	
290	YANMAR	APS C-53861/J		4T94	1	94	98.7	54.8-16.8	1-2.0 1-2.0	1-3.0	30	72.5	32.1*1.3 W	
291	YANMAR	APS C-53862/J	129906-22080	4TNV98	4	98	98.7	54.8-17.4	1-2.0 1-2.0	1-3.0	30	72.5	32.1*1.3 W	0.916
292	YANMAR	APS C-53863	129900-22080	4TNE94	4	94	103.8	58.8-17.7	1-2.0 1-2.0	1-3.0	30	72.5	32.1*1.3 W	0.818
293	YANMAR	APS F-53871	124698-22011	4GPE86-H2	4	86	83.23	46.455-18.2	2-2.0	1-4.0	26	69.8	27.9*1.2W	440gr
294	YANMAR	APS F-53871U	124699-22012	4GPE86	4	86	83.55	46.775-17.3	2-2.0	1-4.0	26	69.8	27.9*1.2W	
295	YANMAR	APS C-53882/J			4	87	80	43.5-15.1	2-2.0	1-4.0	25	64	27.8*1.4R	516±10gr
296	YANMAR	APS C-53883/J			4	87	80	43.5-16.4	1-2.0 1-2.0	1-4.0	25	64	27.8*1.4R	516±10gr
297	YANMAR	APS C-53884Y/JY			4	91.5	105	63.6-19.9	1-2.5 2-2.0	1-4.5	34	75	36.5*1.5W	867±15gr
298	YANMAR	APS F-53887Y/JY	726624-22722	6HA2M-DTE	6	130	136.5	84.5-24.3 '-4.2	1-3.5 2-2.5	1-5.0	48	111.5	51.5*1.75V	2229gr
299	YANMAR	APS F-53888Y/JY	744676-22503	6KHK-UT1	6	135	149.2	91.2-23.9 '-4.2,-3.7	1-4.0 2-2.5	1-6.0	52	112	56.2*1.0W	2708gr

300	YANMAR	APS Y-017HA	519026-22030	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
301	YANMAR	APS Y-017HA1	519026-22040	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
302	YANMAR	APS Y-017HA2	519026-22060	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
303	YANMAR	APS Y-017HA3	519026-22070	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
304	YANMAR	APS Y-017JHA2	519026-22090	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
305	YANMAR	APS Y-017JHA3	519026-22510	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
306	YANMAR	APS Y017HG	519026-22010	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
307	YANMAR	APS Y-017JH	519026-22020	3TNM72	3	72	62	34.0-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0 W	
308	YANMAR	APS Y-018	519306-22040	2TNV66	2	66	58	33.0-1.5 -0.65	1-1.55 1-1.5	1-3.0	20	51.0	23.0*1.8R	
309	YANMAR	APS Y-018U	519306-22050	2TNV66	2	66	58	33.0-1.0 -0.25	1-1.55 1-1.5	1-3.0	20	51.0	23.0*1.8R	
310	YANMAR	APS Y-018A	519306-22510	2TNV66	2	66	58	33.0-1.5 -0.65	1-1.55 1-1.5	1-3.0	20	51	23.0*1.8R	237gr
311	YANMAR	APS Y-018AX	519306-22520	2TNV66	2	66	58	33.0-1.5 -0.65	1-1.55 1-1.5	1-3.0	20	51	23.0*1.8R	237gr
312	YANMAR	APS Y-019-1	119609-22052	3TNE72KC	3	72	61.425	33.425-2.0 -0.9	1-1.55 1-1.5	1-3.0	21	58.8	22.5*1.0 W	
313	YANMAR	APS Y-019-2	105297-22010	NFAE8	4	78	77.8	44.8-1.5 -0.7,-0.3	3-2.0	1-4.0	23	60	26*1.8R	381gr
314	YANMAR	APS Y-020-1	124393-22010	3GPF68-HU	3	68	56.075	31.075- 10.0	2-1.5	1-3.0	20	54.7	21.5*1.0 W	
315	YANMAR	APS Y-020U-1	124398-22010	3GPE68-H2	3	68	56.075	31.075- 13.0	2-1.5	1-3.0	20	54.7	21.5*1.0 W	
316	YANMAR	APS Y-020-2	519C00-22010	3TNV72L	3	72	60.5	32.5-2.2 -0.85	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0W	279gr
317	YANMAR	APS Y-020U-2	519C00-22500	3TNV72L	3	72	60.5	32.5	1-1.55 1-1.5	1-3.0	22	52.5	23.5*1.0W	281gr
318	YANMAR	APS Y-021	519D00-22010	3TNM74	3	74	60.5	32.5-2.6 -0.9	1-1.55 1-1.5	1-3.0	22	58.8	23.5*1.0W	291gr

319	YANMAR	APS Y-021J	519D00-22020	3TNM74	3	74	60.5	32.5-2.6 '-0.9	1-1.55 1-1.5	1-3.0	22	58.8	23.5*1.0W	291±2.5gr
320	YANMAR	APS Y-021U	519D00-22490	3TNM74	3	74	61	33	1-1.55 1-1.5	1-3.0	22	58.8	23.5*1.0W	300±2.5gr